

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1984

[Full Table of Content](#)



### 84/R/CS/212 Seasonal Effects of Take-all - W. Wheat, S. Beans

#### Rothamsted Research

Rothamsted Research (1985) *84/R/CS/212 Seasonal Effects of Take-all - W. Wheat, S. Beans ; Yields Of The Field Experiments 1984*, pp 133 - 134 - DOI: <https://doi.org/10.23637/ERADOC-1-32>

84/R/CS/212

SEASONAL EFFECTS OF TAKE-ALL

Object: To study the incidence of take-all (*Gaeumannomyces graminis*) in continuous w. wheat and in first and second w. wheats after a break - Great Harpenden I.

Sponsor: D. Hornby.

The seventh year, s. beans, w. wheat.

For previous years see 78-83/R/CS/212.

Design: 3 randomised blocks of 4 plots.

Whole plot dimensions: 5.33 x 31.4.

Treatments:

PREVCROP Previous crops before w. wheat 1984:

	1978	1979	1980	1981	1982	1983
CONT W	W	W	W	W	W	W
FIRST W	BE	W	W	W	BE	W
BEANS	W	BE	W	W	W	BE

BE = s. beans, W = w. wheat

NOTE: An additional crop sequence was in s. beans 1984, yields not taken.

Standard applications:

Both crops: Weedkiller: Chlortoluron at 3.5 kg in 250 l.

W. wheat: Manures: (0:24:24) at 310 kg, combine drilled. 'Nitro-Chalk' at 350 kg. Weedkillers: Cyanazine at 0.3 l with mecoprop at 2.0 l in 250 l.

Seed: W. wheat: Avalon, sown at 190 kg.

S. beans: Minden, sown at 200 kg.

Cultivations, etc.:-

Both crops: Ploughed: 16 Sept, 1983. Chlortoluron applied: 27 Sept.

W. wheat: Spring-tine cultivated twice, seed sown: 23 Sept, 1983.

N applied, cyanazine with mecoprop applied: 12 Apr, 1984. Combine harvested: 21 Aug.

S. beans: Deep spring-tine cultivated: 20 Mar, 1984. Rotary harrowed, seed sown: 21 Mar. Combine harvested: 31 Aug.

NOTE: Take-all was assessed in soil and in w. wheat plants.

84/R/CS/212

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

PREVCROP	
CONT W	5.79
FIRST W	5.59
BEANS	6.16
MEAN	5.85

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	PREVCROP
-----	-----
SED	0.161

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	4	0.198	3.4
GRAIN MEAN DM%	86.8		
PLOT AREA HARVESTED	0.00434		