

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1984

[Full Table of Content](#)



## 84/R/B/12 Sowing Dates and Insects - S. Barley

### Rothamsted Research

Rothamsted Research (1985) *84/R/B/12 Sowing Dates and Insects - S. Barley* ; Yields Of The Field Experiments 1984, pp 273 - 274 - DOI: <https://doi.org/10.23637/ERADOC-1-32>

84/R/B/12

SPRING BARLEY

SOWING DATES AND INSECTS

Object: To study the effects of omethoate on insect pests and on yields of s. barley sown on two dates - Gt. Harpenden I.

Sponsor: G.C. Scott.

Design: 4 randomised blocks of 9 plots.

Whole plot dimensions: 9.0 x 10.0.

Treatments:

SDTE INS	Sowing dates and insecticides:
SE NONE	Sown 9 Mar, 1984, no insecticides
SE OME R	Sown 9 Mar, omethoate applied on 25 May, 13 June, 26 June, 11 July
SL NONE	Sown 13 Apr, no insecticides (duplicated)
SL OME 1	Sown 13 Apr, omethoate applied on 25 May
SL OME 2	Sown 13 Apr, omethoate applied on 13 June
SL OME 3	Sown 13 Apr, omethoate applied on 26 June
SL OME 4	Sown 13 Apr, omethoate applied on 11 July
SL OME R	Sown 13 Apr, omethoate applied 25 May, 13 June, 26 June, 11 July

NOTE: Omethoate was applied at 0.64 kg in 450 l.

Basal applications: Manures: 'Nitro-Chalk' at 500 kg. Weedkillers: Dicamba, mecoprop and MCPA (as 'Herrisol' at 5.0 l) in 200 l. Fungicide: Tridemorph at 0.52 kg in 500 l.

Seed: Triumph, dressed triadimenol plus fuberidazole, sown at 160 kg.

Cultivations, etc.: - Ploughed: 5 Dec, 1983. N applied: 8 Mar, 1984. Early-sown plots rotary harrowed, seed sown: 9 Mar. Late-sown plots rotary harrowed, seed sown: 13 Apr. Weedkillers applied: 15 May. Fungicide applied: 11 June. Combine harvested: 18 Aug. Previous crops: Potatoes 1982, w. wheat 1983.

NOTE: Aphids, thrips and stem borers were counted between late April and mid-July

84/R/B/12

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

SDTE INS	
SE NONE	8.32
SE OME R	8.86
SL NONE	7.85
SL OME 1	8.04
SL OME 2	8.09
SL OME 3	7.95
SL OME 4	7.76
SL OME R	8.14

MEAN 8.09

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	SDTE INS	
-----		
SED	0.185	MIN REP
	0.160	MAX-MIN

	SDTE INS	
MAX-MIN	SL NONE	V ANY OF REMAINDER
MIN REP	ANY OF REMAINDER	

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	25	0.261	3.2

GRAIN MEAN DM% 86.0

PLOT AREA HARVESTED 0.00204