

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1984

[Full Table of Content](#)



84/R/MA/1 Varieties, Sowing Dates and Polythene Covers - Maize

Rothamsted Research

Rothamsted Research (1985) *84/R/MA/1 Varieties, Sowing Dates and Polythene Covers - Maize* ;
Yields Of The Field Experiments 1984, pp 322 - 325 - DOI:

<https://doi.org/10.23637/ERADOC-1-32>

84/R/MA/1

MAIZE

VARIETIES, SOWING DATES AND POLYTHENE COVERS

Object: To study the effects of two sowing dates and polythene covers to the seedbed on the maturity dates and yield of three maize varieties grown for forage and grain - Long Hoos IV 6.

Sponsor: A.J. Barnard.

Design: 3 randomised blocks of 12 plots.

Whole plot dimensions: 2.13 x 11.6.

Treatments: All combinations of:-

- | | |
|-------------|---------------------------------|
| 1. VARIETY | Varieties: |
| | BASTILLE |
| | BEAUPRE |
| | FRONICA |
| 2. SOW DATE | Dates of sowing: |
| | 11 APR 11 April, 1984 |
| | 10 MAY 10 May |
| 3. COVERS | Covers to seedbed after sowing: |
| | NONE None |
| | POLYTHNE Polythene sheet |

NOTE: The covers were photo-degradable and were laid by hand, within 5 days of sowing, and then perforated at about 10 cm intervals over the drill rows to allow seedling emergence.

Basal applications: Manures: 'Nitro-Chalk' at 560 kg. Weedkiller: Atrazine at 1.7 l in 220 l. Insecticides: Omethoate at 0.64 kg in 220 l. Pirimicarb at 0.14 kg in 220 l.

Seed: Varieties sown at 100,000 seeds per hectare.

Cultivations, etc.:-

Ploughed: 18 Nov, 1983. Spring-tine cultivated, N applied to all plots, early sown plots, power harrowed, and sown: 11 Apr, 1984. Weedkiller applied to early-sown plots: 12 Apr. Power-harrowed, late-sown plots, seed sown: 10 May. Weedkiller applied to late-sown plots: 14 May. Omethoate applied: 19 June. Pirimicarb applied: 17 July.

Harvested by hand:-

Forage harvest: First sowing date, polythene-covered Beupre harvested: 5 Sept, Bastille and Fronica: 13 Sept. Remaining plots: 4 Oct.

Grain harvest: (Cobs picked by hand, threshed by stationary combine harvester). All varieties, first sowing: 24 Oct, second sowing: 7 Nov.

Previous crops: Mixed cereals 1982, potatoes 1983.

84/R/MA/1

NOTE: Plant counts were made at establishment, mid-season and pre-harvest. Growth rates, plant heights, length of selected leaves at harvest and the ratio of cob weight to stems were measured.

84/R/MA/1

FORAGE DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

SOW DATE	11 APR	10 MAY	MEAN
VARIETY			
BASTILLE	15.79	15.49	15.64
BEAUPRE	13.59	14.38	13.98
FRONICA	14.47	14.08	14.27

MEAN	14.61	14.65	14.63
------	-------	-------	-------

COVERS	NONE	POLYTHNE	MEAN
VARIETY			
BASTILLE	16.22	15.06	15.64
BEAUPRE	13.75	14.22	13.98
FRONICA	13.79	14.76	14.27

MEAN	14.58	14.68	14.63
------	-------	-------	-------

COVERS	NONE	POLYTHNE	MEAN
SOW DATE			
11 APR	14.25	14.98	14.61
10 MAY	14.92	14.38	14.65

MEAN	14.58	14.68	14.63
------	-------	-------	-------

SOW DATE	11 APR	10 MAY	
COVERS	NONE	POLYTHNE	NONE POLYTHNE
VARIETY			
BASTILLE	15.13	16.45	13.67
BEAUPRE	14.30	12.88	15.56
FRONICA	13.33	15.61	13.91

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	VARIETY	SOW DATE	COVERS	VARIETY SOW DATE
SED	0.958	0.782	0.782	1.355

TABLE	VARIETY COVERS	SOW DATE COVERS	VARIETY SOW DATE COVERS
SED	1.355	1.107	1.917

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	22	2.347	16.0

GRAIN MEAN DM% 29.6

PLOT AREA HARVESTED 0.00029

84/R/MA/1

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

SOW DATE	11 APR	10 MAY	MEAN
VARIETY			
BASTILLE	7.83	7.38	7.61
BEAUPRE	7.74	6.52	7.13
FRONICA	7.68	7.25	7.47

MEAN	7.75	7.05	7.40
------	------	------	------

COVERS	NONE	POLYTHNE	MEAN
VARIETY			
BASTILLE	7.54	7.67	7.61
BEAUPRE	6.62	7.63	7.13
FRONICA	6.71	8.23	7.47

MEAN	6.96	7.85	7.40
------	------	------	------

COVERS	NONE	POLYTHNE	MEAN
SOW DATE			
11 APR	7.06	8.44	7.75
10 MAY	6.85	7.25	7.05

MEAN	6.96	7.85	7.40
------	------	------	------

SOW DATE	11 APR		10 MAY	
COVERS	NONE	POLYTHNE	NONE	POLYTHNE
VARIETY				
BASTILLE	7.43	8.23	7.64	7.12
BEAUPRE	6.89	8.60	6.36	6.67
FRONICA	6.86	8.51	6.56	7.95

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	VARIETY	SOW DATE	COVERS	VARIETY SOW DATE
SED	0.448	0.366	0.366	0.634

TABLE	VARIETY COVERS	SOW DATE COVERS	VARIETY SOW DATE COVERS
SED	0.634	0.518	0.897

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	22	1.098	14.8

GRAIN MEAN DM% 62.0

PLOT AREA HARVESTED 0.00029