Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



## Yields of the Field Experiments 1985



Full Table of Content

# 85/R/CS/247 Organic Matter and Earthworm Inoculation - S. Barley

### **Rothamsted Research**

Rothamsted Research (1986) 85/R/CS/247 Organic Matter and Earthworm Inoculation - S. Barley; Yields Of The Field Experiments 1985, pp 141 - 142 - **DOI**:

https://doi.org/10.23637/ERADOC-1-19

#### 85/R/CS/247

#### ORGANIC MATTER AND EARTHWORM INOCULATION

Object: To study methods of inoculating earthworms into arable soil and the influence of organic materials on subsequent multiplication and spread - Hoosfield.

Sponsor: C.A. Edwards.

The sixth year, s. barley.

For previous years see 80-84/R/CS/247.

Design: 3 randomised blocks of 9 plots.

Whole plot dimensions: 7.85 x 7.62.

Treatments: All combinations of:-

1. WORMINOC(80) Earthworms and inoculation method for 1980 crop only:

NONE None

Earthworms (Lumbricus terrestris) applied at 16,700

per hectare in November 1979:

EVEN Evenly spaced throughout

CONC Concentrated in metre squares, 100 earthworms per

square metre

2. ORG MATT Forms of organic matter:

NONE None

STR Straw at 6.50 t for 1980, 3.25 t for 1981 and 1982 STR+FYM Straw at 6.50 t for 1980, 3.25 for 1981 and 1982 plus

farmyard manure at 40 t for each year including

1985

Basal applications: Manures: (20:10:10) at 630 kg. Weedkillers: Paraquat at 0.60 kg ion in 500 l. Clopyralid at 0.05 kg and bromoxynil at 0.24 kg with mecoprop at 1.7 kg applied with the fungicide in 500 l. Fungicide: Tridemorph at 0.52 kg.

Seed: Triumph, dressed triadimenol and fuberidazole, sown at 160 kg.

Cultivations, etc.:- Paraquat applied: 20 Nov, 1984. Cultivated by rotary grubber: 1 Feb, 1985. FYM treatments applied: 5 Feb. Springtine cultivated twice, NPK applied, seed sown: 15 Mar. Remaining weedkillers applied with the fungicide: 9 May. Combine harvested: 22 Aug.

85/R/CS/247

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

| ORG MATT WORMINOC(80) | NONE | STR  | STR+FYM | MEAN |
|-----------------------|------|------|---------|------|
| NONE                  | 5.99 | 5.72 | 6.13    | 5.95 |
| EVEN                  | 6.02 | 6.39 | 6.21    | 6.21 |
| CONC                  | 6.28 | 6.29 | 6.28    | 6.28 |
| MEAN                  | 6.10 | 6.13 | 6.21    | 6.15 |

\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*

TABLE WORMINOC(80) ORG MATT WORMINOC(80)
ORG MATT

SED 0.218 0.218 0.378

\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*

 STRATUM
 DF
 SE
 CV%

 BLOCK.WP
 16
 0.463
 7.5

GRAIN MEAN DM% 80.3

PLOT AREA HARVESTED 0.00244