

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1985

[Full Table of Content](#)



## 85/R/CS/298 Nematicide Sprays and Stem Nematode - Lucerne

### Rothamsted Research

Rothamsted Research (1986) *85/R/CS/298 Nematicide Sprays and Stem Nematode - Lucerne* ; Yields Of The Field Experiments 1985, pp 152 - 156 - DOI: <https://doi.org/10.23637/ERADOC-1-19>

85/R/CS/298

NEMATICIDE SPRAYS AND STEM NEMATODE

Object: To study the effects of applying a range of chemicals to stubbles after each cut on the incidence of stem nematode (*Ditylenchus dipsaci*) in lucerne given carbofuran to the seed furrow - Long Hoos IV I.

Sponsor: A.G. Whitehead.

The third year, lucerne.

For previous years see 83-84/R/CS/298.

Design: 2 randomised blocks of 16 plots.

Whole plot dimensions: 1.2 x 3.7.

Treatments:

TREATMNT Varieties and chemicals (all applied at 1.5 kg):

EV O	Euver, untreated
EV C	Euver, carbofuran to seed furrow
ER O	Europe, untreated (duplicated)
ER C	Europe, carbofuran to seed furrow
	To variety Europe, all given carbofuran to seed furrow
ER C AW	Aldicarb watered on
ER C CE	Carbendazim, applied by electrostatic sprayer
ER C CH	Carbendazim, applied by hydraulic sprayer
ER C DE	Dimethoate, applied by electrostatic sprayer
ER C DH	Dimethoate, applied by hydraulic sprayer
ER C PE	Pirimiphos methyl, applied by electrostatic sprayer
ER C PH	Pirimiphos methyl, applied by hydraulic sprayer
ER C TCE	Thiodicarb, applied by electrostatic sprayer
ER C TCH	Thiodicarb, applied by hydraulic sprayer
ER C TBE	Thiabendazole, applied by electrostatic sprayer
ER C TBH	Thiabendazole, applied by hydraulic sprayer

- NOTES: (1) Carbofuran was applied to seed furrow, in 1983 only. The other chemicals were applied after each cut in 1983; after each cut except the last in 1984; before the first cut and after each cut except the last in 1985. Aldicarb was applied in 7500 l by weeder bar. Hydraulic sprays were applied in 310 l and electrostatic sprays in 5.7 l.
- (2) The carbendazim application by electrostatic sprayer due after the first cut 1985 was omitted because of a formulation problem.
- (3) Pirimiphos methyl was applied before and after the first cut 1985 but the material was not available for subsequent treatments.

Basal applications: Manures: (0:24:24) at 730 kg. Weedkiller: Propyzamide at 0.70 kg in 220 l.

85/R/CS/298

Cultivations, etc.: - PK applied: 26 Nov, 1984. Weedkiller applied: 22 Jan, 1985. Treatments applied: 1 May. Cut: 17 June. Aldicarb treatment applied: 2 July. Remaining treatments applied: 12 July. Cut: 20 Aug. Aldicarb treatment applied: 2 Sept. Remaining treatments applied: 6 Sept. Cut: 4 Nov.

1ST CUT (17/6/85) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TREATMNT	
EV O	4.63
EV C	5.34
ER O	3.67
ER C	3.58
ER C AW	4.93
ER C CE	4.89
ER C CH	5.67
ER C DE	3.95
ER C DH	6.08
ER C PE	3.49
ER C PH	4.32
ER C TCE	6.50
ER C TCH	5.59
ER C TBE	5.65
ER C TBH	5.73
MEAN	4.86

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	TREATMNT
-----	-----
SED	1.207 MIN REP
	1.045 MAX-MIN

TREATMENT  
 MAX-MIN ER O V ANY OF REMAINDER  
 MIN REP ANY OF THE REMAINDER

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	16	1.207	24.9
1ST CUT MEAN DM%	19.6		

85/R/CS/298

2ND CUT (20/8/85) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TREATMNT	
EV O	4.57
EV C	4.35
ER O	3.38
ER C	3.00
ER C AW	4.19
ER C CE	4.02
ER C CH	4.43
ER C DE	3.48
ER C DH	5.51
ER C PE	2.73
ER C PH	3.25
ER C TCE	5.20
ER C TCH	4.98
ER C TBE	5.41
ER C TBH	4.22
MEAN	4.13

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	TREATMNT
-----	-----
SED	0.806 MIN REP
	0.698 MAX-MIN

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	16	0.806	19.5
2ND CUT MEAN DM%	22.9		

85/R/CS/298

3RD CUT (4/11/85) DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TREATMNT	
EV O	2.57
EV C	2.72
ER O	1.61
ER C	1.64
ER C AW	1.57
ER C CE	1.93
ER C CH	1.57
ER C DE	2.00
ER C DH	2.22
ER C PE	1.43
ER C PH	1.71
ER C TCE	2.14
ER C TCH	2.00
ER C TBE	2.57
ER C TBH	1.57
MEAN	1.93

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	TREATMNT
SED	0.444 MIN REP
	0.384 MAX-MIN

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	16	0.444	23.0
3RD CUT MEAN DM%	28.1		

85/R/CS/298

TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

TREATMNT	
EV O	11.77
EV C	12.41
ER O	8.66
ER C	8.23
ER C AW	10.70
ER C CE	10.85
ER C CH	11.67
ER C DE	9.43
ER C DH	13.80
ER C PE	7.65
ER C PH	9.29
ER C TCE	13.85
ER C TCH	12.57
ER C TBE	13.63
ER C TBH	11.53
MEAN	10.92

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

TABLE	TREATMNT	
-----	-----	
SED	2.008	MIN REP
	1.739	MAX-MIN

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

STRATUM	DF	SE	CV%
BLOCK.WP	16	2.008	18.4
TOTAL OF 3 CUTS MEAN DM%	23.5		
PLOT AREA HARVESTED	0.00045		