Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1985



Full Table of Content

85/W/CS/304 Nitrification Inhibitors - Ley

Rothamsted Research

Rothamsted Research (1986) 85/W/CS/304 Nitrification Inhibitors - Ley; Yields Of The Field Experiments 1985, pp 169 - 173 - DOI: https://doi.org/10.23637/ERADOC-1-19

NITRIFICATION INHIBITORS

Object: To study the effects of adding nitrification inhibitors to liquid and solid urea on the yield and nitrogen uptake of a ley -Woburn Stackyard II.

Sponsors: G.A. Rodgers, F.V. Widdowson.

The second year, grass ley.

For previous year see 84/W/CS/304.

Design: 3 randomised blocks of 18 plots.

Whole plot dimensions: 12.2 x 2.4.

Treatments: All combinations of:-

Inhibitor to injected aqueous urea (applied at 375 kg N): 1. INHIB I

0 AQU3 None

Nitrapyrin at 1.5 kg NIT AQU3

Carbon disulphide at 10 kg plus potassium ethyl xanthate C+P AQU3

at 5 kg

Times of applying aqueous urea: 2. APP TIME

WINTER 30 Jan, 1985

SPRING 7 Mar

plus all combinations of:-

Inhibitor to broadcast prilled urea (applied at 375 kg N): 1. INHIB B

0 PU3

DIC PU3 Dicyandiamide at 56 kg

PHEN PU3 Phenylphosphorodiamidate at 8 kg

2. APP DIV Division of prilled urea:

Dressing equally divided between 11 Mar, 12 July, 6 Sept DIVIDED

SINGLE Single dressing on 11 Mar

plus six extra treatments:

'Nitro-Chalk' (26% N) dressings (kg N): EXTRA

0 None

Dressings equally divided between 11 Mar, 12 July, 6 Sept:

NC1 D 125 250 NC2 D

NC3 D 375

500 NC4 D

Single dressing on 11 Mar:

375 NC3 S

Basal applications: Manures: (0:18:36) at 470 kg. Weedkiller: Mecoprop at 2.1 kg in 250 l.

Cultivations, etc.:- PK applied: 13 Mar, 1985. Weedkiller applied: 4 Nov. Cut: 2 July, 3 Sept, 12 Nov.

NOTES: (1) Estimates of ammonia losses were made in the fortnight after applying treatments. Soil samples were taken at intervals for ammonium and nitrate analyses.

(2) Plant samples were taken at each cut for estimates of total N and dry matter.

1ST CUT (2/7/85) DRY MATTER TONNES/HECTARE

**** TABLES OF MEANS ****

APP TIME INHIB I	WINTER	SPRING	MEAN				
0 AQU3	6.51	6.98	6.75				
NIT AQU3	7.43	7.29	7.36				
C+P AQU3	6.64	7.26	6.95				
MEAN	6.86	7.18	7.02				
APP DIV	DIVIDED	CINCIL	MEAN				
INHIB B	DIVIUEU	SINGLE	MEAN				
0 PU3	7.61	6.22	6.91				
DIC PU3	7.11	7.24	7.17				
PHEN PU3	6.89	6.71	6.80				
MEAN	7.20	6.72	6.96				
EXTRA	0	NC1 D	NC2 D	NC3 D	NC4 D	NC3 S	MEAN
	2.76	7.11	6.64	6.42	6.69	5.03	5.77

GRAND MEAN 6.58

**** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	APP TIME	APP DIV	INHIB I
SED	0.848	0.490	0.490	0.600
TABLE	INHIB B	APP TIME INHIB I	APP DIV	
SED	0.600	0.848	0.848	

**** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION ****

STRATUM	DF	SE	CV%
BLOCK . WP	34	1.039	15.8

1ST CUT MEAN DM% 22.7

2ND CUT (3/9/85) DRY MATTER TONNES/HECTARE

**** TABLES OF MEANS *****

APP TIME INHIB I	WINTER	SPRING	MEAN				
0 AQU3	3.69	4.28	3.98				
NIT AQU3	3.75	4.57	4.16				
C+P AQU3	3.87	3.95	3.91				
MEAN	3.77	4.27	4.02				
APP DIV	DIVIDED	SINGLE	MEAN				
INHIB B							
0 PU3	3.37	2.45	2.91				
DIC PU3	3.45	2.81	3.13				
PHEN PU3	3.59	3.71	3.65				
MEAN	3.47	2.99	3.23				
EXTRA	0	NC1 D	NC2 D	NC3 D	NC4 D	NC3 S	MEAN
	0.61	2.39	3.61	3.58	3.86	3.99	3.00

GRAND MEAN 3.42

**** STANDARD ERRORS OF DIFFERENCES OF MEANS ****

TABLE	EXTRA	APP TIME	APP DIV	INHIB I
SED	0.243	0.140	0.140	0.172
TABLE	INHIB B	APP TIME INHIB I	APP DIV	
SED	0.172	0.243	0.243	

**** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION ****

 STRATUM
 DF
 SE
 CV%

 BLOCK.WP
 34
 0.298
 8.7

2ND CUT MEAN DM% 16.4

3RD CUT (12/11/85) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

APP TIME INHIB I	WINTER	SPRING	MEAN			
0 AQU3 NIT AQU3 C+P AQU3	0.79 0.91 1.07	1.34 1.26 1.39	1.07 1.09 1.23			
MEAN	0.93	1.33	1.13			
APP DIV	DIVIDED	SINGLE	MEAN			
0 PU3	1.48	0.44	0.96			
DIC PU3	1.47	0.51	0.99			
PHEN PU3	1.84	0.94	1.39			
MEAN	1.60	0.63	1.11			
EXTRA	0.59	NC1 D 1.20	NC2 D 1.87	NC3 D 1.95	NC4 D 2.00	NC3 S 1.15

GRAND MEAN 1.23

**** STANDARD ERRORS OF DIFFERENCES OF MEANS ****

TABLE	EXTRA	APP TIME	APP DIVN	INHIB I
SED	0.172	0.099	0.099	0.121
TABLE	INHIB B	APP TIME INHIB I	APP DIV	
SED	0.121	0.172	0.172	

**** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION ****

STRATUM DF SE CV% BLOCK . WP 34 0.210 17.0

3RD CUT MEAN DM% 28.2

MEAN

1.46

TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE

**** TABLES OF MEANS ****

APP TIME	WINTER	SPRING	MEAN				
INHIB I 0 AQU3	10.99	12.60	11.80				
NIT AQU3	12.09	13.12	12.61				
C+P AQU3	11.58	12.60	12.09				
MEAN	11.55	12.77	12.16				
APP DIV	DIVIDED	SINGLE	MEAN				
INHIB B	DIVIOLO	SINGLE					
0 PU3	12.46	9.11	10.79				
DIC PU3	12.03	10.55	11.29				
PHEN PU3	12.32	11.36	11.84				
MEAN	12.27	10.34	11.31				
EXTRA	0	NC1 D	NC2 D	NC3 D	NC4 D	NC3 S	MEAN
	3.95	10.69	12.12	11.95	12.54	10.18	10.24

GRAND MEAN 11.24

**** STANDARD ERRORS OF DIFFERENCES OF MEANS ****

TABLE	EXTRA	APP TIME	APP DIV	INHIB I
SED	0.976	0.563	0.563	0.690
TABLE	INHIB B		APP DIVN INHIB B	
SED	0.690	0.976	0.975	

**** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION ****

STRATUM DF SE CV%

BLOCK.WP 34 1.195 10.6

TOTAL OF 3 CUTS MEAN DM% 22.4

PLOT AREA HARVESTED 0.00084