Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1985



Full Table of Content

## 85/R/BE/10 Seed Rates and Plant Health - S. Beans

### **Rothamsted Research**

Rothamsted Research (1986) 85/R/BE/10 Seed Rates and Plant Health - S. Beans; Yields Of The Field Experiments 1985, pp 271 - 272 - DOI: https://doi.org/10.23637/ERADOC-1-19

#### 85/R/BE/10

#### SPRING BEANS

#### SEED RATES AND PLANT HEALTH

Object: To study the effects of three seed rates and two standards of plant health on the yield of s. beans - Long Hoos VI/VII 4.

Sponsors: J. McEwen, D.P. Yeoman.

Design: 4 randomised blocks of 6 plots.

Whole plot dimensions: 2.40 x 3.00.

Treatments: All combinations of:-

1. POPULATN Plant populations per hectare:

|                      | Mean Target population population achieved   |
|----------------------|--|
| 200<br>400<br>600    | 200,000 170,000<br>400,000 350,000<br>600,000 480,000  |
| 2. PATHCONT          | Pest and pathogen control:   |
| STANDARD<br>ENHANCED | Pirimicarb at 0.14 kg in 220 l on 1 July, 1985 Deltamethrin at 0.0075 kg in 220 l on 2 May, 23 May Pirimicarb at 0.14 kg in 220 l on 1 July Benomyl at 0.56 kg in 220 l on 2 July Propicopazole at 0.12 kg in 220 l on 18 July, 22 Aug |

Basal applications: Manures: Chalk at 2.9 t. Weedkillers: Trietazine at  $1.2\ kg$  with simazine at  $0.17\ kg$  and paraquat at  $0.40\ kg$  ion in  $220\ l.$ 

Seed: Minden.

Cultivations, etc.:- Chalk applied: 12 Sept, 1984. Ploughed: 12 Nov. Spring-tine cultivated, seed sown: 14 Mar, 1985. Weedkillers applied: 18 Mar. Harvested by hand: 19 Sept. Previous crops: W. wheat 1983 and 1984.

NOTE: Plant counts were made after establishment and components of yield were measured at maturity.

85/R/BE/10

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

| PATHCONT<br>POPULATN | STANDARD | ENHANCED | MEAN |
|----------------------|----------|----------|------|
| 200                  | 5.19     | 5.69     | 5.44 |
| 400                  | 5.01     | 5.79     | 5.40 |
| 600                  | 4.98     | 6.05     | 5.51 |
| MEAN                 | 5.06     | 5 95     | 5 15 |

\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*

| TABLE | POPULATN | PATHCONT | POPULATN<br>PATHCONT |
|-------|----------|----------|----------------------|
|       |          |          |                      |
| SED   | 0.241    | 0.197    | 0.341                |

\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*

STRATUM DF SE CV% BLOCK.WP 15 0.482 8.8

GRAIN MEAN DM% 91.0

PLOT AREA HARVESTED 0.00015