

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1986

[Full Table of Content](#)



Contents 1986

Rothamsted Research

Rothamsted Research (1987) *Contents 1986* ; Yields Of The Field Experiments 1986, pp 1 - 6 - DOI: <https://doi.org/10.23637/ERADOC-1-36>

Rothamsted Experimental Station
Harpenden
Lawes Agricultural Trust
YIELDS
of the
FIELD
EXPERIMENTS
1986

This report is produced by members of the Statistics Department and of the Field Experiments Section. It includes only experiments conducted at Rothamsted, Woburn and Saxmundham. Only those experiments which have the determination of crop yields as an object are included. For many of these, other determinations are of equal or greater importance.

Price: Twelve pounds.

Published 1987

CONTENTS 1986

Page

CONVENTIONS

EXPERIMENTS

Broadbalk
Hoosfield
Wheat & Fallow
Exhaustion Land
Park Grass
Agdell
Barnfield
Garden Clover
Rotation I
Rotation II

CLASSICALS

W. wheat, potatoes
S. barley
W. wheat
S. barley
Old grass
S. barley
Leys
Clover
Grass, w. wheat
W. wheat

R/BK/1 9
R/HB/2 14
R/WF/3 18
R/EX/4 19
R/PG/5 22
R/AG/6 27
R/BN/7 28
R/GC/8 32
S/RN/1 34
S/RN/2 39

ROTATIONS

Ley/Arable
Ley/Arable
Market Garden
Arable Reference Plots
Cultivation/Weedkiller
Organic Manuring
Intensive Cereals
Effects of Deep PK
Rates of P & K to the
Subsoil

Old grass, leys, s. beet, w. wheat
Leys, s. barley, w. beans, w. wheat
Clover
W. barley, ley, potatoes, w. wheat,
w. oats, old grass
W. barley
W. rye, w. oats, leys
Leys
S. barley
S. beans, w. wheat, potatoes,
s. barley

R/RN/1&2 43
W/RN/3 48
W/RN/4 57
R/RN/5 67
R/RN/8 72
W/RN/12 74
W/RN/13 78
W/RN/16 80
R/RN/17 82

CROP SEQUENCES

Long Term Liming
Nematicides in Crop
Sequence
Nematicides Dosage
Control of Pathogens
Chemical Reference Plots
Seasonal Effects of
Take-all
Minimum Cultivation
& Deep PK
Effects of Subsoiling
& Deep PK
Organic Matter &
Earthworm Inoculation
Intensive Potatoes
Nitrification Inhibitors
Nematicide Sprays &
Stem Nematode
Crops & Rhizoctonia

Triticale
Potatoes, w. wheat, s. barley
Potatoes
Maize
S. barley
W. wheat, s. beans
W. wheat, w. barley
S. barley
S. barley
Potatoes, s. barley
W. wheat
Lucerne
W. barley

R&W/CS/10 90
W/CS/34 93
W/CS/35 100
R/CS/133 101
R/CS/140 103
R/CS/212 107
W/CS/245 109
R/CS/246 121
R/CS/247 123
W/CS/273 124
W/CS/293 131
R/CS/298 135
R/CS/299 139

CROP SEQUENCES (continued)

| | | | |
|--|---|------------|-----|
| Eyespot Resistance to MBC | W. wheat | R/CS/302 | 142 |
| Long-term Straw Incorporation | W. wheat | R&W/CS/309 | 144 |
| Effects of Shallow Straw Incorporation | W. wheat | R/CS/311 | 148 |
| Straw Decomposition | W. wheat | R/CS/312 | 153 |
| Control of Stem Nematode | Lucerne | R/CS/314 | 155 |
| Varieties & PCN Tolerance | Fallow | W/CS/316 | 160 |
| Nitrophosphates | Potatoes | R/CS/318 | 161 |
| Nitrophosphates | S. barley | R/CS/319 | 164 |
| Comparison of Combinable Crops | W. rape, w. oats, w. & s. beans, sunflowers, lupins, w. wheat | R/CS/320 | 166 |
| Factors Affecting Yield | W. wheat | S/CS/1 | 169 |

ANNUALS

WINTER WHEAT

| | | | |
|---|--|----------|-----|
| Varieties | | R&W/WW/1 | 173 |
| Factors Affecting Tillering & Yield | | R/WW/3 | 181 |
| Factors Affecting Take-all | | R/WW/4 | 188 |
| Persistence of Aphicides | | R/WW/5 | 192 |
| N & DCD | | R/WW/6 | 194 |
| Sowing Dates, Fungicide Times & Eyespot | | R/WW/7 | 197 |
| Burning & Eyespot | | R/WW/8 | 200 |
| Electrostatic Sprayers & Weed Control | | R/WW/9 | 202 |
| N at Anthesis | | R/WW/17 | 204 |

BARLEY

| | | | |
|---|--|---------|-----|
| Factors Limiting Yield (w. barley) | | R/B/1 | 206 |
| Autumn Disease Control (w. barley) | | W/B/1 | 217 |
| Sowing Dates, Aphids & BYDV (w. barley) | | R/B/2 | 225 |
| Anti-feedants & BYDV (w. barley) | | R/B/3 | 227 |
| Varieties & N (s. barley) | | R&W/B/5 | 229 |
| Nitrophosphates (s. barley) | | R/B/6 | 232 |

FIELD BEANS

| | | | |
|--|--|--------|-----|
| Control of Rust (w. beans) | | R/BE/1 | 234 |
| Sowing Methods, Dates & Seed Rates (w. beans) | | R/BE/2 | 236 |
| Varieties & Seed Rates (w. beans) | | R/BE/3 | 239 |
| Varieties, Row Spacing & Plant Health (s. beans) | | R/BE/6 | 241 |
| Anti-feedants (s. beans) | | R/BE/8 | 244 |

LUPINS

| | | | |
|--|--|--------|-----|
| Varieties, Sowing Dates & Plant Health | | W/LP/2 | 246 |
| Desiccants & Fungicides | | R/LP/4 | 250 |
| Growth Regulators | | R/LP/5 | 253 |

PEAS

| | | | |
|--|--|--------|-----|
| Effects of Pea Seed-borne Mosaic Virus | | R/PE/1 | 256 |
|--|--|--------|-----|

| | | |
|--|---------|-----|
| WINTER OILSEED RAPE | | |
| Factors Limiting Yield | R/RA/1 | 258 |
| Varieties & Fungicides | R/RA/3 | 266 |
| Growth Regulators & Fungicides | R/RA/4 | 271 |
| Precision Sowing | R/RA/5 | 277 |
| Straw Treatments Before Sowing | R/RA/6 | 281 |
| Farms & Times of N | R/RA/9 | 285 |
| SUNFLOWERS | | |
| Varieties | R/SU/1 | 287 |
| Row Spacing & Seed Rates | R/SU/2 | 289 |
| Fungicides & Botrytis | R/SU/3 | 291 |
| MAIZE | | |
| Varieties, Sowing Dates & Polythene Covers | R/MA/1 | 293 |
| CABBAGES | | |
| Anti-feedants | R/CA/1 | 296 |
| POTATOES | | |
| Varieties | R&W/P/1 | 298 |
| Seed Health Progeny | R/P/2 | 301 |
| Varieties & PCN | W/P/2 | 308 |
| Maintenance of Seed Health | R/P/3 | 311 |
| Control of <i>Globodera pallida</i> | W/P/3 | 317 |
| Varieties & Stem Canker | R/P/4 | 320 |
| MIXED CROPS | | |
| Triticale & Disease (w. triticale, wheat, barley, rye) | R&W/M/1 | 329 |
| MISCELLANEOUS DATA | | |
| METEOROLOGICAL RECORDS | | |
| Rothamsted, Woburn & Saxmundham | E/1 | 332 |
| CONVERSION FACTORS | | |

