

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1986

[Full Table of Content](#)



86/R/CS/298 Nematicide Sprays and Stem Nematode - Lucerne

Rothamsted Research

Rothamsted Research (1987) *86/R/CS/298 Nematicide Sprays and Stem Nematode - Lucerne* ; Yields Of The Field Experiments 1986, pp 135 - 138 - DOI: <https://doi.org/10.23637/ERADOC-1-36>

86/R/CS/298

NEMATICIDE SPRAYS AND STEM NEMATODE

Object: To study the effects of applying a range of chemicals to stubbles after each cut on the incidence of stem nematode (*Ditylenchus dipsaci*) in lucerne given carbofuran to the seed furrow - Long Hoos IV I.

Sponsor: A.G. Whitehead.

The fourth year, lucerne.

For previous years see 83-85/R/CS/298.

Design: 2 randomised blocks of 16 plots.

Whole plot dimensions: 1.22 x 3.66.

Treatments:

TREATMNT Varieties and chemicals (all applied at 1.5 kg from 1983-1985, none in 1986):

EV 0	Euver, untreated
EV C	Euver, carbofuran to seed furrow
ER 0	Europe, untreated (duplicated)
ER C	Europe, carbofuran to seed furrow

To variety Europe, all given carbofuran to seed furrow:

ER C AW	Aldicarb watered on
ER C CE	Carbendazim, applied by electrostatic sprayer
ER C CH	Carbendazim, applied by hydraulic sprayer
ER C DE	Dimethoate, applied by electrostatic sprayer
ER C DH	Dimethoate, applied by hydraulic sprayer
ER C PE	Pirimiphos methyl, applied by electrostatic sprayer
ER C PH	Pirimiphos methyl, applied by hydraulic sprayer
ER C TCE	Thiodicarb, applied by electrostatic sprayer
ER C TCH	Thiodicarb, applied by hydraulic sprayer
ER C TBE	Thiabendazole, applied by electrostatic sprayer
ER C TBH	Thiabendazole, applied by hydraulic sprayer

NOTE: Carbofuran was applied to seed furrow, in 1983 only.

The other chemicals were applied after each cut in 1983; after each cut except the last in 1984; before the first cut and after each cut except the last in 1985.

Basal applications: Manures: (0:24:24) at 730 kg. Muriate of potash at 520 kg. Weedkiller: Propyzamide at 0.70 kg in 220 l.

Cultivations, etc.: Muriate of potash applied: 18 Nov, 1985. PK applied, weedkiller applied: 16 Jan, 1986. Cut: 28 July, 8 Oct.

86/R/CS/298

1ST CUT (28/7/86) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TREATMNT

EV O	15.70
EV C	17.38
ER O	11.88
ER C	12.33
ER C AW	13.81
ER C CE	12.61
ER C CH	12.33
ER C DE	14.44
ER C DH	15.35
ER C PE	11.56
ER C PH	13.11
ER C TCE	15.35
ER C TCH	15.07
ER C TBE	15.21
ER C TBH	12.33

MEAN 13.77

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE TREATMNT

SED	1.697	MIN REP
	1.470	MAX-MIN

TREATMNT

MAX-MIN ER O V ANY OF THE REMAINDER
MIN REP ANY OF THE REMAINDER

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	16	1.697	12.3

1ST CUT MEAN DM% 27.6

86/R/CS/298

2ND CUT (8/10/86) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TREATMNT	
EV 0	3.49
EV C	3.72
ER 0	3.52
ER C	3.44
ER C AW	3.16
ER C CE	3.72
ER C CH	3.61
ER C DE	3.99
ER C DH	4.05
ER C PE	3.99
ER C PH	3.22
ER C TCE	3.27
ER C TCH	3.94
ER C TBE	3.49
ER C TBH	3.77
MEAN	3.62

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE TREATMNT

SED	0.405	MIN REP
	0.351	MAX-MIN

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	16	0.405	11.2

2ND CUT MEAN DM% 21.8

86/R/CS/298

TOTAL OF 2 CUTS DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

TREATMNT	
EV O	19.19
EV C	21.10
ER O	15.40
ER C	15.77
ER C AW	16.97
ER C CE	16.33
ER C CH	15.94
ER C DE	18.43
ER C DH	19.40
ER C PE	15.56
ER C PH	16.32
ER C TCE	18.62
ER C TCH	19.01
ER C TBE	18.70
ER C TBH	16.11
MEAN	17.39

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE TREATMNT

SED	1.756	MIN REP
	1.520	MAX-MIN

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	16	1.756	10.1

TOTAL OF 2 CUTS MEAN DM% 24.7

PLOT AREA HARVESTED 0.00045