Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1986



Full Table of Content

86/R/P/1 Varieties - Potatoes

Rothamsted Research

Rothamsted Research (1987) 86/R/P/1 Varieties - Potatoes; Yields Of The Field Experiments 1986, pp 298 - 300 - DOI: https://doi.org/10.23637/ERADOC-1-36

86/R/P/1 and 86/W/P/1

POTATOES

VARIETIES

Object: To compare the quality and yield of some of the newer varieties of potato with current standards on two soil types - Rothamsted Great Knott I (R), Woburn Lansome II (W).

Sponsor: R. Moffitt.

Design: 4 randomised blocks of 6 plots.

Whole plot dimensions: 3.0×6.1 .

Treatments:

VARIETY Varieties:

CARA Cara
CROWN Pentland Crown
DESIREE Desiree
KINGSTON Kingston
ROMANO Romano
WILJA Wilja

Basal applications:

Great Knott I (R): Manures: K at 250 kg as muriate of potash. FYM at 35 t. (10:10:15+4.5 Mg) at 1960 kg. Weedkillers: Linuron at 1.3 kg with paraquat at 0.50 kg ion in 200 l. Fungicides: Mancozeb at 1.4 kg in 200 l on four occasions applied with the insecticide on the third occasion. Fentin hydroxide at 0.28 kg in 200 l on two occasions applied with the insecticide on the first occasion. Insecticide: Pirimicarb at 0.14 kg on two occasions. Desiccant: Diquat at 0.56 kg ion in 500 l.

Lansome II (W): Manures: (0:18:36) at 690 kg. FYM at 50 t. (10:10:15+4.5 Mg) at 2280 kg. Nematicide: Aldicarb at 3.3 kg. Weedkillers: Linuron at 0.90 kg with paraquat at 0.40 kg ion in 250 l. Fungicide: Mancozeb at 1.4 kg on four occasions, in 240 l on the first two occasions, in 200 l applied with the insecticide on the third and fourth. Fentin hydroxide at 0.28 kg applied with the insecticide in 200 l. Insecticide: Pirimicarb at 0.14 kg on three occasions. Desiccant: Diquat at 0.42 kg ion in 200 l.

Cultivations, etc.:-

Great Knott I (R): K applied: 12 Nov, 1985. FYM applied: 29 Nov. Ploughed: 10 Dec. NPK Mg applied, rotary harrowed: 30 Apr, 1986. Ridged, potatoes hand planted, split back: 1 May. Ridged: 12 May. Weedkillers applied: 26 May. Mancozeb applied: 30 June, 14 July, 28 July, 12 Aug. Fentin hydroxide applied: 29 Aug, 11 Sept. Insecticide applied: 28 July, 29 Aug. Desiccant applied: 17 Sept. Haulm mechanically destroyed: 1 Oct. Lifted: 2 Oct. Previous crops: W. wheat 1984, s. beans 1985.

86/R/P/1 and 86/W/P/1

Cultivations, etc.:-Lansome II (W): PK applied: 23 Sept, 1985. FYM applied: 10 Dec. Ploughed: 20 Dec. NPK Mg applied: 2 May, 1986. Heavy spring-tine cultivated: 6 May. Nematicide applied, spring-tine cultivated: 7 May. Rotary cultivated, ridged, potatoes hand planted, split back: 13 May. Rotary ridged, weedkillers applied: 29 May. Mancozeb applied: 1 July, 14 July, 28 July, 13 Aug. Fentin hydroxide applied: 30 Aug. Insecticide applied: 28 July, 13 Aug, 30 Aug. Haulm mechanically destroyed: 30 Sept. Desiccant applied: 9 Oct. Lifted: 21 Oct. Previous crops: S. barley 1984, w. oats 1985.

86/R/P/1

TOTAL TUBERS TONNES/HECTARE

***** TABLES OF MEANS *****

VARIETY CARA CROWN DESIREE KINGSTON ROMANO WILJA MEAN 49.0 60.9 58.4 52.9 52.5 59.5 55.5

**** STANDARD ERRORS OF DIFFERENCES OF MEANS ****

TABLE VARIETY SED 2.39

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

CV% STRATUM DF SE 15 3.38 6.1 BLOCK . WP

PERCENTAGE WARE 3.81 CM (1.5 INCH) RIDDLE

**** TABLES OF MEANS *****

DESIREE KINGSTON WILJA MEAN ROMANO CARA CROWN VARIETY 91.6 95.0 92.2 96.5 96.7 95.4 97.7

PLOT AREA HARVESTED 0.00091

86/W/P/1

TOTAL TUBERS TONNES/HECTARE

**** TABLES OF MEANS ****

VARIETY CARA CROWN DESIREE KINGSTON ROMANO WILJA MEAN 50.1 64.0 63.1 68.5 61.1 65.1 62.0

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE VARIETY
SED 2.68

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM DF SE CV%

BLOCK.WP 15 3.80 6.1

PERCENTAGE WARE 3.81 CM (1.5 INCH) RIDDLE

**** TABLES OF MEANS ****

VARIETY CARA CROWN DESIREE KINGSTON ROMANO WILJA MEAN 95.5 96.2 89.6 94.9 97.6 92.7 94.4

PLOT AREA HARVESTED 0.00091