

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1986

[Full Table of Content](#)



86/R/M/1 and 86/W/M/1 Triticale and Disease - Mixed 1

Rothamsted Research

Rothamsted Research (1987) *86/R/M/1 and 86/W/M/1 Triticale and Disease - Mixed 1* ; Yields Of The Field Experiments 1986, pp 329 - 331 - DOI: <https://doi.org/10.23637/ERADOC-1-36>

86/R/M/1 and 86/W/M/1

MIXED 1

TRITICALE AND DISEASE

Object: To compare amounts of disease and the yield of triticale with those of w. wheat, w. barley and w. rye on two contrasted sites each given contrasted amounts of agrochemicals - Rothamsted Pastures (R), Woburn White Horse (W).

Sponsors: R.J. Gutteridge, D. Hornby, R.D. Prew (R), P.R. Scott, W. Hollins, R.L. Gregory (P.B.I., Cambridge).

Design: 3 randomised blocks of 10 plots.

Whole plot dimensions: 3.0 x 10.0 (R), 4.0 x 10.0 (W).

Treatments: All combinations of :-

1. CROP VAR	Crop and variety:	(R)	(W)
B PANDA	W. barley, Panda sown at	190 kg,	190 kg
R DOMINT	W. rye, Dominant sown at	130 kg,	210 kg
T LASKO	W. triticale, Lasko sown at	155 kg,	170 kg
T CWT	W. triticale, CWT/1977/290 sown at	130 kg,	170 kg
W AVALON	W. wheat, Avalon sown at	190 kg,	190 kg
2. INPUT	Inputs of agrochemicals, in addition to basals:		
LARGE	(R): Manures: N at 40 kg: 13 Mar, 1986, and at 160 kg: 21 Apr, both as 'Nitram'. Fungicides: Prochloraz at 0.37 kg with carbendazim at 0.14 kg and tridemorph at 0.52 kg in 220 l: 2 Apr. Fenpropimorph at 0.75 kg with chlorothalonil at 1.0 kg in 220 l: 5 June. Growth regulators: Chlormequat chloride at 1.1 kg in 220 l to w. wheat only: 16 May. Mepiquat chloride at 0.46 kg with 2-chloroethylphosphonic acid at 0.23 kg with a wetting agent ('Agral' at 0.080 l) in 220 l to w. barley and triticale only: 30 May. (W): Manures: N at 40 kg: 12 Mar, 1986, and at 160 kg: 21 Apr, both as 'Nitram'. Fungicides: Prochloraz at 0.40 kg with carbendazim at 0.15 kg and tridemorph at 0.56 kg in 250 l: 29 Apr. Propiconazole at 0.12 kg with tridemorph at 0.52 kg in 250 l: 30 May. Propiconazole at 0.12 kg with carbendazim at 0.15 kg in 250 l: 16 June. Growth regulators: Mepiquat chloride at 0.38 kg with 2-chloroethylphosphonic acid at 0.19 kg with a wetting agent ('Citowett' at 0.10 l) in 250 l to rye only: 23 May. Mepiquat chloride at 0.61 kg with 2-chloroethylphosphonic acid at 0.31 kg with a wetting agent ('Citowett' at 0.10 l) in 250 l to w. barley and triticale only: 23 May. Chlormequat at 1.6 kg with a wetting agent ('Agral' at 0.28 l) in 250 l to w. wheat only: 23 May.		
SMALL	(R) and (W): Manures: 120 kg N as 'Nitram': 21 Apr, 1986.		

86/R/M/1 and 86/W/M/1

Basal applications:

Pastures (R): Manures: (0:18:36) at 690 kg. Weedkillers: Paraquat at 0.60 kg ion in 200 l, dicamba with mecoprop and MCPA (as 'Herrisol' at 5.0 l) in 200 l.

White Horse (W): Manures: (0:18:36) at 690 kg. Weedkillers: Paraquat at 0.40 kg ion in 250 l, dicamba with mecoprop and MCPA (as 'Herrisol' at 5.0 l) in 250 l to all plots except rye.

Cultivations, etc.:-

Pastures (R): Heavy spring-tine cultivated twice: 11 Sept, 1985, 19 Sept. PK applied: 20 Sept. Paraquat applied: 12 Oct. Rotary harrowed, seeds sown: 15 Oct. Rolled: 22 Oct. 'Herrisol' applied: 2 May, 1986. Combine harvested: W. barley: 12 Aug; w. wheat: 30 Aug; rye and triticale: 10 Sept. Previous crops: W. wheat 1984, 1985.

White Horse (W): PK applied: 5 Sept, 1985. Paraquat applied: 11 Sept. Ploughed: 16 Sept. Rolled: 4 Oct. Rotary harrowed, seeds sown: 14 Oct. 'Herrisol' applied: 6 May, 1986. Combine harvested: W. barley: 6 Aug; w. wheat: 21 Aug; rye: 29 Aug; triticale: 7 Sept. Previous crops: S. barley 1984, w. barley 1985.

- NOTE: (1) Soil samples were taken for take-all bioassay before sowing and after harvest.
 (2) Assessments were made of foot and root rots and foliar diseases during the season.

86/R/M/1 PASTURES (R)

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

INPUT	LARGE	SMALL	MEAN
CROP VAR			
B PANDA	8.37	7.12	7.75
R DOMINT	7.81	7.03	7.42
T LASKO	8.54	7.88	8.21
T CWT	7.48	6.53	7.00
W AVALON	7.64	6.63	7.13
MEAN	7.97	7.04	7.50

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	CROP VAR	INPUT	CROP VAR INPUT
SED	0.249	0.157	0.352

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	18	0.431	5.7
GRAIN MEAN DM%	83.6		
PLOT AREA HARVESTED	0.00276		

86/W/M/1 WHITE HORSE (W)

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

INPUT	LARGE	SMALL	MEAN
CROP VAR			
B PANDA	5.06	3.69	4.38
R DOMINT	7.08	6.58	6.83
T LASKO	7.46	7.38	7.42
T CWT	5.50	5.80	5.65
W AVALON	6.52	3.83	5.18
MEAN	6.32	5.46	5.89

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	CROP VAR	INPUT	CROP VAR INPUT
-----	-----	-----	-----
SED	0.404	0.255	0.571

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	18	0.699	11.9

GRAIN MEAN DM% 83.3

PLOT AREA HARVESTED 0.00275