

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1987

[Full Table of Content](#)

ARC, Institute of Arable Crops Research
Rothamsted Experimental Station
Harpenden
Herts
SG8 5LR
UK
The copyright in this document is held by the Rothamsted Research Ltd.
This document is available on the internet at <http://www.era.doc>
This document is available on the internet at <http://www.era.doc>
Printed: Rothamsted, Bedfordshire, UK
Rothamsted 1988

87/R/WW/3 Factors Affecting Tillering and Yield - W. Wheat

Rothamsted Research

Rothamsted Research (1988) *87/R/WW/3 Factors Affecting Tillering and Yield - W. Wheat* ; Yields Of The Field Experiments 1987, pp 149 - 155 - DOI: <https://doi.org/10.23637/ERADOC-1-37>

87/R/WW/3

WINTER WHEAT

FACTORS AFFECTING TILLERING AND YIELD

Object: To study the effects of soil residual nitrogen and applied fertilizer nitrogen on tillering, growth and yield of winter wheat sown early or later - Fosters corner.

Sponsors: R.D. Prew, R.J. Darby, W. Day, D.W. Lawlor, G.F.J. Milford, A. Penny, G.N. Thorne, A.D. Todd.

Design: A single replicate of 2 x 2 x 2 x 2 x 2 + 32 extra plots.

Whole plot dimensions: 3.0 x 16.0.

Treatments: All combinations of the following:-

1. PREVCROP Previous cropping:
 RAPE S. oilseed rape
 OATS S. oats
2. SOWDATE Dates of sowing:
 18 SEPT Sown on 18 September, 1986
 16 OCT Sown on 16 October
3. WINTER N Nitrogen (kg N) in winter (as urea):
 0 None
 40 40 kg applied on 20 November, 1986
4. SPRING N Application of 200 kg N in spring (as 'Nitro-Chalk'):
 SINGLE Single application at date of 3rd divided application
 DIVIDED Applied as 4 equal dressings
5. N TIME Timing of spring nitrogen:
 N NORM Normal timing on 12 Feb, 1987, 11 Mar, 6 Apr and
 5 May
 N LATE Late timing on 11 Mar, 6 Apr, 5 May and 27 May

plus all combinations of the following (all sown early, given spring N divided and at normal time):-

1. PRECROPN Previous cropping:
 RAPE S. oilseed rape
 OATS S. oats
2. WINTR NN Nitrogen (kg N) in winter (as urea):
 0 None
 40 40 kg applied on 19 November, 1986

87/R/WW/3

3. SPRNG NN	Nitrogen (kg N) in spring (as 'Nitro-Chalk'):
0	None
150	150
250	250

plus 3 replicates of all combinations of the following (all following oats, sown on 18 Sept and not given Winter N, Spring N given as divided applications at normal time):-

1. SPRNG NP	Nitrogen (kg N) in spring (as 'Nitro-Chalk'):
0	None
80	80
200	200

2. SUMMR NP	Nitrogen (kg N) in summer, as a foliar spray of urea:
0	None
40	40 kg applied half on 27 May half on 28 May, 1987

Basal applications: Manures: (0:18:36) at 280 kg. Weedkillers: Chlortoluron at 5.6 kg in 200 l. Diclofop-methyl at 1.1 kg in 500 l. Fungicides: Prochloraz at 0.40 kg and carbendazim at 0.15 kg applied with the growth regulator in 200 l. Propiconazole at 0.12 kg in 200 l, and on a second occasion with carbendazim at 0.25 kg and maneb at 1.5 kg in 200 l. Growth regulator: Chlormequat chloride at 1.6 kg. Molluscicide: Methiocarb at 0.22 kg.

Seed: Avalon, sown at 190 kg.

Cultivations, etc.: - PK applied: 15 Sept, 1986. Ploughed: 16 Sept. Rotary harrowed, methiocarb applied: 17 Sept. SOWDATE 18 SEPT plots rotary harrowed, seed sown: 18 Sept. SOWDATE 16 OCT plots rotary harrowed, seed sown: 16 Oct. Chlortoluron applied: 17 Oct. Diclofop-methyl applied: 5 Jan, 1987. Prochloraz with carbendazim and the growth regulator applied: 14 Apr. Propiconazole applied: 28 May. Propiconazole with carbendazim and maneb applied: 23 June. Combine harvested: 31 Aug. Previous crops: W. oats 1985, s. oats and s. rape 1986.

NOTE: Soil samples were taken to measure nitrate and ammonia contents in September, 1986, November and February, 1987. Photosynthesis, dry weight, leaf area, shoot numbers, N content of the above-ground crop and stem nitrate contents were measured on several occasions. Foliar diseases were assessed.

87/R/WW/3

GRAIN TONNES/HECTARE

***** Tables of means *****

SOWDATE	18 SEPT	16 OCT	Mean
PREVCROP			
RAPE	8.58	8.46	8.52
OATS	8.50	8.23	8.36
Mean	8.54	8.34	8.44
WINTER N	0	40	Mean
PREVCROP			
RAPE	8.57	8.47	8.52
OATS	8.15	8.58	8.36
Mean	8.36	8.52	8.44
WINTER N	0	40	Mean
SOWDATE			
18 SEPT	8.51	8.57	8.54
16 OCT	8.21	8.47	8.34
Mean	8.36	8.52	8.44
SPRING N	SINGLE	DIVIDED	Mean
PREVCROP			
RAPE	8.48	8.56	8.52
OATS	8.15	8.57	8.36
Mean	8.32	8.57	8.44
SPRING N	SINGLE	DIVIDED	Mean
SOWDATE			
18 SEPT	8.39	8.69	8.54
16 OCT	8.24	8.45	8.34
Mean	8.32	8.57	8.44
SPRING N	SINGLE	DIVIDED	Mean
WINTER N			
0	8.16	8.57	8.36
40	8.48	8.57	8.52
Mean	8.32	8.57	8.44
N TIME	N NORM	N LATE	Mean
PREVCROP			
RAPE	8.50	8.54	8.52
OATS	8.48	8.25	8.36
Mean	8.49	8.39	8.44
N TIME	N NORM	N LATE	Mean
SOWDATE			
18 SEPT	8.64	8.44	8.54
16 OCT	8.34	8.34	8.34
Mean	8.49	8.39	8.44

87/R/WW/3

GRAIN TONNES/HECTARE

***** Tables of means *****

N TIME	N NORM	N LATE	Mean
WINTER N			
0	8.44	8.29	8.36
40	8.55	8.50	8.52
Mean	8.49	8.39	8.44
N TIME	N NORM	N LATE	Mean
SPRING N			
SINGLE	8.49	8.14	8.32
DIVIDED	8.49	8.64	8.57
Mean	8.49	8.39	8.44
PREVCROP	WINTER N	0	40
RAPE	SOWDATE		
	18 SEPT	8.72	8.45
	16 OCT	8.43	8.49
OATS	18 SEPT	8.30	8.70
	16 OCT	8.00	8.46
PREVCROP	SPRING N	SINGLE	DIVIDED
RAPE	SOWDATE		
	18 SEPT	8.55	8.61
	16 OCT	8.41	8.51
OATS	18 SEPT	8.24	8.76
	16 OCT	8.07	8.38
PREVCROP	SPRING N	SINGLE	DIVIDED
RAPE	WINTER N		
	0	8.44	8.70
	40	8.52	8.42
OATS	0	7.87	8.43
	40	8.44	8.71
SOWDATE	SPRING N	SINGLE	DIVIDED
18 SEPT	WINTER N		
	0	8.30	8.72
	40	8.49	8.66
16 OCT	0	8.01	8.41
	40	8.47	8.48
PREVCROP	N TIME	N NORM	N LATE
RAPE	SOWDATE		
	18 SEPT	8.55	8.62
	16 OCT	8.46	8.46
OATS	18 SEPT	8.73	8.27
	16 OCT	8.23	8.23

87/R/WW/3

GRAIN TONNES/HECTARE

***** Tables of means *****

	N TIME	N NORM	N LATE	
PREVCROP	WINTER N			
RAPE	0	8.59	8.55	
	40	8.42	8.52	
OATS	0	8.28	8.02	
	40	8.68	8.48	
	N TIME	N NORM	N LATE	
SOWDATE	WINTER N			
18 SEPT	0	8.65	8.37	
	40	8.63	8.51	
16 OCT	0	8.23	8.20	
	40	8.46	8.49	
	N TIME	N NORM	N LATE	
PREVCROP	SPRING N			
RAPE	SINGLE	8.58	8.38	
	DIVIDED	8.43	8.69	
OATS	SINGLE	8.41	7.90	
	DIVIDED	8.55	8.60	
	N TIME	N NORM	N LATE	
SOWDATE	SPRING N			
18 SEPT	SINGLE	8.67	8.12	
	DIVIDED	8.61	8.77	
16 OCT	SINGLE	8.32	8.17	
	DIVIDED	8.37	8.52	
	N TIME	N NORM	N LATE	
WINTER N	SPRING N			
0	SINGLE	8.41	7.90	
	DIVIDED	8.46	8.67	
40	SINGLE	8.58	8.38	
	DIVIDED	8.51	8.62	
WINTR NN	0	40	Mean	
PRECROPN				
RAPE	7.66	7.90	7.78	
OATS	7.07	7.46	7.26	
Mean	7.36	7.68	7.52	
SPRNG NN	0	150	250	Mean
PRECROPN				
RAPE	5.91	8.60	8.83	7.78
OATS	4.49	8.34	8.96	7.26
Mean	5.20	8.47	8.89	7.52
SPRNG NN	0	150	250	Mean
WINTR NN				
0	4.76	8.43	8.89	7.36
40	5.64	8.51	8.89	7.68
Mean	5.20	8.47	8.89	7.52

87/R/WW/3

GRAIN TONNES/HECTARE

***** Tables of means *****

	SPRNG NN	0	150	250
PRECROPN	WINTR NN			
RAPE	0	5.56	8.61	8.80
	40	6.26	8.59	8.85
OATS	0	3.96	8.26	8.99
	40	5.01	8.42	8.94

*** Standard errors of differences of means ***

Table	PREVCROP	SOWDATE	WINTER N	SPRING N
s.e.d.	0.102	0.102	0.102	0.102
Table	N TIME	PREVCROP	PREVCROP	SOWDATE
s.e.d.	0.102	SOWDATE	WINTER N	WINTER N
		0.145	0.145	0.145
Table	PREVCROP	SOWDATE	WINTER N	PREVCROP
s.e.d.	SPRING N	SPRING N	SPRING N	N TIME
	0.145	0.145	0.145	0.145
Table	SOWDATE	WINTER N	SPRING N	PREVCROP
s.e.d.	N TIME	N TIME	N TIME	SOWDATE
	0.145	0.145	0.145	WINTER N
Table	PREVCROP	PREVCROP	SOWDATE	PREVCROP
s.e.d.	SOWDATE	WINTER N	WINTER N	SOWDATE
	SPRING N	SPRING N	SPRING N	N TIME
	0.205	0.205	0.205	0.205
Table	PREVCROP	SOWDATE	PREVCROP	SOWDATE
s.e.d.	WINTER N	WINTER N	SPRING N	SPRING N
	N TIME	N TIME	N TIME	N TIME
	0.205	0.205	0.205	0.205
Table	WINTER N			
s.e.d.	SPRING N			
	N TIME			
	0.205			

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
WP	6	0.290	3.4

GRAIN MEAN DM% 82.6

PLOT AREA HARVESTED 0.00207

87/R/WW/3

GRAIN TONNES/HECTARE

***** Tables of means *****

SUMMR NP	0	40	Mean
SPRNG NP			
0	3.51	4.21	3.86
80	6.57	6.94	6.76
200	8.23	8.46	8.34
Mean	6.11	6.54	6.32

*** Standard errors of differences of means ***

Table	SPRNG NP	SUMMR NP	SPRNG NP SUMMR NP
s.e.d.	0.223	0.182	0.315

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
WP	10	0.386	6.1

GRAIN MEAN DM% 80.6

STRAW TONNES/HECTARE

***** Tables of means *****

SUMMR NP	0	40	Mean
SPRNG NP			
0	3.65	3.86	3.76
80	6.39	6.53	6.46
200	7.83	8.33	8.08
Mean	5.95	6.24	6.10

STRAW MEAN DM% 60.7

PLOT AREA HARVESTED 0.00047