

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1987

[Full Table of Content](#)

ARC, Institute of Arable Crops Research  
Rothamsted Experimental Station  
Harpenden  
Herts  
AL5 2JQ  
UK  
The copyright in this document is owned by the Rothamsted Research Ltd  
and is a part of the Rothamsted Research Archives. It is made available  
under a Creative Commons Attribution 4.0 International License. For more  
information, please visit <https://creativecommons.org/licenses/by/4.0/>  
Printed: 2016-06-06  
Rothamsted 2016

## 87/R/WW/4 Factors Affecting Take-all - W. Wheat

### Rothamsted Research

Rothamsted Research (1988) *87/R/WW/4 Factors Affecting Take-all - W. Wheat* ; Yields Of The Field Experiments 1987, pp 156 - 161 - DOI: <https://doi.org/10.23637/ERADOC-1-37>

87/R/WW/4

WINTER WHEAT

FACTORS AFFECTING TAKE-ALL

Object: To study the effects of a range of factors on the incidence of take-all and on the yield of w. wheat - Summerdells I.

Sponsors: D. Hornby, G.L. Bateman, R.J. Gutteridge.

Design: A single replicate of 2 x 2 x 2 x 2 x 2.

Whole plot dimensions: 3.0 x 10.0.

Treatments: All combinations of:-

1. SOWDATE                      Dates of sowing:  
    25 SEPT                      25 September, 1986  
    31 OCT                        31 October
2. SOILFUNG                    Application of fungicide to the seedbed:  
    NONE                         None  
    NUARIMOL                    Nuarimol at 1.3 kg in 375 l
3. SEEDRESS                    Seed dressings:  
    ORGANO M                    Organo mercury  
    TRIADIME                    Triadimenol plus fuberidazole
4. AUTUMN N                    N application to the seedbed:  
    0                              None  
    60                             60 kg N as 'Nitro-Chalk' on 25 Sept, 1986 or 31 Oct  
                                      for successive SOWDATES
5. N TIME                        Spring application of 200 kg N:  
    SINGLE                        Single application on 16 Apr, 1987  
    DIVIDED                      40 kg early, on 13 Feb, 160 kg later, on 16 Apr
6. N FORM                        Forms of spring nitrogen:  
    SUL AMM                      Sulphate of ammonia  
    AMM NITR                     Ammonium nitrate as 'Nitro-Chalk'

NOTE: Nuarimol was applied at 1.3 kg in error for the intended rate of 1.0 kg.

Basal applications: Manures: Chalk at 5.0 t. Weedkillers: Paraquat at 0.60 kg ion in 200 l. Isoproturon at 2.5 kg with clopyralid at 0.07 kg, bromoxynil at 0.34 kg and mecoprop at 2.5 kg in 200 l. Fungicides: Carbendazim at 0.15 kg and prochloraz at 0.40 kg in 200 l. Propiconazole at 0.12 kg with carbendazim at 0.25 kg and maneb at 1.6 kg in 200 l.

Seed: Avalon, sown at 170 kg.

87/R/WW/4

Cultivations, etc.:- Heavy spring-tine cultivated, disced: 19 Aug, 1986. Chalk applied: 4 Sept. Paraquat applied: 11 Sept. Spring-tine cultivated: 24 Sept. SOWDATE 25 SEPT plots rotary harrowed, seed sown: 25 Sept. SOWDATE 31 OCT plots rotary harrowed, seed sown: 31 Oct. Remaining weedkillers applied: 16 Apr, 1987. Carbendazim and prochloraz applied: 7 May. Propiconazole, carbendazim and maneb applied: 1 July. Combine harvested: 4 Sept. Previous crops: W. wheat 1985, w. barley 1986.

NOTE: Plant samples were taken in mid-March, end of April and the beginning of July to assess take-all. Eyespot and sharp eyespot were assessed in July. Components of yield were measured and quality assessments were made on the grain.

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

SOILFUNG	NONE	NUARIMOL	Mean
SOWDATE			
25 SEPT	5.97	6.23	6.10
31 OCT	5.67	6.09	5.88
Mean	5.82	6.16	5.99
SEEDRESS	ORGANO M	TRIADIME	Mean
SOWDATE			
25 SEPT	6.13	6.06	6.10
31 OCT	5.88	5.88	5.88
Mean	6.01	5.97	5.99
SEEDRESS	ORGANO M	TRIADIME	Mean
SOILFUNG			
NONE	5.74	5.90	5.82
NUARIMOL	6.28	6.04	6.16
Mean	6.01	5.97	5.99
AUTUMN N	0	60	Mean
SOWDATE			
25 SEPT	5.85	6.34	6.10
31 OCT	5.71	6.05	5.88
Mean	5.78	6.20	5.99
AUTUMN N	0	60	Mean
SOILFUNG			
NONE	5.65	5.99	5.82
NUARIMOL	5.91	6.40	6.16
Mean	5.78	6.20	5.99

87/R/WW/4

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

AUTUMN N	0	60	Mean
SEEDRESS			
ORGANO M	5.79	6.23	6.01
TRIADIME	5.77	6.17	5.97
Mean	5.78	6.20	5.99
N TIME	SINGLE	DIVIDED	Mean
SOWDATE			
25 SEPT	6.03	6.16	6.10
31 OCT	5.87	5.88	5.88
Mean	5.95	6.02	5.99
N TIME	SINGLE	DIVIDED	Mean
SOILFUNG			
NONE	5.80	5.83	5.82
NUARIMOL	6.11	6.21	6.16
Mean	5.95	6.02	5.99
N TIME	SINGLE	DIVIDED	Mean
SEEDRESS			
ORGANO M	6.05	5.96	6.01
TRIADIME	5.85	6.08	5.97
Mean	5.95	6.02	5.99
N TIME	SINGLE	DIVIDED	Mean
AUTUMN N			
0	5.70	5.85	5.78
60	6.20	6.19	6.20
Mean	5.95	6.02	5.99
N FORM	SUL AMM	AMM NITR	Mean
SOWDATE			
25 SEPT	5.90	6.30	6.10
31 OCT	5.90	5.86	5.88
Mean	5.90	6.08	5.99
N FORM	SUL AMM	AMM NITR	Mean
SOILFUNG			
NONE	5.68	5.95	5.82
NUARIMOL	6.11	6.20	6.16
Mean	5.90	6.08	5.99

87/R/WW/4

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

N FORM	SUL	AMM	AMM	NITR	Mean
SEEDRESS					
ORGANO M	5.90		6.11		6.01
TRIADIME	5.89		6.05		5.97
Mean	5.90		6.08		5.99

  

N FORM	SUL	AMM	AMM	NITR	Mean
AUTUMN N					
0	5.63		5.93		5.78
60	6.16		6.23		6.20
Mean	5.90		6.08		5.99

  

N FORM	SUL	AMM	AMM	NITR	Mean
N TIME					
SINGLE	5.83		6.07		5.95
DIVIDED	5.96		6.08		6.02
Mean	5.90		6.08		5.99

  

SOWDATE	SOILFUNG	NONE	NUARIMOL
25 SEPT	SEEDRESS	ORGANO M	ORGANO M TRIADIME
31 OCT			
		5.95	5.99 6.32 6.13
		5.53	5.80 6.23 5.95

  

SOWDATE	SOILFUNG	NONE	NUARIMOL
25 SEPT	AUTUMN N	0	60 0 60
31 OCT			
		5.70	6.23 6.00 6.45
		5.59	5.74 5.82 6.36

  

SOWDATE	SEEDRESS	ORGANO M	TRIADIME
25 SEPT	AUTUMN N	0	60 0 60
31 OCT			
		5.86	6.40 5.84 6.28
		5.71	6.05 5.70 6.05

  

SOILFUNG	SEEDRESS	ORGANO M	TRIADIME
NONE	AUTUMN N	0	60 0 60
NUARIMOL			
		5.58	5.90 5.71 6.08
		6.00	6.56 5.83 6.25

  

SOWDATE	SOILFUNG	NONE	NUARIMOL
25 SEPT	N TIME	SINGLE	DIVIDED SINGLE DIVIDED
31 OCT			
		5.92	6.01 6.15 6.31
		5.68	5.65 6.07 6.11

  

SOWDATE	SEEDRESS	ORGANO M	TRIADIME
25 SEPT	N TIME	SINGLE	DIVIDED SINGLE DIVIDED
31 OCT			
		6.20	6.07 5.87 6.26
		5.90	5.86 5.84 5.91

87/R/WW/4

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

SOILFUNG	SEEDRESS	ORGANO M		TRIADIME	
	N TIME	SINGLE	DIVIDED	SINGLE	DIVIDED
NONE		5.75	5.73	5.85	5.94
NUARIMOL		6.35	6.20	5.86	6.22

SOWDATE	AUTUMN N	0		60	
	N TIME	SINGLE	DIVIDED	SINGLE	DIVIDED
25 SEPT		5.69	6.02	6.38	6.31
31 OCT		5.72	5.69	6.02	6.07

SOILFUNG	AUTUMN N	0		60	
	N TIME	SINGLE	DIVIDED	SINGLE	DIVIDED
NONE		5.52	5.78	6.08	5.89
NUARIMOL		5.89	5.93	6.32	6.49

SEEDRESS	AUTUMN N	0		60	
	N TIME	SINGLE	DIVIDED	SINGLE	DIVIDED
ORGANO M		5.68	5.90	6.42	6.03
TRIADIME		5.73	5.81	5.98	6.35

SOWDATE	SOILFUNG	NONE			NUARIMOL				
	N FORM	SUL	AMM	AMM	NITR	SUL	AMM	AMM	NITR
25 SEPT		5.70	6.23	6.09	6.36				
31 OCT		5.66	5.67	6.13	6.05				

SOWDATE	SEEDRESS	ORGANO M			TRIADIME				
	N FORM	SUL	AMM	AMM	NITR	SUL	AMM	AMM	NITR
25 SEPT		5.84	6.43	5.96	6.16				
31 OCT		5.97	5.79	5.82	5.93				

SOILFUNG	SEEDRESS	ORGANO M			TRIADIME				
	N FORM	SUL	AMM	AMM	NITR	SUL	AMM	AMM	NITR
NONE		5.56	5.92	5.80	5.99				
NUARIMOL		6.25	6.30	5.97	6.11				

SOWDATE	AUTUMN N	0			60				
	N FORM	SUL	AMM	AMM	NITR	SUL	AMM	AMM	NITR
25 SEPT		5.49	6.21	6.30	6.39				
31 OCT		5.77	5.64	6.02	6.08				

SOILFUNG	AUTUMN N	0			60				
	N FORM	SUL	AMM	AMM	NITR	SUL	AMM	AMM	NITR
NONE		5.40	5.90	5.96	6.01				
NUARIMOL		5.87	5.96	6.36	6.45				

SEEDRESS	AUTUMN N	0			60				
	N FORM	SUL	AMM	AMM	NITR	SUL	AMM	AMM	NITR
ORGANO M		5.56	6.02	6.25	6.20				
TRIADIME		5.71	5.83	6.07	6.26				

SOWDATE	N TIME	SINGLE			DIVIDED				
	N FORM	SUL	AMM	AMM	NITR	SUL	AMM	AMM	NITR
25 SEPT		5.75	6.31	6.04	6.28				
31 OCT		5.91	5.83	5.88	5.89				

87/R/WW/4

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

SOILFUNG	N TIME	SINGLE			DIVIDED				
	N FORM	SUL	AMM	AMM	NITR	SUL	AMM	AMM	NITR
NONE			5.53		6.07		5.83		5.84
NUARIMOL			6.13		6.08		6.09		6.33

SEEDRESS	N TIME	SINGLE			DIVIDED				
	N FORM	SUL	AMM	AMM	NITR	SUL	AMM	AMM	NITR
ORGANO M			5.95		6.15		5.86		6.07
TRIADIME			5.71		6.00		6.06		6.10

AUTUMN N	N TIME	SINGLE			DIVIDED				
	N FORM	SUL	AMM	AMM	NITR	SUL	AMM	AMM	NITR
0			5.44		5.97		5.82		5.89
60			6.22		6.18		6.10		6.28

\*\*\* Standard errors of differences of means \*\*\*

Margins of two factor tables	0.173
Two factor tables	0.245
Three factor tables	0.347

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	19	0.693	11.6

GRAIN MEAN DM% 72.5

PLOT AREA HARVESTED 0.00272