

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1987

[Full Table of Content](#)

ARC, Institute of Arable Crops Research
Rothamsted Experimental Station
Harpenden
Herts
SG8 2EF
UK
The copyright in this document is owned by the Rothamsted Research Ltd.
This document is published on the condition that its use for any other purpose
without the express written permission of Rothamsted Research is prohibited.
Printed: Rothamsted, Rothamsted 2008

87/R/WW/6 N and Dcd - W. Wheat

Rothamsted Research

Rothamsted Research (1988) *87/R/WW/6 N and Dcd - W. Wheat* ; Yields Of The Field Experiments 1987, pp 164 - 166 - DOI: <https://doi.org/10.23637/ERADOC-1-37>

87/R/WW/6

WINTER WHEAT

N AND DCD

Object: To study the effects of a nitrification inhibitor in combination with different rates and timings of N on yield - Claycroft.

Sponsors: A. Penny, R.J. Darby, M.V. Hewitt.

Design: 2 randomised blocks of 30 plots.

Whole plot dimensions: 3.0 x 11.0.

Treatments: All combinations of:-

1. N INHIB Nitrification inhibitor added to nitrogen fertilizer:

NONE	None
DICYANDI	Dicyandiamide at 16 kg, divided equally between applications

2. N TIME Time and division of aqueous nitrogen fertilizer:

1 1 1 1	Quarter of N on each of 25 Feb, 1987, 30 Mar, 21 Apr, 19 May
2 2 - -	Half of N on each of 25 Feb, 30 Mar
2 - 2 -	Half of N on each of 25 Feb, 21 Apr
- 2 2 -	Half of N on each of 30 Mar, 21 Apr
4 - - -	All of N on 25 Feb
- - 4 -	All of N on 21 Apr

3. N RATE Amount of nitrogen fertilizer applied (kg N):

160	160
240	240

plus extra treatments given no nitrification inhibitor all combinations of:-

1. N TIMENC Time and division of nitrogen fertilizer as 'Nitro-Chalk':

- 2 2 -	Half of N on each of 30 Mar, 1987, 21 Apr
- - 4 -	All of N on 21 Apr

2. N RATENC Amount of nitrogen fertilizer applied (kg N):

160	160
240	240

plus one extra treatment

EXTRA

NONE No nitrogen fertilizer or inhibitor (duplicated)

NOTE: Nitrogen was applied as a mixture of urea and ammonium nitrate (28% N).

87/R/WW/6

Basal applications: Weedkillers: Paraquat at 0.60 kg ion in 200 l. Isoproturon at 2.5 kg in 200 l. Clopyralid at 0.05 kg and bromoxynil at 0.24 kg with mecoprop at 1.8 kg applied with the prochloraz and carbendazim in 200 l. Fungicides: Prochloraz at 0.40 kg and carbendazim at 0.15 kg. Propiconazole at 0.12 kg with carbendazim at 0.25 kg and maneb at 1.5 kg in 200 l.

Seed: Avalon, sown at 180 kg.

Cultivations, etc.: - Heavy spring-tine cultivated: 5 Sept, 1986. Paraquat applied: 30 Sept. Disced: 2 Oct. Disced, rotary harrowed: 3 Oct. Seed sown: 4 Oct. Isoproturon applied: 31 Mar, 1987. Clopyralid, bromoxynil, mecoprop, prochloraz and carbendazim applied: 18 Apr. Propiconazole with carbendazim and maneb applied: 23 June. Combine harvested: 31 Aug. Previous crops: S. barley 1985, w. wheat 1986.

NOTE: The crop was sampled in mid-June to measure dry matter, ear numbers and N content. The N content of the grain was determined.

GRAIN TONNES/HECTARE

***** Tables of means *****

N INHIB N TIME	NONE	DICYANDI	Mean
1 1 1 1	5.94	6.27	6.10
2 2 - -	5.96	6.03	6.00
2 - 2 -	5.88	5.96	5.92
- 2 2 -	5.91	5.94	5.92
4 - - -	5.75	6.11	5.93
- - 4 -	6.12	5.92	6.02
Mean	5.93	6.04	5.98
N RATE N TIME	160	240	Mean
1 1 1 1	5.84	6.37	6.10
2 2 - -	5.72	6.27	6.00
2 - 2 -	5.70	6.14	5.92
- 2 2 -	5.80	6.04	5.92
4 - - -	5.75	6.11	5.93
- - 4 -	5.93	6.11	6.02
Mean	5.79	6.17	5.98
N RATE N INHIB	160	240	Mean
NONE	5.86	5.99	5.93
DICYANDI	5.72	6.35	6.04
Mean	5.79	6.17	5.98

87/R/WW/6

GRAIN TONNES/HECTARE

***** Tables of means *****

	N INHIB	NONE	240	DICYANDI	240
N RATE		160		160	
N TIME					
1 1 1 1		5.93	5.95	5.76	6.78
2 2 - -		6.02	5.90	5.42	6.63
2 - 2 -		5.80	5.97	5.60	6.32
- 2 2 -		5.67	6.15	5.94	5.94
4 - - -		5.58	5.92	5.92	6.30
- - 4 -		6.17	6.08	5.69	6.15
N RATENC		160	240	Mean	
N TIMENC					
- 2 2 -		6.17	6.02	6.09	
- - 4 -		5.72	5.62	5.67	
Mean		5.95	5.82	5.88	
NONE		2.96			
Grand mean		5.77			

*** Standard errors of differences of means ***

Table	N INHIB	N TIME	N RATE	N TIMEC
s.e.d.	0.136	0.236	0.136	0.334
Table	N RATENC	N INHIB	N INHIB	N TIME
s.e.d.	0.334	N TIME	N RATE	N RATE
		0.334	0.193	0.334
Table	N TIMENC	N INHIB		
s.e.d.	N RATENC	N TIME		
		N RATE		
	0.472	0.472		

SED of NONE v any item in N TIMEC.N RATENC table or N INHIB.N TIME.N RATE table is 0.409

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	30	0.472	8.2
GRAIN MEAN DM%	81.5		
PLOT AREA HARVESTED	0.00253		