Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1987



Full Table of Content

87/R/LP/2 and 87/W/LP/2 Varieties, Sowing Dates and Plant Health - Lupins

Rothamsted Research

Rothamsted Research (1988) 87/R/LP/2 and 87/W/LP/2 Varieties, Sowing Dates and Plant Health - Lupins; Yields Of The Field Experiments 1987, pp 196 - 198 - DOI:

https://doi.org/10.23637/ERADOC-1-37

87/R/LP/2 and 87/W/LP/2

LUPINS

VARIETIES, SOWING DATES AND PLANT HEALTH

Object: To study the effects of sowing dates and pest and pathogen control on the growth and yield of two varieties of lupin (Lupinus albus) - Rothamsted (R) Sawyers I East and Woburn (W) Butt Close IV.

Sponsors: J. McEwen, D.P. Yeoman, A.W. Ferguson, J.F. Jenkyn.

Design: 3 randomised blocks of 16 plots.

Whole plot dimensions: 2.4×6.0 (R), 3.0×6.0 (W).

Treatments: All combinations of:-

1. SOW DATE

Dates of sowing:

F	2	1	N		R			W
4	FEB	4	FEB	4	February,	1987	4	February
24	FEB	23	FEB		February			February
	MAR	16	MAR	18	March			March
14	APR	6	APR	14	April			April

2. VARIETY

Varieties:

KALINA VLADIMIR

3. PATHCON

Pest and pathogen control:

NONE

None

- (R) Insecticides: Cypermethrin at 0.025 kg in 220 1:

 8 May, 1987, 12 June. Pirimicarb at 0.14 kg with
 a wetting agent ('Citowett' at 0.14 l) in 220 l:
 10 July. Fungicide: Benomyl at 0.55 kg in 220 l:
 30 July. Seed dressing: Bendiocarb, thiabendazole
 and thiram.
- (W) Insecticides: Deltamethrin at 0.038 kg in 250 1: 8 May, 29 May. Pirimicarb at 0.077 kg with a wetting agent ('Enhance' at 0.015 1) in 200 1: 13 July. Fungicide: Benomyl at 0.50 kg applied with the pirimicarb.

NOTES: (1) At Rothamsted plots were netted from sowing to mid-June.

(2) At Woburn netting was available only from April to May and as a result yields were obtained only from SOW DATE 6 APR.

Basal applications:

Sawyers I East (R): Manures: Chalk at 5.0 t. Weedkillers:
Monolinuron at 0.46 kg with paraquat at 0.33 kg ion in 220 l.
Metamitron at 2.8 kg in 220 l. Desiccant: Diquat at 0.60 kg ion in 220 l.

Butt Close IV (W). Weedkillers: Terbutryne at 0.56 kg with terbuthylazine at 0.24 kg in 240 l.

Seed: Sown at 210 kg (R), 250 kg (W).

87/R/LP/2 and 87/W/LP/2

Cultivations, etc.:-

Sawyers I East (R): Chalk applied: 24 Sept, 1986. Ploughed: 22 Oct.
Monolinuron and paraquat applied after each sowing: 4 Feb, 1987,
24 Feb, 18 Mar, 14 Apr. Metamitron applied: 18 June. Diquat
applied: 15 Sept, 25 Sept, 3 Nov. Combine harvested: 25 Sept,
22 Oct, 4, 18 Nov. Previous crops: W. wheat 1985 and 1986.
Butt Close IV (W): Ploughed: 10 Nov, 1986. Terbutryne and
terbuthylazine applied after each sowing: 11 Feb, 1987, 23 Feb,
16 Mar, 9 Apr. Combine harvested: 18 Nov. Previous crops:
Potatoes 1985, w. wheat 1986.

NOTE: Establishment counts were made at the four-leaf stage. Pests and diseases were observed and dates of flowering and maturity recorded.

87/R/LP/2 SAWYERS I E (R)

GRAIN TONNES/HECTARE

**** Tables of means ****

		KALINA	VLADIMIR	Mean	
24	FEB FEB MAR	0.24 0.34 2.66	2.20	0.31 2.43	
	APR	2.90		3.17	
M	lean	1.54	1.55	1.55	
PATH SOW I		NONE	FULL	Mean	
4	FEB	0.43			
24	FEB	0.42	0.20	0.31	
18	MAR	2.73	2.13	2.43	
14	APR	3.19	3.16	3.17	
1	Mean	1.69	1.40	1.55	
	HCON IETY	NONE	FULL	. Mean	
	LINA	1.73	1.35	1.54	
VLAD		1.66	531		
	Mean	1.69	1.40	1.55	
SOW DATE 4 FEB 24 FEB 18 MAR 14 APR	PATHC	(IONE 0.40 0.50 3.02	VLADIMII FULL NONI 0.08 0.49 0.18 0.33 2.30 2.4 2.82 3.49	FULL 5 0.14 3 0.22 5 1.96

87/R/LP/2 SAWYERS I E (R)

*** Standard errors of differences of means ***

Table	SOW DATE	VARIETY	PATHCON	SOW DATE
s.e.d.	0.108	0.077	0.077	VARIETY 0.153
Table	SOW DATE PATHCON	VARIETY PATHCON	SOW DATE VARIETY	
s.e.d.	0.153	0.108	PATHCON 0.216	

***** Stratum standard errors and coefficients of variation ****

Stratum d.f. s.e. cv% BLOCK.WP 30 0.265 17.2

GRAIN MEAN DM% 58.6

PLOT AREA HARVESTED 0.00086

87/W/LP/2 BUTT CLOSE IV (W)

GRAIN TONNES/HECTARE

***** Tables of means *****

PATHCON VARIETY	NONE	FULL	Mean
KALINA VLADIMIR	0.71 0.47	0.73 0.64	0.72 0.56
Mean	0.59	0.69	0.64

*** Standard errors of differences of means ***

Table	VARIETY	PATHCON	VARIETY
s.e.d.	0.193	0.193	PATHCON 0.273

***** Stratum standard errors and coefficients of variation *****

Stratum d.f. s.e. cv% BLOCK.WP 6 0.335 52.4

GRAIN MEAN DM% 58.7

PLOT AREA HARVESTED 0.00133