

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1987

[Full Table of Content](#)



87/R/RA/1 Factors Limiting Yield - W. Oilseed Rape

Rothamsted Research

Rothamsted Research (1988) *87/R/RA/1 Factors Limiting Yield - W. Oilseed Rape* ; Yields Of The Field Experiments 1987, pp 204 - 212 - DOI: <https://doi.org/10.23637/ERADOC-1-37>

87/R/RA/1

WINTER OILSEED RAPE

FACTORS LIMITING YIELD

Object: To study the effects of a range of factors on the incidence of pests and diseases and on the growth and yield of w. oilseed rape - Black Horse I.

Sponsors: C.J. Rawlinson, R.J. Darby, P.G.N. Digby, K. Evans, J.E. Leach, I.H. Williams, D.P. Yeoman.

Associate sponsors: P.B. Barraclough, D.S. Jenkinson, J. Lacey, S.P. McGrath, D.S. Powlson, A.J. Thomasson, A.H. Weir.

Design: A half replicate of 2 x 2 x 2 x 2 x 2 x 2 x 2 + a replicate of 2 x 2 x 4 + half replicates of 2 x 2 x 2 x 2 and 2 x 2 x 2 + 14 extra plots

Whole plot dimensions: 3.0 x 21.0.

Treatments: Combinations of:-

1. VARIETY Varieties:

ARIANA
BIENVENU

2. SOW DATE Dates of sowing:

14 AUG 14 August, 1986
4 SEP 4 September

3. N RATE Amounts of N fertilizer (kg N), as 'Nitro-Chalk', in addition to a basal application of 50 kg N as 'Nitram' to the seedbed:

150
250

4. N DIVIS Division of N fertilizer application:

SINGLE All on 16 Feb, 1987
DIVIDED 50 kg on 16 Feb, remainder on 16 Mar

5. GROWREG Growth regulator:

NONE None
TRIAPEN Triapenthenol at 0.70 kg in 220 l on 10 Apr, 1987

6. INSCTCDE Insecticides:

NONE None
DE+TR Deltamethrin at 7.5 g in 220 l on 3 Oct, 1986 and 20 Nov and triazophos at 0.42 g in 220 l on 15 June, 1987

87/R/RA/1

7. FUNGCIDE Fungicide in autumn, spring and summer:

NONE None
PR+IP Prochloraz in autumn and in spring at 0.50 kg in
200 l on 17 Nov, 1986 and 10 Apr, 1987, iprodione
in summer at 0.50 kg in 200 l on 15 June

plus combinations of the following (all given growth regulator,
insecticides and fungicides as above):

1. VARIETYN Varieties:

ARIANA
BIENVENU

2. SOWDAT N Dates of sowing:

14 AUG 14 August, 1986
4 SEP 4 September

3. N RATE N Amounts of N fertilizer (kg N), as 'Nitro-Chalk',
in addition to a basal application of 50 kg N as
'Nitram' to the seedbed. Applied as a single
dressing on 16 Feb, 1987:

0
100
200
300

plus combinations of the following (all given insecticides and
fungicides as above, combinations chosen are those not provided by
the main factorial):

1. VARIETYP Varieties:

ARIANA
BIENVENU

2. SOWDAT P Dates of sowing:

14 AUG 14 August, 1986
4 SEP 4 September

3. N RATE P Amounts of N fertilizer (kg N), as 'Nitro-Chalk',
in addition to a basal application of 50 kg N as
'Nitram' to the seedbed. Applied as a single
dressing on 16 Feb, 1987:

150
250

4. GROREG P Growth regulator:

NONE None
TRIAPEN Triapenthenol at 0.70 kg in 220 l on 10 Apr, 1987

87/R/RA/1

plus combinations of the following (all Ariana given N as N RATE 150, SINGLE, fungicides as above and oxamyl at 5 kg to the seedbed):

1. SODATE OX Dates of sowing:

14 AUG	14 August, 1986
4 SEP	4 September

2. GRORG OX Growth regulator:

NONE	None
TRIAPEN	Triapenthanol at 0.70 kg in 220 l on 10 Apr, 1987

3. INSCT OX Insecticides:

NONE	None
DE+TR	Deltamethrin at 7.5 g in 220 l on 3 Oct, 1986 and 20 Nov, triazophos at 0.42 l in 220 l on 15 June, 1987

plus two replicates (all sown 4 SEP and given N as N RATE 250, DIVIDED and insecticides and fungicides as above) of all combinations of:

1. VAR NUT Varieties:

ARIANA
BIENVENU

2. FOL NUT Foliar nutrients:

N	N at 3.2 kg (1.0 kg as ammonium nitrate, 2.2 kg as urea; solution applied at 12 l in 220 l on 16 Apr, 1987, 12 June and 23 June)
N+MIC+S	N (as above) plus micronutrients: Mg at 480 g, Mn at 162 g, Cu at 32.4 g, Fe at 3.6 g, B at 3.6 g, Zn at 1.68 g and Mo at 0.84 g (as 'BASF Foliar 36' at 12 l), plus sulphur at 8.0 kg (as 'Thiovit') applied in 220 l on 16 Apr, 1987, 12 June and 23 June

plus all combinations of (all given no other inputs):

1. VAR NIL Varieties:

ARIANA	Ariana (duplicated)
BIENVENU	Bienvenu

2. SDAT NIL Dates of sowing:

14 AUG	14 August, 1986
4 SEP	4 September

plus 4 plots for N15 studies and 2 plots for root studies not taken for yield.

87/R/RA/1

Basal applications: Manures: (0:18:36) at 700 kg. 'Nitram' at 140 kg.
Weedkillers: Sodium trichloroacetate at 16 kg in 200 l. Metazachlor
at 0.75 kg in 280 l. Metazachlor at 0.50 kg with fluazifop-P-butyl
at 0.19 kg and a wetting agent ('Agral' at 0.20 l) in 200 l.
Desiccant: Diquat at 0.60 kg ion with a wetting agent ('Agral' at
0.50 l) in 500 l.

Seed: Varieties, dressed gamma HCH, thiram and fenpropimorph, sown
at 8.0 kg.

Cultivations, etc.: - Spring-tine cultivated: 8 Aug, 1986. PK applied:
11 Aug. Sodium trichloroacetate applied, basal N applied, oxamyl
treatments to SOWDATE 14 AUG applied, harrowed: 13 Aug. Seed sown
for SOWDATE 14 AUG: 14 Aug. Metazachlor applied to SOWDATE 14 AUG:
15 Aug. Oxamyl treatments applied and seed sown to SOWDATE 4 SEPT,
harrowed in, metazachlor applied to these plots: 4 Sept. Metazachlor
with fluazifop-P-butyl and the wetting agent applied: 4 Oct.
Desiccant with wetting agent applied: 30 July, 1987. Combine
harvested: 4 Aug. Previous crops: W. wheat 1985, w. barley 1986.

NOTE: Detailed observations were made during the season on diseases,
pests, N in plants and soil, dry matter accumulation, leaf areas,
root growth, light interception and lodging. Measurements were
taken of N15 uptake and the fate of N in crop residues.
Microflora of leaf and pods were assessed up to harvest and some
seed analysed for mineral composition and glucosinolate contents.
Percentage of oil in grain was measured.

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

SOW DATE	14 AUG	4 SEP	Mean
VARIETY			
ARIANA	3.66	3.78	3.72
BIENVENU	3.91	4.10	4.00
Mean	3.78	3.94	3.86
N RATE			
VARIETY	150	250	Mean
ARIANA	3.65	3.78	3.72
BIENVENU	3.90	4.11	4.00
Mean	3.77	3.95	3.86
SOW DATE			
14 AUG	3.58	3.98	3.78
4 SEP	3.96	3.91	3.94
Mean	3.77	3.95	3.86
N DIVIS			
VARIETY	SINGLE	DIVIDED	Mean
ARIANA	3.67	3.77	3.72
BIENVENU	4.07	3.94	4.00
Mean	3.87	3.85	3.86

87/R/RA/1

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

*****Tables of means *****

N DIVIS SOW DATE	SINGLE	DIVIDED	Mean
14 AUG	3.75	3.82	3.78
4 SEP	3.99	3.89	3.94
Mean	3.87	3.85	3.86
N DIVIS N RATE	SINGLE	DIVIDED	Mean
150	3.74	3.80	3.77
250	3.99	3.91	3.95
Mean	3.87	3.85	3.86
GROWREG VARIETY	NONE	TRIAPEN	Mean
ARIANA	3.49	3.94	3.72
BIENVENU	3.60	4.40	4.00
Mean	3.55	4.17	3.86
GROWREG SOW DATE	NONE	TRIAPEN	Mean
14 AUG	3.31	4.26	3.78
4 SEP	3.79	4.09	3.94
Mean	3.55	4.17	3.86
GROWREG N RATE	NONE	TRIAPEN	Mean
150	3.48	4.06	3.77
250	3.61	4.29	3.95
Mean	3.55	4.17	3.86
GROWREG N DIVIS	NONE	TRIAPEN	Mean
SINGLE	3.60	4.14	3.87
DIVIDED	3.50	4.21	3.85
Mean	3.55	4.17	3.86
INSCTCDE VARIETY	NONE	DE+TR	Mean
ARIANA	3.64	3.80	3.72
BIENVENU	4.04	3.97	4.00
Mean	3.84	3.88	3.86
INSCTCDE SOW DATE	NONE	DE+TR	Mean
14 AUG	3.80	3.76	3.78
4 SEP	3.87	4.01	3.94
Mean	3.84	3.88	3.86

87/R/RA/1

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

INSCTCDE N RATE	NONE	DE+TR	Mean
150	3.72	3.82	3.77
250	3.95	3.95	3.95
Mean	3.84	3.88	3.86
INSCTCDE N DIVIS	NONE	DE+TR	Mean
SINGLE	3.78	3.96	3.87
DIVIDED	3.89	3.81	3.85
Mean	3.84	3.88	3.86
INSCTCDE GROWREG	NONE	DE+TR	Mean
None	3.57	3.53	3.55
TRIAPEN	4.11	4.24	4.17
Mean	3.84	3.88	3.86
FUNGicide VARIETY	NONE	PR+IP	Mean
ARIANA	3.53	3.90	3.72
BIENVENU	3.82	4.19	4.00
Mean	3.68	4.04	3.86
FUNGicide SOW DATE	NONE	PR+IP	Mean
14 AUG	3.65	3.91	3.78
4 SEP	3.70	4.17	3.94
Mean	3.68	4.04	3.86
FUNGicide N RATE	NONE	PR+IP	Mean
150	3.55	3.99	3.77
250	3.80	4.09	3.95
Mean	3.68	4.04	3.86
FUNGicide N DIVIS	NONE	PR+IP	Mean
SINGLE	3.70	4.04	3.87
DIVIDED	3.66	4.05	3.85
Mean	3.68	4.04	3.86
FUNGicide GROWREG	NONE	PR+IP	Mean
None	3.33	3.77	3.55
TRIAPEN	4.03	4.32	4.17
Mean	3.68	4.04	3.86

87/R/RA/1

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

FUNGIDE INSCTCDE	NONE	PR+IP	Mean	
NONE	3.63	4.04	3.84	
DE+TR	3.72	4.04	3.88	
Mean	3.68	4.04	3.86	
SOWDAT N VARIETYN	14 AUG	4 SEP	Mean	
ARIANA	3.70	3.47	3.59	
BIENVENU	4.18	4.05	4.11	
Mean	3.94	3.76	3.85	
N RATE N VARIETYN	0	100	200	300
ARIANA	2.39	3.58	4.19	4.19
BIENVENU	2.84	4.20	4.60	4.81
Mean	2.61	3.89	4.40	4.50
N RATE N SOWDAT N	0	100	200	300
14 AUG	2.93	3.94	4.43	4.45
4 SEP	2.30	3.84	4.36	4.55
Mean	2.61	3.89	4.40	4.50
SOWDAT P VARIETYP	14 AUG	4 SEP	Mean	
ARIANA	4.14	3.86	4.00	
BIENVENU	4.25	4.56	4.41	
Mean	4.19	4.21	4.20	
N RATE P VARIETYP	150	250	Mean	
ARIANA	3.85	4.15	4.00	
BIENVENU	3.89	4.92	4.41	
Mean	3.87	4.53	4.20	
N RATE P SOWDAT P	150	250	Mean	
14 AUG	3.75	4.64	4.19	
4 SEP	3.99	4.43	4.21	
Mean	3.87	4.53	4.20	
GROREG P VARIETYP	NONE	TRIAPEN	Mean	
ARIANA	3.87	4.13	4.00	
BIENVENU	4.27	4.54	4.41	
Mean	4.07	4.34	4.20	

87/R/RA/1

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

GROREG P	NONE	TRIAPEN	Mean
SOWDAT P			
14 AUG	4.06	4.33	4.19
4 SEP	4.08	4.34	4.21
Mean	4.07	4.34	4.20
GROREG P	NONE	TRIAPEN	Mean
N RATE P			
150	3.74	4.00	3.87
250	4.40	4.67	4.53
Mean	4.07	4.34	4.20
GRORG OX	NONE	TRIAPEN	Mean
SODATE 0			
14 AUG	2.97	4.32	3.65
4 SEP	3.89	4.00	3.95
Mean	3.43	4.16	3.80
INSCT OX	NONE	DE+TR	Mean
SODATE 0			
14 AUG	2.97	4.32	3.65
4 SEP	4.00	3.89	3.95
Mean	3.49	4.11	3.80
INSCT OX	NONE	DE+TR	Mean
GRORG OX			
NONE	2.97	3.89	3.43
TRIAPEN	4.00	4.32	4.16
Mean	3.49	4.11	3.80
FOL NUT	N	N+MIC+S	Mean
VAR NUT			
ARIANA	3.95	4.15	4.05
BIENVENU	4.70	4.24	4.47
Mean	4.32	4.19	4.26
SDAT NIL	14 AUG	4 SEP	Mean
VAR NIL			
ARIANA	2.31	2.25	2.28
BIENVENU	2.59	2.44	2.52
Mean	2.41	2.31	2.36
GRAIN MEAN	3.83		

87/R/RA/1

*** Standard errors of differences of means ***

Table s.e.d.	VARIETY 0.094	SOW DATE 0.094	N RATE 0.090	N DIVIS 0.090
Table s.e.d.	GROWREG 0.090	INSCTCDE 0.090	FUNGCIDE 0.090	VARIETY SOW DATE 0.133
Table s.e.d.	VARIETY N RATE 0.131	SOW DATE N RATE 0.131	VARIETY N DIVIS 0.131	SOW DATE N DIVIS 0.131
Except when comparing means with the same level(s) of VARIETY SOW DATE	0.128		0.128	0.128
Table s.e.d.	N RATE N DIVIS 0.128	VARIETY GROWREG 0.131	SOW DATE GROWREG 0.131	N RATE GROWREG 0.128
Except when comparing means with the same level(s) of VARIETY SOW DATE		0.128	0.128	
Table s.e.d.	N RATE N DIVIS 0.128	VARIETY INSCTCDE 0.131	SOW DATE INSCTCDE 0.131	N RATE INSCTCDE 0.128
Except when comparing means with the same level(s) of VARIETY SOW DATE		0.128	0.128	
Table s.e.d.	N DIVIS INSCTCDE 0.128	GROWREG INSCTCDE 0.128	VARIETY FUNGCIDE 0.131	SOW DATE FUNGCIDE 0.131
Except when comparing means with the same level(s) of VARIETY SOW DATE			0.128	0.128
Table s.e.d.	N RATE FUNGCIDE 0.128	N DIVIS FUNGCIDE 0.128	GROWREG FUNGCIDE 0.128	INSCTCDE FUNGCIDE 0.128
Except when comparing means with the same level(s) of N RATE GROWREG FUNGCIDE	0.131		0.131	

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	6	0.189	4.9
BLOCK.WP.SP	26	0.361	9.4

GRAIN MEAN DM% 87.1

PLOT AREA HARVESTED 0.00299