

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1987

[Full Table of Content](#)

ARC, Institute of Arable Crops Research
Rothamsted Experimental Station
Harpenden
Herts
SG8 5LR
UK
The copyright in this document is held by the Rothamsted Research and
is licensed to the user under the terms of the Creative Commons
Attribution 4.0 International License. For more information on this
license, please visit <https://creativecommons.org/licenses/by/4.0/>
Printed: 2018/08/08
Rothamsted 2018

87/R/RA/3 Varieties and Fungicides - W. Oilseed Rape

Rothamsted Research

Rothamsted Research (1988) *87/R/RA/3 Varieties and Fungicides - W. Oilseed Rape* ; Yields Of The Field Experiments 1987, pp 215 - 219 - DOI: <https://doi.org/10.23637/ERADOC-1-37>

87/R/RA/3

WINTER OILSEED RAPE

VARIETIES AND FUNGICIDES

Object: To study the effects of times of applying fungicides on the incidence of diseases and on the yield of six varieties of w. oilseed rape - Black Horse I.

Sponsor: C.J. Rawlinson.

Design: 2 randomised blocks of 8 plots split into 6.

Whole plot dimensions: 21.0 x 15.0.

Treatments: All combinations of:-

Whole plots

- | | |
|-------------|--|
| 1. AUT FUNG | Fungicide in autumn: |
| NONE | None |
| PROCHLOR | Prochloraz at 0.50 kg in 500 l on 12 Nov, 1986 |
| 2. SPR FUNG | Fungicide in spring: |
| NONE | None |
| PROCHLOR | Prochloraz at 0.50 kg in 200 l on 21 Apr, 1987 |
| 3. SUM FUNG | Fungicide in summer: |
| NONE | None |
| IPRODION | Iprodione at 0.50 kg in 200 l on 15 June, 1987 |

Sub plots

- | | |
|------------|------------|
| 4. VARIETY | Varieties: |
| ARIANA | Ariana |
| BIENVENU | Bienvenu |
| JET NEUF | Jet Neuf |
| LIRADONN | Liradonna |
| MIKADO | Mikado |
| RAFAL | Rafal |

Basal applications: Manures: (0:18:36) at 690 kg. 'Nitram' at 140 kg and later at 800 kg. Weedkillers: Sodium trichloroacetate at 16 kg in 200 l. Metazachlor at 1.2 kg with fluazifop-P-butyl at 0.19 kg and a wetting agent ('Agral' at 0.20 l) in 200 l. Insecticides: Deltamethrin at 0.0062 kg in 200 l. Azinphos methyl at 0.40 kg and demeton-S-methyl sulphone at 0.12 kg in 300 l. Bird repellent: 'Hoppit' at 3.0 l in 220 l. Desiccant: Diquat at 0.60 kg ion with a wetting agent ('Enhance' at 0.50 l) in 500 l.

87/R/RA/3

Seed : Varieties, sown at 8.0 kg.

Cultivations, etc.:- Spring-tine cultivated: 8 Aug, 1986. PK applied: 11 Aug. Sodium trichloroacetate applied, N applied: 13 Aug. Seed sown: 2 Sept. Remaining weedkillers applied: 4 Oct. Deltamethrin applied: 11 Oct. Bird repellent applied: 12 Dec. Second N applied: 17 Feb, 1987. Remaining insecticides applied: 28 Apr. Desiccant with wetting agent applied: 28 July. Combine harvested: 3 Aug. Previous crops: W. wheat 1985, w. barley 1986.

NOTE: Diseases were assessed between November and July. Growth stage, height and plant development were recorded from May to harvest. Ripening and lodging were assessed before harvest and stubble stem population counts made immediately after harvest.

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

SPR FUNG	NONE	PROCHLOR						Mean	
AUT FUNG									
	NONE		3.16	3.43				3.29	
	PROCHLOR		3.53	3.32				3.43	
	Mean		3.35	3.38				3.36	
SUM FUNG	NONE	I PRODION						Mean	
AUT FUNG									
	NONE		3.18	3.41				3.29	
	PROCHLOR		3.28	3.58				3.43	
	Mean		3.23	3.49				3.36	
SUM FUNG	NONE	I PRODION						Mean	
SPR FUNG									
	NONE		3.22	3.48				3.35	
	PROCHLOR		3.24	3.51				3.38	
	Mean		3.23	3.49				3.36	
VARIETY	ARIANA	BIENVENU	JET	NEUF	LIRADONN	MIKADO	RAFAL	Mean	
AUT FUNG									
	NONE		3.28	3.88	2.56	2.89	3.91	3.23	3.29
	PROCHLOR		3.25	3.83	2.73	3.16	4.27	3.32	3.43
	Mean		3.27	3.86	2.65	3.03	4.09	3.27	3.36
VARIETY	ARIANA	BIENVENU	JET	NEUF	LIRADONN	MIKADO	RAFAL	Mean	
SPR FUNG									
	NONE		3.23	3.79	2.70	2.96	4.03	3.37	3.35
	PROCHLOR		3.31	3.93	2.59	3.10	4.14	3.18	3.38
	Mean		3.27	3.86	2.65	3.03	4.09	3.27	3.36

87/R/RA/3

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

VARIETY	ARIANA	BIENVENU	JET NEUF	LIRADONN	MIKADO	RAFAL	Mean
SUM FUNG							
NONE	3.14	3.76	2.54	2.88	3.93	3.14	3.23
IPRODION	3.40	3.96	2.76	3.17	4.25	3.41	3.49
Mean	3.27	3.86	2.65	3.03	4.09	3.27	3.36

AUT FUNG	SUM FUNG	NONE	IPRODION
NONE	SPR FUNG		
	NONE	3.00	3.32
PROCHLOR	PROCHLOR	3.36	3.49
	NONE	3.44	3.63
	PROCHLOR	3.12	3.53

AUT FUNG	VARIETY	ARIANA	BIENVENU	JET NEUF	LIRADONN	MIKADO	RAFAL
NONE	SPR FUNG						
	NONE	3.15	3.66	2.43	2.83	3.79	3.11
PROCHLOR	PROCHLOR	3.41	4.10	2.70	2.96	4.03	3.36
	NONE	3.31	3.91	2.98	3.08	4.28	3.62
	PROCHLOR	3.20	3.76	2.49	3.23	4.25	3.01

AUT FUNG	VARIETY	ARIANA	BIENVENU	JET NEUF	LIRADONN	MIKADO	RAFAL
NONE	SUM FUNG						
	NONE	3.02	3.79	2.56	2.68	3.78	3.26
PROCHLOR	IPRODION	3.54	3.98	2.57	3.11	4.04	3.20
	NONE	3.25	3.73	2.51	3.09	4.08	3.01
	IPRODION	3.26	3.94	2.95	3.23	4.45	3.62

SPR FUNG	VARIETY	ARIANA	BIENVENU	JET NEUF	LIRADONN	MIKADO	RAFAL
NONE	SUM FUNG						
	NONE	3.12	3.64	2.62	2.76	3.86	3.30
PROCHLOR	IPRODION	3.33	3.94	2.79	3.15	4.21	3.43
	NONE	3.15	3.88	2.45	3.01	4.00	2.97
	IPRODION	3.46	3.98	2.73	3.18	4.29	3.40

87/R/RA/3

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

VARIETY	AUT FUNG	SUM FUNG	NONE	IPRODION
ARIANA	NONE	SPR FUNG	2.86	3.44
		NONE	3.19	3.64
	PROCHLOR	NONE	3.39	3.23
BIENVENU	NONE	PROCHLOR	3.11	3.29
		NONE	3.57	3.75
	PROCHLOR	PROCHLOR	4.00	4.21
JET NEUF	NONE	NONE	3.70	4.12
		PROCHLOR	3.76	3.76
	PROCHLOR	NONE	2.33	2.52
LIRADONN	NONE	PROCHLOR	2.78	2.61
		NONE	2.91	3.05
	PROCHLOR	PROCHLOR	2.12	2.85
MIKADO	NONE	NONE	2.55	3.10
		PROCHLOR	2.80	3.11
	PROCHLOR	NONE	2.96	3.21
RAFAL	NONE	PROCHLOR	3.21	3.26
		NONE	3.56	4.02
	PROCHLOR	PROCHLOR	4.00	4.07
	NONE	NONE	4.17	4.39
		PROCHLOR	3.99	4.51
	PROCHLOR	NONE	3.10	3.11
	NONE	PROCHLOR	3.42	3.30
		NONE	3.50	3.75
	PROCHLOR	PROCHLOR	2.53	3.50

*** Standard errors of differences of means ***

Table	AUT FUNG	SPR FUNG	SUM FUNG	VARIETY
s.e.d.	0.136	0.136	0.136	0.104
Table	AUT FUNG	AUT FUNG	SPR FUNG	AUT FUNG
s.e.d.	SPR FUNG	SUM FUNG	SUM FUNG	VARIETY
0.193	0.193	0.193	0.191	
Except when comparing means with the same level(s) of				
AUT FUNG				0.147
Table	SPR FUNG	SUM FUNG	AUT FUNG	AUT FUNG
s.e.d.	VARIETY	VARIETY	SPR FUNG	SPR FUNG
0.191		0.191	SUM FUNG	VARIETY
Except when comparing means with the same level(s) of				
SPR FUNG	0.147			
SUM FUNG		0.147		
AUT FUNG.SPR FUNG				0.208

87/R/RA/3

*** Standard errors of differences of means ***

Table	AUT FUNG SUM FUNG VARIETY	SPR FUNG SUM FUNG VARIETY	AUT FUNG SPR FUNG SUM FUNG VARIETY
s.e.d.	0.271	0.271	0.383
Except when comparing means with the same level(s) of			
AUT FUNG.SUM FUNG	0.208		
SPR FUNG.SUM FUNG		0.208	
AUT FUNG.SPR FUNG.SUM FUNG			0.294

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	7	0.273	8.1
BLOCK.WP.SP	40	0.294	8.7

GRAIN MEAN DM% 83.9

SUB PLOT AREA HARVESTED 0.00345