Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1987



Full Table of Content

87/R/P/1 and 87/W/P/1 Varieties - Potatoes

Rothamsted Research

Rothamsted Research (1988) 87/R/P/1 and 87/W/P/1 Varieties - Potatoes; Yields Of The Field Experiments 1987, pp 254 - 256 - DOI: https://doi.org/10.23637/ERADOC-1-37

87/R/P/1 and 87/W/P/1

POTATOES

VARIETIES

Object: To compare the quality and yield of some of the newer varieties of potato with current standards on two soil types - Rothamsted Little Hoos (R), Woburn Horsepool Lane Close West (W).

Sponsor: R. Moffitt.

Design: 4 randomised blocks of 7 plots.

Whole plot dimensions: 3.0 x 6.1.

Treatments:

VARIETY	Varieties:	
CARA	Cara	
CROWN	Pentland	Crown
DESIREE	Desiree	
ESTIMA	Estima	
KINGSTON	Kingston	
ROMANO	Romano	
WILJA	Wilja	

Basal applications:

Little Hoos (R): Manures: (0:18:36) at 690 kg. Chalk at 5 t. FYM at 35 t. (10:10:15+4.5 Mg) at 1960 kg. Weedkillers: Linuron at 1.7 kg with paraquat at 0.50 kg ion in 500 l. Fungicides: Mancozeb at 1.4 kg in 200 l on four occasions applied with the insecticide on the second occasion. Fentin hydroxide at 0.28 kg in 200 l on two occasions. Insecticide: Pirimicarb at 0.14 kg. Desiccant: Diquat at 0.80 kg ion in 300 l.

Horsepool Lane Close West (W): Manures: (0:18:36) at 690 kg. (10:10:15+4.5 Mg) at 2290 kg. Weedkillers: Glyphosate at 1.4 kg in 200 l. Linuron at 1.7 kg in 200 l. Fungicides: Mancozeb at 1.4 kg in 200 l on four occasions applied with the insecticide on the second occasion. Fentin hydroxide at 0.28 kg in 200 l on two occasions. Insecticide: Pirimicarb at 0.14 kg. Desiccant: Diquat at 0.80 kg ion in 200 l.

Cultivations, etc.:-

Little Hoos (R): PK applied: 17 Sept, 1986. Chalk applied: 24 Sept. FYM applied: 12 Nov. Ploughed: 17 Nov. NPK Mg applied: 14 Apr, 1987. Rotary harrowed and ridged: 21 Apr. Potatoes hand planted, split back: 22 Apr. Ridged: 29 Apr. Weedkillers applied: 8 May. Mancozeb applied: 24 June, 8 July, 28 July, 10 Aug. Fentin hydroxide applied: 28 Aug, 9 Sept. Insecticide applied: 8 July. Desiccant applied: 21 Sept. Haulm mechanically destroyed: 26 Sept. Lifted: 25 Nov. Previous crops: W. barley 1985, oilseed rape 1986.

87/R/P/1 and 87/W/P/1

Cultivations, etc.:Horsepool Lane Close West (W): PK applied: 16 Sept, 1986. Glyphosate applied: 19 Sept. Ploughed: 12 Nov. NPK Mg applied: 22 Apr, 1987. Rotary cultivated, ridged, potatoes hand planted, split back: 28 Apr. Rotary ridged: 15 May. Linuron applied: 25 May. Mancozeb applied: 29 June, 8 July, 26 July, 5 Aug. Fentin hydroxide applied: 18 Aug, 4 Sept. Insecticide applied: 8 July. Desiccant applied: 18 Sept. Haulm mechanically destroyed: 1 Oct. Lifted: 6 Nov. Previous crops: W. wheat 1985, w. oats 1986.

87/R/P/1

TOTAL TUBERS TONNES/HECTARE

**** Tables of means ****

VARIETY	
CARA	45.8
CROWN	37.6
DESIREE	37.9
ESTIMA	43.4
KINGSTON	33.3
ROMANO	31.5
WILJA	37.8
Mean	38.2

*** Standard errors of differences of means ***

Table VARIETY s.e.d. 3.69

**** Stratum standard errors and coefficients of variation ****

 Stratum
 d.f.
 s.e.
 cv%

 BLOCK.WP
 18
 5.22
 13.7

PERCENTAGE WARE 3.81 CM (1.5 INCH) RIDDLE

***** Tables of means *****

VARIETY CARA 92.7 96.2 CROWN DESIREE 95.5 ESTIMA 92.9 93.0 KINGSTON ROMANO 95.6 WILJA 90.2 Mean 93.7

PLOT AREA HARVESTED 0.00091

```
87/W/P/1
TOTAL TUBERS TONNES/HECTARE
***** Tables of means *****
      VARIETY
         CARA
                   42.0
                   40.8
        CROWN
      DESIREE
                   26.0
                   37.0
       ESTIMA
                   39.1
     KINGSTON
       ROMANO
                   34.0
        WILJA
                   32.9
                   35.9
         Mean
*** Standard errors of differences of means ***
                   VARIETY
Table
                      5.04
s.e.d.
**** Stratum standard errors and coefficients of variation ****
Stratum
                   d.f.
                                 s.e.
                                               CV%
BLOCK . WP
                     18
                                 7.13
                                              19.8
PERCENTAGE WARE 4.44CM (1.75 INCH) RIDDLE
***** Tables of means *****
      VARIETY
         CARA
                   83.4
        CROWN
                   85.9
      DESIREE
                   82.5
       ESTIMA
                   85.5
     KINGSTON
                   86.1
```

PLOT AREA HARVESTED 0.00091

86.8 79.0

84.2

ROMANO

WILJA

Mean