

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1987

[Full Table of Content](#)

ARC, Institute of Arable Crops Research  
Rothamsted Experimental Station  
Harpenden  
Herts  
SG8 5LR  
United Kingdom

This report is available in electronic form on the Rothamsted Research  
website at <http://www.rothamsted.ac.uk>. For more information  
on the availability of this report, please contact the Rothamsted Research  
Library at [library@rothamsted.ac.uk](mailto:library@rothamsted.ac.uk)

Printed: 2018-08-08  
Rothamsted 2018

## 87/R/GC/8 Garden Clover - Clover

### Rothamsted Research

Rothamsted Research (1988) *87/R/GC/8 Garden Clover - Clover* ; Yields Of The Field Experiments 1987, pp 32 - 33 - DOI: <https://doi.org/10.23637/ERADOC-1-37>

87/R/GC/8

GARDEN CLOVER

Object: To study yields and pathogens of red clover grown continuously - Manor Garden.

Sponsor: J. McEwen.

The 134th year, red clover.

For previous years see 'Details' 1967 and 1973, and 74-86/R/GC/8.

Design: 2 blocks of 2 plots.

Whole plot dimensions: 1.02 x 1.42.

Treatments:

FUNG RES      Residual effects of fungicide to control *Sclerotinia trifoliorum*:

NONE            None

BENOMYL        Benomyl sprays during winter, last applied December 1985

Basal applications: Manures: Chalk at 1.25 t. (0:18:36) at 420 kg.  
Mg at 50 kg, as Epsom Salts. Nematicide: Aldicarb at 10 kg.

NOTE: Additional K was applied to replace that removed by the crop in 1986. FUNG RES NONE required 360 and 263 kg K20 to the first and second blocks respectively, FUNG RES BENOMYL 267 and 258 kg K20. This was applied as muriate of potash, one third in spring 1987 and one third after the first and second cuts.

Seed: Hungaropoly, sown at 34 kg.

Cultivations, etc.: - Hand dug, root stumps carted: 25 Sept, 1986.  
Chalk, PK and Mg applied: 3 Oct. Sown, K and aldicarb applied: 15 Apr, 1987. Cut and K applied: 30 July, 1 Sept. Cut: 25 Sept.

87/R/GC/8

1ST CUT (30/7/87) DRY MATTER TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

FUNG RES	NONE	BENOMYL	Mean
	2.87	3.28	3.08

1ST CUT MEAN DM% 12.6

2ND CUT (1/9/87) DRY MATTER TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

FUNG RES	NONE	BENOMYL	Mean
	2.40	2.21	2.30

2ND CUT MEAN DM% 13.0

3RD CUT (25/9/87) DRY MATTER TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

FUNG RES	NONE	BENOMYL	Mean
	0.91	0.73	0.82

3RD CUT MEAN DM% 12.0

TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

FUNG RES	NONE	BENOMYL	Mean
	6.18	6.22	6.20

TOTAL OF 3 CUTS MEAN DM% 12.5

PLOT AREA HARVESTED 0.00010