

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1987

[Full Table of Content](#)

ARC, Institute of Arable Crops Research
Rothamsted Experimental Station
Harpenden
Herts
AL5 2JQ
UK
The copyright in this document is owned by the Rothamsted Research Ltd
and is a part of the Rothamsted Research Archives. It is made available
under a Creative Commons Attribution 4.0 International License. For more
information, please visit <https://creativecommons.org/licenses/by/4.0/>
Printed: 2018-08-08
Rothamsted 2018

87/R/CS/10 and 87/W/CS/10 Long-term Liming - Lupins

Rothamsted Research

Rothamsted Research (1988) *87/R/CS/10 and 87/W/CS/10 Long-term Liming - Lupins* ; Yields Of The Field Experiments 1987, pp 77 - 81 - DOI: <https://doi.org/10.23637/ERADOC-1-37>

87/R/CS/10 and 87/W/CS/10

LONG TERM LIMING

Object: To study the effects of different amounts of lime and phosphate on the yields and compositions of a sequence of crops. Rothamsted (R) Sawyers I and Woburn (W) Stackyard C.

Sponsors: S.P. McGrath, J. McEwen, D.P. Yeoman.

The 26th year, *Lupinus albus*.

For previous years see 'Details' 1967, 1973 and 74-86/R&W/CS/10.

Design: 2 randomised blocks of 16 plots split into 2.

Whole plot dimensions: 6.40 x 18.3.

Treatments: All combinations of:-

Whole plots

1. CHALK Residual effects of ground chalk (tonnes CaCO₃) (total applied 1962-87):

		Rothamsted total		Woburn total	
R	W	1962-78	1982-87	1962-78	1982-87
0	0	0	0	0	0
15	9	7	8	6	3
24.5	25.5	15	9.5	14	11.5
52.5	45.5	30	22.5	23	22.5

2. P Residual effects of P fertilizer applied:

	Until 1978		1981	1982	1983	
	R & W	R & W	R & W	R & W	R	W
0	0	0	0	0	0	0
P1	0	P1	P1	0	P2	P2
P2	P	P1	0	P1	P2	P4
P3	P	P3	P1	P1	P2	P4

Rates 1981-83 P1, P2, P3, P4 = 25, 50, 75, 100 kg P as superphosphate

Sub plots

3. MANGNESE Manganese applied in 1987:

0	None
MN	Manganese sprays

- NOTES: (1) Until 1978 test P was applied cumulatively, rates varied with crop, K was also applied cumulatively, to P1 and P3 plots. Since 1981 K has been applied basally (none in 1986 and 1987).
 (2) On Sawyers I (R) manganese was applied as manganese lignin polycarboxylate ('Stoller Manganese' at 3.0 l in 200 l on 5 June, 1987 and at 9.0 l in 200 l on 11 Aug).
 (3) On Stackyard C (W) manganese was applied at 0.19 kg Mn on 4 June, 1987 and 0.57 kg Mn on 4 Aug as manganese sulphate in 200 l.

87/R/CS/10 and 87/W/CS/10

Basal applications:-

Sawyers I (R): Weedkillers: Terbutryne at 0.98 kg with terbuthylazine at 0.42 kg in 200 l. Fungicide: Benomyl at 0.50 kg applied with the insecticide and a wetting agent ('Agral' at 0.06 l) in 200 l. Insecticide: Pirimicarb at 0.14 kg.

Stackyard C (W): Weedkillers: Glyphosate at 1.4 kg in 200 l. Terbutryne at 0.56 kg with terbuthylazine at 0.24 kg in 240 l. Fungicide: Benomyl at 1.0 kg applied with the pirimicarb and a wetting agent ('Enhance' at 0.06 l) in 200 l. Insecticides: Deltamethrin at 0.038 kg in 200 l. Pirimicarb at 0.15 kg.

Seed: Sawyers I (R): Vladimir, sown at 260 kg.
Stackyard C (W): Vladimir, sown at 250 kg.

Cultivations, etc.:-

Sawyers I (R): Chalk treatments applied: 13 Nov, 1986. Ploughed: 14 Nov. Spring-tine cultivated, rotary harrowed, seed sown, harrowed: 31 Mar, 1987. Weedkillers applied: 13 Apr. Fungicide and insecticide applied: 9 July. Combine harvested: 17 Nov.

Stackyard C (W): Glyphosate applied: 16 Sept, 1986. Chalk treatments applied: 13 Nov. Ploughed: 28 Nov. Spike harrowed with crumbler attached, seed sown: 6 Apr, 1987. Harrowed, terbutryne and terbuthylazine applied: 13 Apr. Deltamethrin applied: 8 May. Benomyl and pirimicarb applied: 13 July. Combine harvested: 18 Nov.

87/R/CS/10 SAWYERS I (R)

GRAIN TONNES/HECTARE

***** Tables of means *****

P	0	P1	P2	P3	Mean
CHALK					
0	0.71	1.33	2.28	2.97	1.82
15	2.86	2.25	3.47	2.65	2.81
24.5	2.98	2.24	3.69	2.56	2.87
52.5	2.87	2.31	4.04	3.17	3.10
Mean	2.36	2.03	3.37	2.84	2.65
MANGNESE	0	MN	Mean		
CHALK					
0	1.89	1.76	1.82		
15	2.69	2.92	2.81		
24.5	2.98	2.75	2.87		
52.5	3.04	3.15	3.10		
Mean	2.65	2.64	2.65		
MANGNESE	0	MN	Mean		
P					
0	2.38	2.33	2.36		
P1	2.12	1.94	2.03		
P2	3.32	3.42	3.37		
P3	2.78	2.89	2.84		
Mean	2.65	2.64	2.65		

87/R/CS/10 SAWYERS I (R)

GRAIN TONNES/HECTARE

***** Tables of means *****

CHALK	MANGNESE	0	MN
0	P		
	0	0.66	0.77
	P1	1.41	1.25
	P2	2.25	2.32
15	P3	3.24	2.71
	0	2.73	2.98
	P1	2.27	2.22
	P2	3.52	3.43
24.5	P3	2.26	3.03
	0	3.02	2.94
	P1	2.48	1.99
	P2	3.86	3.52
52.5	P3	2.56	2.56
	0	3.10	2.64
	P1	2.31	2.32
	P2	3.68	4.40
	P3	3.08	3.25

*** Standard errors of differences of means ***

Table	CHALK	P	MANGNESE	CHALK P
s.e.d.	0.233	0.233	0.114	0.466

Table	CHALK MANGNESE	P MANGNESE	CHALK P MANGNESE
s.e.d.	0.283	0.283	0.567
Except when comparing means with the same level(s) of			
CHALK	0.228		
P		0.228	
CHALK.P			0.456

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	15	0.466	17.6
BLOCK.WP.SP	16	0.456	17.2

GRAIN MEAN DM% 65.2

SUB PLOT AREA HARVESTED 0.00177

87/W/CS/10 STACKYARD C (W)

GRAIN TONNES/HECTARE

***** Tables of means *****

P	0	P1	P2	P3	Mean
CHALK					
0	2.17	1.99	1.87	1.81	1.96
9	1.91	1.72	1.66	1.55	1.71
25.5	2.04	1.44	1.38	1.57	1.61
45.5	1.98	1.49	1.68	1.31	1.62
Mean	2.03	1.66	1.65	1.56	1.72
MANGNESE					
0	MN	Mean			
CHALK					
0	2.09	1.83	1.96		
9	1.72	1.70	1.71		
25.5	1.57	1.64	1.61		
45.5	1.68	1.56	1.62		
Mean	1.77	1.68	1.72		
MANGNESE					
0	MN	Mean			
P					
0	2.12	1.94	2.03		
P1	1.73	1.60	1.66		
P2	1.57	1.73	1.65		
P3	1.66	1.46	1.56		
Mean	1.77	1.68	1.72		
MANGNESE					
0	MN				
CHALK					
0	P	0	2.63	1.72	
	P1		1.82	2.17	
	P2		1.84	1.90	
	P3		2.08	1.54	
9	0		1.95	1.88	
	P1		1.89	1.56	
	P2		1.35	1.97	
	P3		1.71	1.39	
25.5	0		1.78	2.29	
	P1		1.47	1.41	
	P2		1.37	1.40	
	P3		1.67	1.46	
45.5	0		2.09	1.87	
	P1		1.74	1.25	
	P2		1.71	1.66	
	P3		1.17	1.44	

87/W/CS/10 STACKYARD C (W)

*** Standard errors of differences of means ***

Table	CHALK	P	MANGNESE	CHALK P
s.e.d.	0.107	0.107	0.098	0.214

Table	CHALK MANGNESE	P MANGNESE	CHALK P MANGNESE
s.e.d.	0.175	0.175	0.351
Except when comparing means with the same level(s) of			
CHALK	0.197		
P		0.197	
CHALK.P			0.393

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	15	0.214	12.4
BLOCK.WP.SP	16	0.393	22.8

GRAIN MEAN DM% 60.3

SUB PLOT AREA HARVESTED 0.00172