


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1988

[Full Table of Content](#)



88/R/WW/4 Factors Affecting Take-all - W. Wheat

Rothamsted Research

Rothamsted Research (1989) *88/R/WW/4 Factors Affecting Take-all - W. Wheat* ; Yields Of The Field Experiments 1988, pp 147 - 152 - DOI: <https://doi.org/10.23637/ERADOC-1-43>

88/R/WW/4

WINTER WHEAT

FACTORS AFFECTING TAKE-ALL

Object: To study the effects of a range of factors on the incidence of take-all and on the yield of w. wheat - Harwoods Piece.

Sponsors: D. Hornby, G.L. Bateman, R.J. Gutteridge.

Design: A single replicate of 2 x 2 x 2 x 2 x 2 x 2.

Whole plot dimensions: 3.0 x 10.0.

Treatments: All combinations of:-

1. **SOWDATE** Dates of sowing:

 21 SEPT 21 September, 1987
 26 OCT 26 October
2. **SOILFUNG** Application of fungicide to the seedbed:

 NONE None
 NUARIMOL Nuarimol at 1.1 kg in 375 l
3. **SEEDRESS** Seed dressings:

 ORGANO M Organo mercury
 TRIADIME Triadimenol plus fuberidazole
4. **AUTUMN N** N application to the seedbed:

 0 None
 60 60 kg N as 'Nitro-Chalk' on 21 Sept, 1987 or 26 Oct
 for successive SOWDATES
5. **N TIME** Spring application of 200 kg N:

 SINGLE Single application on 8 Apr, 1988
 DIVIDED 40 kg early on 16 Feb, 160 kg later, on 8 Apr
6. **N FORM** Forms of spring nitrogen:

 SUL AMM Sulphate of ammonia
 AMM NITR Ammonium nitrate as 'Nitro-Chalk'

Basal applications: Manures: Muriate of potash at 420 kg. Weedkillers: Fluroxypyr at 0.20 kg with metsulfuron-methyl at 0.006 kg in 200 l. Diclofop-methyl at 1.1 kg in 200 l. Fungicides: Propiconazole at 0.12 kg and tridemorph at 0.25 kg in 260 l.

Seed: Avalon, sown at 170 kg.

88/R/WW/4

Cultivations, etc.:- Muriate of potash applied: 2 Sept, 1987. Ploughed: 7 Sept. Rotary harrowed: 19 Sept. SOWDATE 21 SEPT plots rotary harrowed, seed sown: 21 Sept. SOWDATE 26 OCT plots rotary harrowed, seed sown: 26 Oct. Fluroxypyr with metsulfuron-methyl applied: 25 Apr, 1988. Diclofop-methyl applied: 6 May. Fungicides applied: 21 June. Combine harvested: 23 Aug. Previous crops: W. wheat 1986 and 1987.

NOTE: Plant samples were taken in mid-March, the end of April and the beginning of July to assess take-all. Eyespot and sharp eyespot were assessed in July. Components of yield were measured and quality assessments were made on the grain.

GRAIN TONNES/HECTARE

***** Tables of means *****

SOILFUNG	NONE	NUARIMOL	Mean
SOWDATE			
21 SEPT	6.81	7.24	7.02
26 OCT	8.49	8.08	8.28
Mean	7.65	7.66	7.65
SEEDRESS	ORGANO M	TRIADIME	Mean
SOWDATE			
21 SEPT	6.61	7.43	7.02
26 OCT	8.35	8.22	8.28
Mean	7.48	7.83	7.65
SEEDRESS	ORGANO M	TRIADIME	Mean
SOILFUNG			
NONE	7.38	7.92	7.65
NUARIMOL	7.58	7.74	7.66
Mean	7.48	7.83	7.65
AUTUMN N	0	60	Mean
SOWDATE			
21 SEPT	6.62	7.42	7.02
26 OCT	8.20	8.37	8.28
Mean	7.41	7.90	7.65
AUTUMN N	0	60	Mean
SOILFUNG			
NONE	7.23	8.07	7.65
NUARIMOL	7.59	7.73	7.66
Mean	7.41	7.90	7.65
AUTUMN N	0	60	Mean
SEEDRESS			
ORGANO M	7.15	7.82	7.48
TRIADIME	7.67	7.98	7.83
Mean	7.41	7.90	7.65

88/R/WW/4

GRAIN TONNES/HECTARE

***** Tables of means *****

N TIME	SINGLE	DIVIDED	Mean
SOWDATE			
21 SEPT	6.85	7.19	7.02
26 OCT	8.13	8.44	8.28
Mean	7.49	7.81	7.65
N TIME	SINGLE	DIVIDED	Mean
SOILFUNG			
NONE	7.46	7.84	7.65
NUARIMOL	7.52	7.79	7.66
Mean	7.49	7.81	7.65
N TIME	SINGLE	DIVIDED	Mean
SEEDRESS			
ORGANO M	7.31	7.66	7.48
TRIADIME	7.68	7.97	7.83
Mean	7.49	7.81	7.65
N TIME	SINGLE	DIVIDED	Mean
AUTUMN N			
0	7.19	7.63	7.41
60	7.80	8.00	7.90
Mean	7.49	7.81	7.65
N FORM	SUL AMM	AMM NITR	Mean
SOWDATE			
21 SEPT	7.17	6.87	7.02
26 OCT	8.33	8.24	8.28
Mean	7.75	7.56	7.65
N FORM	SUL AMM	AMM NITR	Mean
SOILFUNG			
NONE	7.72	7.58	7.65
NUARIMOL	7.78	7.54	7.66
Mean	7.75	7.56	7.65
N FORM	SUL AMM	AMM NITR	Mean
SEEDRESS			
ORGANO M	7.40	7.56	7.48
TRIADIME	8.09	7.56	7.83
Mean	7.75	7.56	7.65

88/R/WW/4

GRAIN TONNES/HECTARE

***** Tables of means *****

N FORM	SUL AMM	AMM	NITR	Mean
AUTUMN N				
0	7.44		7.37	7.41
60	8.05		7.74	7.90
Mean	7.75		7.56	7.65
N FORM	SUL AMM	AMM	NITR	Mean
N TIME				
SINGLE	7.53		7.45	7.49
DIVIDED	7.97		7.66	7.81
Mean	7.75		7.56	7.65

SOILFUNG	NONE	NUARIMOL
SOWDATE SEEDRESS		
21 SEPT	6.32	7.29
26 OCT	8.44	8.54
ORGANO M TRIADIME		
21 SEPT	6.90	7.58
26 OCT	8.26	7.89
SOILFUNG	NONE	NUARIMOL
SOWDATE AUTUMN N		
21 SEPT	6.05	7.56
26 OCT	8.41	8.57
ORGANO M TRIADIME		
21 SEPT	7.19	7.29
26 OCT	7.99	8.17
SEEDRESS	ORGANO M	TRIADIME
SOWDATE AUTUMN N		
21 SEPT	6.11	7.10
26 OCT	8.18	8.53
ORGANO M TRIADIME		
21 SEPT	7.12	7.75
26 OCT	8.22	8.21
SEEDRESS	ORGANO M	TRIADIME
SOILFUNG AUTUMN N		
NONE	6.81	7.95
NUARIMOL	7.48	7.68
ORGANO M TRIADIME		
NONE	7.65	8.18
NUARIMOL	7.69	7.78
SOILFUNG	NONE	NUARIMOL
SOWDATE N TIME		
21 SEPT	6.76	6.85
26 OCT	8.16	8.82
SINGLE DIVIDED		
21 SEPT	6.94	7.53
26 OCT	8.11	8.05
SEEDRESS	ORGANO M	TRIADIME
SOWDATE N TIME		
21 SEPT	6.47	6.74
26 OCT	8.14	8.57
SINGLE DIVIDED		
21 SEPT	7.23	7.64
26 OCT	8.12	8.31
SEEDRESS	ORGANO M	TRIADIME
SOILFUNG N TIME		
NONE	7.28	7.49
NUARIMOL	7.33	7.82
SINGLE DIVIDED		
NONE	7.64	8.19
NUARIMOL	7.71	7.76
AUTUMN N	0	60
SOWDATE N TIME		
21 SEPT	6.39	6.85
26 OCT	7.99	8.41
SINGLE DIVIDED		
21 SEPT	7.32	7.53
26 OCT	8.27	8.47

88/R/WW/4

GRAIN TONNES/HECTARE

***** Tables of means *****

SOILFUNG		AUTUMN N		60	
	N TIME	SINGLE	DIVIDED	SINGLE	DIVIDED
NONE		6.98	7.48	7.95	8.19
NUARIMOL		7.40	7.77	7.65	7.80

SEEDRESS		AUTUMN N		60	
	N TIME	SINGLE	DIVIDED	SINGLE	DIVIDED
ORGANO M		7.04	7.26	7.58	8.06
TRIADIME		7.34	8.00	8.02	7.94

SOILFUNG		NONE		NUARIMOL	
SOWDATE	N FORM	SUL	AMM NITR	SUL	AMM NITR
21 SEPT		6.93	6.68	7.40	7.07
26 OCT		8.51	8.48	8.15	8.00

SEEDRESS		ORGANO M		TRIADIME	
SOWDATE	N FORM	SUL	AMM NITR	SUL	AMM NITR
21 SEPT		6.58	6.64	7.76	7.11
26 OCT		8.23	8.47	8.43	8.00

SOILFUNG		SEEDRESS		ORGANO M		TRIADIME	
	N FORM	SUL	AMM NITR	SUL	AMM NITR	SUL	AMM NITR
NONE		7.28	7.48	8.16	7.67		
NUARIMOL		7.52	7.63	8.03	7.44		

SOWDATE		AUTUMN N		60	
	N FORM	SUL	AMM NITR	SUL	AMM NITR
21 SEPT		6.58	6.66	7.76	7.09
26 OCT		8.31	8.09	8.35	8.39

SOILFUNG		AUTUMN N		60	
	N FORM	SUL	AMM NITR	SUL	AMM NITR
NONE		7.23	7.23	8.21	7.92
NUARIMOL		7.66	7.52	7.90	7.56

SEEDRESS		AUTUMN N		60	
	N FORM	SUL	AMM NITR	SUL	AMM NITR
ORGANO M		7.04	7.25	7.76	7.87
TRIADIME		7.84	7.50	8.35	7.61

SOWDATE		N TIME		SINGLE		DIVIDED	
	N FORM	SUL	AMM NITR	SUL	AMM NITR	SUL	AMM NITR
21 SEPT		6.96	6.75	7.38	7.00		
26 OCT		8.11	8.16	8.55	8.32		

SOILFUNG		SINGLE		DIVIDED	
	N FORM	SUL	AMM NITR	SUL	AMM NITR
NONE		7.49	7.44	7.95	7.72
NUARIMOL		7.58	7.47	7.98	7.60

SEEDRESS		N TIME		SINGLE		DIVIDED	
	N FORM	SUL	AMM NITR	SUL	AMM NITR	SUL	AMM NITR
ORGANO M		7.20	7.41	7.61	7.71		
TRIADIME		7.86	7.50	8.33	7.62		

88/R/WW/4

GRAIN TONNES/HECTARE

***** Tables of means *****

AUTUMN N	N TIME		SINGLE			DIVIDED				
	N	FORM	SUL	AMM	AMM	NITR	SUL	AMM	AMM	NITR
0				7.17		7.20		7.72		7.54
60				7.89		7.70		8.22		7.78

*** Standard errors of differences of means ***

Margins of two factor tables 0.192
Two factor tables 0.271
Three factor tables 0.384

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	19	0.768	10.0

GRAIN MEAN DM% 84.4

PLOT AREA HARVESTED 0.00271