


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1988

[Full Table of Content](#)



---

### 88/R/LN/2 Insect Study - Linseed

#### Rothamsted Research

Rothamsted Research (1989) *88/R/LN/2 Insect Study - Linseed* ; Yields Of The Field Experiments 1988, pp 248 - 249 - DOI: <https://doi.org/10.23637/ERADOC-1-43>

88/R/LN/2

LINSEED

INSECT STUDY

**Object:** To study the effects of insecticidal and fungicidal sprays on the pests, pathogens and yields of linseed - Ex-allotments.

**Sponsors:** A.W. Ferguson, I.H. Williams, B.D.L. Fitt.

**Design:** 3 randomised blocks of 4 plots.

**Whole plot dimensions:** 4.0 x 10.0.

**Treatments:** All combinations of:-

- |                |  |
|----------------|--|
| 1. INSECTICIDE | Insecticide:   |
| NONE           | None   |
| DELTA          | Deltamethrin at 0.0075 kg in 260 l on 6 May, 1988 and in 200 l on 20 May, 6 June, 20 June, 19 July, 5 Aug and 18 Aug |
| 2. FUNGICIDE   | Fungicide  |
| NONE           | None   |
| BE+IPR         | Benomyl at 0.55 kg in 200 l and, separately, iprodione at 0.50 kg in 200 l on 6 June, 1988 19 July and 18 Aug        |

**Basal applications:** Manures: 'Nitram' at 250 kg. Weedkiller: Trifluralin at 1.1 kg in 450 l. Desiccant: Diquat at 0.60 kg ion with a wetting agent ('Agral' at 0.50 l) in 200 l.

**Seed:** Antares, dressed iprodione and benomyl, sown at 87 kg.

**Cultivations, etc.:-** Ploughed: 27 Nov, 1987. Heavy spring-tine cultivated: 6 Apr, 1988. N applied: 7 Apr. Weedkiller applied, spring-tine cultivated: 12 Apr. Rotary harrowed, seed sown: 13 Apr. Desiccant with wetting agent applied: 19 Sept. Combine harvested: 28 Oct. Previous crops: S. barley 1986, linseed 1987.

**NOTE:** Insects were sampled and insect damage assessed, fortnightly, from emergence to maturity.

88/R/LN/2

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

FUNGCIDE INSCCDE	NONE	BE+IPR	Mean
NONE	2.00	2.55	2.28
DELTA	1.88	3.11	2.49
Mean	1.94	2.83	2.39

\*\*\* Standard errors of differences of means \*\*\*

INSCCDE	FUNGCIDE	INSCCDE FUNGCIDE
0.238	0.238	0.337

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	6	0.412	17.3

GRAIN MEAN DM% 85.5

PLOT AREA HARVESTED 0.00310