


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



# **Yields of the Field Experiments 1988**

*[Full Table of Content](#)*



## **Contents 1988**

### **Rothamsted Research**

Rothamsted Research (1989) *Contents 1988 ; Yields Of The Field Experiments 1988*, pp 3 - 5 - DOI:  
<https://doi.org/10.23637/ERADOC-1-43>

## CONTENTS 1988

|                                           | Page                                                                              |            |     |
|-------------------------------------------|-----------------------------------------------------------------------------------|------------|-----|
| <b>CONVENTIONS</b>                        |                                                                                   |            |     |
| <b>EXPERIMENTS</b>                        | <b>CLASSICALS</b>                                                                 |            |     |
| Broadbalk                                 | W. wheat, potatoes                                                                | R/BK/1     | 9   |
| Hoos Barley                               | S. barley                                                                         | R/HB/2     | 14  |
| Wheat & Fallow                            | W. wheat                                                                          | R/WF/3     | 18  |
| Exhaustion Land                           | S. barley                                                                         | R/EX/4     | 19  |
| Park Grass                                | Old grass                                                                         | R/PG/5     | 22  |
| Agdell                                    | Ley                                                                               | R/AG/6     | 27  |
| Barnfield                                 | Leys                                                                              | R/BN/7     | 28  |
| Garden Clover                             | Clover                                                                            | R/GC/8     | 31  |
| <b>ROTATIONS</b>                          |                                                                                   |            |     |
| Ley/Arable                                | Old grass, leys, w. wheat                                                         | R/RN/1&2   | 33  |
| Ley/Arable                                | Leys, s. barley, w. beans, w. wheat                                               | W/RN/3     | 39  |
| Market Garden                             | Clover                                                                            | W/RN/4     | 48  |
| Arable Reference Plots                    | W. barley, ley, potatoes, w. wheat,<br>w. oats, old grass                         | R/RN/5     | 54  |
| Cultivation/Weedkiller                    | W. barley                                                                         | R/RN/8     | 59  |
| Organic Manuring                          | W. wheat, potatoes                                                                | W/RN/12    | 61  |
| Intensive Cereals                         | Potatoes                                                                          | W/RN/13    | 65  |
| Rates of P & K to the<br>Subsoil          | S. beans, w. wheat, potatoes,<br>s. barley                                        | R/RN/17    | 68  |
| <b>CROP SEQUENCES</b>                     |                                                                                   |            |     |
| Long Term Liming                          | Linseed                                                                           | R&W/CS/10  | 76  |
| Nematicides in Crop<br>Sequence           | Potatoes, w. wheat, s. barley                                                     | W/CS/34    | 81  |
| Chemical Reference Plots                  | S. barley                                                                         | R/CS/140   | 85  |
| Seasonal Effects of<br>Take-all           | W. wheat, s. beans                                                                | R/CS/212   | 90  |
| Minimum Cultivation<br>& Deep PK          | S. wheat, s. barley, s. oilseed rape                                              | W/CS/245   | 92  |
| Intensive Potatoes                        | Potatoes, s. barley                                                               | W/CS/273   | 104 |
| Eyespot Resistance to MBC                 | W. wheat                                                                          | R/CS/302   | 108 |
| Long-term Straw<br>Incorporation          | W. wheat                                                                          | R&W/CS/309 | 110 |
| Effects of Shallow Straw<br>Incorporation | W. wheat                                                                          | R/CS/311   | 114 |
| Straw Decomposition                       | W. wheat                                                                          | R/CS/312   | 119 |
| Cereal Sequences &<br>Take-all            | W. wheat, w. barley, w. triticale,<br>w. oats, s. barley                          | R/CS/323   | 121 |
| Comparison of Combinable<br>Crops         | W. wheat                                                                          | R/CS/324   | 123 |
| Amounts of Straw                          | W. wheat                                                                          | R&W/CS/326 | 126 |
| Control of Stem Nematode                  | Lucerne                                                                           | R/CS/327   | 129 |
| Deep-worked Soil & PCN                    | Potatoes                                                                          | W/CS/328   | 134 |
| Comparison of Combinable<br>Crops         | W. rape, w. oats, w. & s. beans,<br>w. & s. peas, sunflowers, lupins,<br>w. wheat | R/CS/333   | 137 |

**ANNUALS**

**WINTER WHEAT**

|                                           |         |     |
|-------------------------------------------|---------|-----|
| Varieties                                 | R/WW/1  | 140 |
| N & Crop Physiology                       | R/WW/3  | 145 |
| Factors Affecting Take-all                | R/WW/4  | 147 |
| Aphicide, N & Fungicide                   | R/WW/5  | 153 |
| Control of Eyespot & Septoria             | R/WW/6  | 155 |
| Control of MBC-resistant Eyespot          | R/WW/8  | 160 |
| Autumn Pyrethroid & Polyphagous Predators | R/WW/10 | 162 |
| Control of Volunteers                     | R/WW/12 | 164 |

**SPRING WHEAT**

|                                 |        |     |
|---------------------------------|--------|-----|
| Methods of Inoculating Take-all | R/WS/1 | 166 |
|---------------------------------|--------|-----|

**BARLEY**

|                                             |         |     |
|---------------------------------------------|---------|-----|
| Factors Limiting Yield (w. barley)          | R/B/1   | 168 |
| Sowing Dates, Aphids & BYDV (w. barley)     | R/B/2   | 185 |
| Alarm Pheromone & BYDV (w. barley)          | R/B/3   | 187 |
| Varieties (w. barley)                       | R/B/5   | 189 |
| Harvest Dates & Malting Quality (w. barley) | R/B/6   | 191 |
| Varieties & N (s. barley)                   | R&W/B/9 | 193 |
| Harvest Dates & Malting Quality (s. barley) | R/B/10  | 196 |

**FIELD BEANS**

|                                                  |        |     |
|--------------------------------------------------|--------|-----|
| Control of Chocolate Spot & Rust (w. beans)      | R/BE/1 | 198 |
| Varieties (w. beans)                             | R/BE/2 | 200 |
| Varieties, Row Spacing & Plant Health (s. beans) | R/BE/4 | 202 |

**LUPINS**

|                                                      |        |     |
|------------------------------------------------------|--------|-----|
| Varieties, Sowing Dates & Seed Dressings (w. lupins) | R/LP/1 | 204 |
| Desiccants & Fungicides (s. lupins)                  | R/LP/3 | 206 |

**PEAS**

|                                        |        |     |
|----------------------------------------|--------|-----|
| Effects of Pea Seed-borne Mosaic Virus | R/PE/1 | 209 |
|----------------------------------------|--------|-----|

**WINTER OILSEED RAPE**

|                                |         |     |
|--------------------------------|---------|-----|
| Factors Limiting Yield         | R/RA/1  | 211 |
| Seed Rates & Row Spacings      | R/RA/2  | 218 |
| Varieties, Pests & Diseases    | R/RA/3  | 220 |
| Times & Methods of Harvest     | R/RA/4  | 223 |
| Precision Sowing               | R/RA/5  | 226 |
| Straw Treatments Before Sowing | R/RA/6  | 229 |
| Forms & Times of N             | R/RA/7  | 233 |
| Oversowing in Wheat            | R/RA/8  | 236 |
| Anti-feedants                  | R/RA/12 | 238 |

**SUNFLOWERS**

|                                |        |     |
|--------------------------------|--------|-----|
| Early Varieties & Plant Health | R/SU/1 | 240 |
| Seed Rates                     | R/SU/2 | 242 |
| Fungicides & Botrytis          | R/SU/3 | 244 |
| Varieties & Sowing Dates       | R/SU/4 | 246 |

|                                                              |         |     |
|--------------------------------------------------------------|---------|-----|
| LINSEED                                                      |         |     |
| Insect Study                                                 | R/LN/2  | 248 |
| POTATOES                                                     |         |     |
| Varieties                                                    | R&W/P/1 | 250 |
| MIXED CROPS                                                  |         |     |
| Inputs for Winter Cereals (w. triticale, wheat, barley, rye) | R&W/M/1 | 253 |
| Comparison of Combines (w. wheat, s. barley)                 | R/M/5   | 256 |
| Factors Affecting Eyespot (w. wheat, barley)                 | R/M/6   | 259 |
| MISCELLANEOUS DATA                                           |         |     |
| METEOROLOGICAL RECORDS                                       |         |     |
| Rothamsted, & Woburn                                         |         | 263 |
| CONVERSION FACTORS                                           |         |     |