

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1989

[Full Table of Content](#)



### 89/R/WW/1 and 89/W/WW/1 Varieties - W. Wheat

#### Rothamsted Research

Rothamsted Research (1990) *89/R/WW/1 and 89/W/WW/1 Varieties - W. Wheat* ; Yields Of The Field Experiments 1989, pp 112 - 115 - DOI: <https://doi.org/10.23637/ERADOC-1-40>

89/R/WW/1 and 89/W/WW/1

**WINTER WHEAT**

**VARIETIES**

**Object:** To study a selection of newer varieties of w. wheat on land in rotation (pathogen free) and after wheat (pathogen infected) - Rothamsted Pastures (pathogen free RH) and Summerdells I (pathogen infected RD), Woburn Lansome II (pathogen free WH).

**Sponsor:** R. Moffitt.

**Design:** Two blocks of 2 whole plots split into 7 (RH,RD), 4 blocks of 8 plots (WH).

**Whole plot dimensions:** 27.0 x 12.0 (RH,RD)  
48.0 x 12.0 (WH)

**Treatments:** All combinations of:-

Whole plots

- |                    |   |
|--------------------|---|
| 1. <b>INSCTCDE</b> | Insecticide (R only):                           |
| NONE               | None  |
| PIRIMICA           | Pirimicarb at 0.14 kg in 200 l on 20 June, 1989 |

Sub plots (R), whole plots (WH):

- |                   |                      |
|-------------------|----------------------|
| 2. <b>VARIETY</b> | Varieties:           |
| ALEXAND           | Alexandria (WH only) |
| APOLLO            | Apollo               |
| APOSTLE           | Apostle              |
| AVALON            | Avalon               |
| HORNET            | Hornet               |
| MERCIA            | Mercia               |
| PASTICHE          | Pastiche             |
| RENDEZVO          | Rendezvous           |

**Basal applications:**

Pastures (RH): Manure: 'Nitram' at 360 kg. Weedkillers: Fluroxypyr at 0.20 kg with bromoxynil at 0.27 kg and ioxynil at 0.27 kg in 200 l. Fungicides: Propiconazole at 0.12 kg with chlorothalonil at 1.0 kg in 200 l.

Summerdells I (RD): Manures: (0:18:36) at 920 kg. 'Nitram' at 580 kg. Weedkillers: Glyphosate at 0.27 kg in 200 l. Isoproturon at 2.5 kg in 200 l. Fungicides: Propiconazole at 0.12 kg with chlorothalonil at 1.0 kg in 200 l.

Lansome II (WH): Manure: 'Nitram' at 460 kg. Weedkillers: Bromoxynil at 0.34 kg and clopyralid at 0.07 kg with mecoprop at 2.5 kg in 220 l. Fungicides: Propiconazole at 0.12 kg with chlorothalonil at 1.0 kg in 220 l.

**Seed:** Varieties sown at 180 kg (R).  
Varieties sown at 160 kg (W).

89/R/WW/1 and 89/W/WW/1

**Cultivations, etc.:-**

Pastures (RH): Heavy spring-tine cultivated twice: 1 Nov, 1988.  
 Rotary harrowed, seed sown and harrowed: 2 Nov. N applied:  
 19 Apr, 1989. Weedkillers applied: 2 May. Fungicides applied:  
 16 June. Combine harvested: 7 Aug. Previous crops: S. beans  
 1987, potatoes 1988.

Summerdells I (RD): Straw burnt: 21 Sept, 1988. Rotary cultivated:  
 22 Sept. PK applied: 2 Oct. Glyphosate applied: 22 Oct. Heavy  
 spring-tine cultivated: 30 Oct. Rotary harrowed, seed sown,  
 harrowed: 2 Nov. Isoproturon applied: 16 Nov. N applied: 16 Apr,  
 1989. Fungicides applied: 16 June. Combine harvested: 8 Aug.  
 Previous crops: W. wheat 1987, s. wheat 1988.

Lansome II (WH): Heavy spring-tine cultivated: 3 Nov, 1988. Spike-  
 harrowed with crumbler attached, seed sown: 4 Nov. N applied:  
 29 Apr, 1989. Weedkillers applied: 2 May. Fungicides applied:  
 12 June. Combine harvested: 8 Aug. Previous crops: S. barley  
 1987, potatoes 1988.

89/R/WW/1 PASTURES (RH)

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

INSCTCDE VARIETY	NONE	PIRIMICA	Mean
APOLLO	8.90	8.70	8.80
APOSTLE	8.85	8.65	8.75
AVALON	8.39	8.68	8.54
HORNET	9.11	8.84	8.97
MERCIA	8.72	8.66	8.69
PASTICHE	7.91	8.09	8.00
RENDEZVO	8.72	8.54	8.63
Mean	8.66	8.60	8.63

\*\*\* Standard errors of differences of means \*\*\*

VARIETY	INSCTCDE* VARIETY
0.208	0.295

\* Within the same level of INSCTCDE only

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
WP.SP	12	0.295	3.4

GRAIN MEAN DM% 89.8

SUB PLOT AREA HARVESTED 0.00245

89/R/WW/1 SUMMERDELLS (RD)

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

INSCTCDE VARIETY	NONE	PIRIMICA	Mean
APOLLO	8.47	8.18	8.32
APOSTLE	7.87	7.22	7.54
AVALON	7.15	6.73	6.94
HORNET	6.95	7.36	7.16
MERCIA	7.93	7.92	7.93
PASTICHE	6.86	6.29	6.57
RENDEZVO	7.49	6.37	6.93
Mean	7.53	7.15	7.34

\*\*\* Standard errors of differences of means \*\*\*

VARIETY	VARIETY* INSCTCDE
0.351	0.496

\* Within the same level of INSCTCDE only

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
WP.SP	12	0.496	6.8

GRAIN MEAN DM% 89.7

SUB PLOT AREA HARVESTED 0.00245

89/W/WW/1 LANSOME (W)

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

VARIETY	
ALEXAND	3.96
APOLLO	6.10
APOSTLE	5.57
AVALON	5.45
HORNET	4.93
MERCIA	5.89
PASTICHE	4.92
RENDEZVO	5.79
Mean	5.33

\*\*\* Standard errors of differences of means \*\*\*

VARIETY

0.446

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
WP.SP	21	0.631	11.8

GRAIN MEAN DM% 89.7

SUB PLOT AREA HARVESTED 0.00330