


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1989

[Full Table of Content](#)



### 89/R/WW/5 Aphicide, N and Fungicide - W. Wheat

#### Rothamsted Research

Rothamsted Research (1990) *89/R/WW/5 Aphicide, N and Fungicide - W. Wheat* ; Yields Of The Field Experiments 1989, pp 127 - 128 - DOI: <https://doi.org/10.23637/ERADOC-1-40>

89/R/WW/5

WINTER WHEAT

APHICIDE, N AND FUNGICIDE

**Object:** To determine the economic thresholds for cereal aphids with different levels of inputs - Black Horse II.

**Sponsor:** N. Carter, X. Zhou.

**Design:** 3 randomised blocks of 12 plots.

**Whole plot dimensions:** 3.0 x 12.0.

**Treatments:** All combinations of:-

1. **APHICIDE**            Aphicide:
  - NONE                    None
  - PIRIMICA                Pirimicarb applied at 0.14 kg in 200 l on 31 May, 1989, 13 June and 28 June
  
2. **N RATE**             Nitrogen fertilizer (kg N) as 'Nitram' on 18 Apr, 1989:
  - 80
  - 120
  - 160
  
3. **FUNGICIDE**           Fungicides:
  - NONE                    None
  - 31+39+65                Fungicide sprays at growth stages 31, 39 and 65:
    - G.S. 31 - Prochloraz at 0.40 kg and carbendazim at 0.15 kg in 200 l on 15 Apr, 1989
    - G.S. 39 - Propiconazole at 0.125 kg in 200 l on 17 May
    - G.S. 65 - Propiconazole at 0.125 kg with chlorothalonil at 1.0 kg in 200 l on 13 June

**Basal applications:** Weedkillers: Chlortoluron at 3.5 kg in 200 l. Metsulfuron-methyl at 6.0 g in 400 l. Insecticide: Deltamethrin at 6.2 g in 200 l. Growth regulator: Chlormequat at 1.3 kg in 200 l.

**Seed:** Avalon, sown at 180 kg.

**Cultivations, etc.:-** Rotary cultivated: 6 Aug, 1988. Ploughed: 19 Sept. Heavy spring-tine cultivated: 26 Sept. Rotary harrowed, seed sown: 30 Sept. Chlortoluron applied: 21 Oct. Insecticide applied: 7 Nov. Growth regulator applied: 19 Apr, 1989. Metsulfuron-methyl applied: 3 May. Combine harvested: 3 Aug. Previous crops: W. barley 1987, w. oilseed rape 1988.

**NOTE:** Aphids were counted from mid-April until early July. Plant dry weights were measured at anthesis. Disease assessments were made in mid-June. Components of yield were measured.

89/R/WW/5

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

N RATE	80	120	160	Mean
<b>APHICIDE</b>				
NONE	8.32	8.26	8.01	8.20
PIRIMICA	8.61	8.21	8.11	8.31
Mean	8.46	8.23	8.06	8.25
<b>FUNGCIDE</b>				
NONE	31+39+65		Mean	
<b>APHICIDE</b>				
NONE	8.02	8.37	8.20	
PIRIMICA	8.18	8.44	8.31	
Mean	8.10	8.41	8.25	
<b>FUNGCIDE</b>				
NONE	31+39+65		Mean	
<b>N RATE</b>				
80	8.29	8.64	8.46	
120	8.00	8.46	8.23	
160	8.00	8.12	8.06	
Mean	8.10	8.41	8.25	
<b>APHICIDE</b>				
<b>FUNGCIDE</b>				
<b>N RATE</b>				
NONE	80	7.89	8.75	
	120	8.24	8.27	
	160	7.92	8.10	
PIRIMICA	80	8.69	8.53	
	120	7.77	8.65	
	160	8.08	8.15	

\*\*\* Standard errors of differences of means \*\*\*

APHICIDE	N RATE	FUNGCIDE	APHICIDE
			N RATE
0.104	0.128	0.104	0.181
APHICIDE	N RATE	APHICIDE	
FUNGCIDE	FUNGCIDE	N RATE	FUNGCIDE
0.148	0.181	0.256	

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	22	0.313	3.8
GRAIN MEAN DM%	85.7		
PLOT AREA HARVESTED	0.00331		