

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1989

[Full Table of Content](#)



### 89/R/RA/2 Seed Rates and Row Spacing - W. Oilseed Rape

#### Rothamsted Research

Rothamsted Research (1990) *89/R/RA/2 Seed Rates and Row Spacing - W. Oilseed Rape* ; Yields Of The Field Experiments 1989, pp 178 - 179 - DOI: <https://doi.org/10.23637/ERADOC-1-40>

89/R/RA/2

WINTER OILSEED RAPE

SEED RATES AND ROW SPACINGS

**Object:** To study the effects of a range of row-widths and seed rates on the growth and yield of w. oilseed rape - Appletree.

**Sponsor:** D.P. Yeoman.

**Design:** 3 randomised blocks of 11 plots.

**Whole plot dimensions:** 3.0 x 15.0.

**Treatments:** All combinations of:-

1. **SEEDRATE**            Seed rates:

4 KG  
6 KG  
8 KG

2. **ROWSPACE**           Row spacings:

17.5 CM  
35 CM  
52.5 CM

plus two extra treatments, sown at 2 kg seed rate:-

**EXTRA**                    Row spacings:

2 KG 35                    35 cm  
2 KG 52.5                  52.5 cm

**Basal applications:** Manure: 'Nitram' at 440 kg. Weedkillers: Metazachlor at 1.2 kg with fluzafop-p-butyl at 0.19 kg and a wetting agent ('Enhance' at 0.26 l) in 260 l. Desiccant: Diquat at 0.60 kg ion with a wetting agent ('Agral' at 0.50 l) in 520 l.

**Seed:** Ariana, dressed gamma HCH, thiram and fenpropimorph.

**Cultivations, etc.:-** Rotary cultivated: 22 Aug, 1988. Cultivated by rotary grubber: 7 Sept. Rotary harrowed, seed sown: 8 Sept. Weedkillers with wetting agent applied: 30 Sept. N applied: 14 Feb, 1989. Desiccant with wetting agent applied: 11 July. Combine harvested: 18 July. Previous crops: W. wheat 1987, w. barley 1988.

**NOTE:** Plant counts were made at establishment and in spring.

89/R/RA/2

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

ROWSPACE	17.5 CM	35 CM	52.5 CM	Mean
<b>SEEDRATE</b>				
4 KG	1.54	1.24	1.47	1.42
6 KG	1.65	1.40	1.88	1.64
8 KG	1.41	1.34	1.96	1.57
Mean	1.54	1.33	1.77	1.54
<b>EXTRA</b>	2 KG 35	2 KG 52.5	Mean	
	1.05	1.58	1.32	
GRAND MEAN	1.50			

\*\*\* Standard errors of differences of means \*\*\*

SEEDRATE	ROWSPACE	SEEDRATE ROWSPACE & EXTRA
0.130	0.130	0.225

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	20	0.276	18.4
GRAIN MEAN DM%	76.4		
PLOT AREA HARVESTED	0.00345		