Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1989



Full Table of Content

89/R/SU/1 Varieties and Sowing Dates - Sunflowers

Rothamsted Research

Rothamsted Research (1990) 89/R/SU/1 Varieties and Sowing Dates - Sunflowers; Yields Of The Field Experiments 1989, pp 192 - 193 - DOI: https://doi.org/10.23637/ERADOC-1-40

89/R/SU/1

SUNFLOWERS

VARIETIES AND SOWING DATES

Object: To study the effects of five sowing dates on the rates of vegetative and floral development, days to maturity, disease and yield of two varieties of sunflowers - Long Hoos I/II.

Sponsors: V.J. Church, R.A. Gutteridge, C.J. Rawlinson.

Design: 3 randomised blocks of 10 plots.

Whole plot dimensions: 3.5 x 10.0.

Treatments: All combinations of:-

| 3: |
|------|
| 246 |
| ate: |
| 1989 |
| |
| |
| |
| |
| |

NOTE: The two latest sowing dates established very poorly and yields were not taken from them.

Basal applications: Manures: (0:18:36) at 925 kg. 'Nitram' at 150 kg. Weedkillers: Glyphosate at 1.4 kg in 200 l. Trifluralin at 1.1 kg in 220 l. Linuron at 0.50 kg in 220 l. Molluscicide: Metaldehyde at 0.60 kg.

Seed: Varieties sown at 120,000 seeds per hectare.

Cultivations, etc.:- PK applied: 28 Sept, 1988. Glyphosate applied: 22 Oct. Ploughed: 16 Dec. N applied, trifluralin applied and rotary cultivated, first sowing done, rolled: 28 Mar, 1989. Linuron applied: 30 Mar, 24 Apr, 4, 11 & 18 May (separately after each sowing). Metaldehyde applied: 31 Mar. Rotary cultivated, second sowing done: 19 Apr. Rotary cultivated remaining plots, third sowing done: 2 May. Third sowing rolled: 3 May. Fourth sowing done: 10 May. Fourth sowing rolled: 11 May. Last sowing done, rolled: 18 May. Irrigated 12 mm: 9 June and 25 mm: 15 June. Hand harvested: S47, first sowing: 9 & 15 Aug, S47, second sowing: 15 Aug, S47, third sowing: 22 Aug, SUNB 246, first and second sowing: 4 Sept, SUNB 246, third sowing: 13 Sept. Previous crops: W. wheat 1987, s. beans 1988.

NOTE: The plots were covered by a bird-proof net from April to maturity. Growth stages were monitored twice weekly, number of leaves were counted weekly before flowering, heights and head diameters were measured after flowering. Plants were counted before harvest. Botrytis was assessed on five occasions.

89/R/SU/1

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

**** Tables of means ****

| SOWDATE | 28 MAR | 19 APR | 2 MAY | Mean |
|----------|--------|--------|-------|------|
| VARIETY | | | | |
| SUNB 246 | 4.38 | 3.99 | 4.38 | 4.25 |
| S 47 | 2.68 | 2.81 | 2.87 | 2.79 |
| Mean | 3.53 | 3.40 | 3.63 | 3.52 |

*** Standard errors of differences of means ***

| VARIETY | SOWDATE | VARIETY |
|---------|---------|---------|
| | | SOWDATE |
| 0.121 | 0.148 | 0.209 |

***** Stratum standard errors and coefficients of variation *****

Stratum d.f. s.e. cv% BLOCK.WP 10 0.256 7.3

GRAIN MEAN DM% 61.1

PLOT AREA HARVESTED 0.00150