


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1989

[Full Table of Content](#)



## 89/R/SU/2 Varieties and Seed Rates - Sunflowers

### Rothamsted Research

Rothamsted Research (1990) *89/R/SU/2 Varieties and Seed Rates - Sunflowers* ; Yields Of The Field Experiments 1989, pp 194 - 195 - DOI: <https://doi.org/10.23637/ERADOC-1-40>

89/R/SU/2

## SUNFLOWERS

### VARIETIES & SEED RATES

**Object:** To test the effects of four seed rates on plant growth, disease incidence and yield of two varieties - Long Hoos I/II.

**Sponsors:** C.J. Rawlinson, V.J. Church, R.A. Gutteridge.

**Design:** 3 randomised blocks of 8 plots.

**Whole plot dimensions:** 2.5 x 8.0.

**Treatments:** All combinations of:-

1. **VARIETY** Varieties:

S47  
VINCENT

2. **SEEDRATE** Seed rate (number of seeds sown per square metre):

8  
12  
16  
20

**Basal applications:** Manures: (0:18:36) at 925 kg. 'Nitram' at 150 kg.  
Weedkillers: Glyphosate at 1.4 kg in 200 l. Trifluralin at 1.1 kg in 220 l. Linuron at 0.50 kg in 220 l. Desiccant: Diquat at 0.60 kg ion in 220 l.

**Cultivations, etc.:-** PK applied: 28 Sept, 1988. Glyphosate applied: 22 Oct. Ploughed: 16 Dec. N applied: 14 Apr, 1989. Trifluralin applied, rotary cultivated: 20 Apr. Seed sown: 21 Apr. Rolled, linuron applied: 24 Apr. Irrigated 12 mm: 5 June and 25 mm: 13 June. Desiccant applied to S47: 18 Aug. Desiccant applied to Vincent: 4 Sept. Hand harvested S47: 21 Aug. Hand harvested Vincent: 8 Sept. Previous crops: W. wheat 1987, s. beans 1988.

**NOTE:** The plots were covered by a bird-proof net from early May to maturity. Growth stages were monitored fortnightly. Head diameters and heights were measured. Botrytis was assessed in August. Plants were counted before harvest.

89/R/SU/2

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

SEEDRATE VARIETY	8	12	16	20	Mean
S47	2.84	2.74	2.94	2.07	2.65
VINCENT	3.42	4.41	3.91	3.40	3.78
Mean	3.13	3.57	3.43	2.73	3.22

\*\*\* Standard errors of differences of means \*\*\*

VARIETY	SEEDRATE	VARIETY SEEDRATE
0.200	0.282	0.399

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	14	0.489	15.2

GRAIN MEAN DM% 78.3

PLOT AREA HARVESTED 0.00160