

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1989

[Full Table of Content](#)



---

### 89/R/LP/2 Pests and Diseases - Linseed

#### Rothamsted Research

Rothamsted Research (1990) *89/R/LP/2 Pests and Diseases - Linseed* ; Yields Of The Field Experiments 1989, pp 199 - 200 - DOI: <https://doi.org/10.23637/ERADOC-1-40>

89/R/LN/2

LINSEED

PESTS & DISEASES

**Object:** To study the effects of insecticidal and fungicidal treatments on the pests, pathogens and yields of linseed - Ex-allotments.

**Sponsors:** A.W. Ferguson, B.D.L. Fitt, R.A. Gutteridge.

**Design:** 6 randomised blocks of 4 plots.

**Whole plot dimensions:** 3.0 x 11.0.

**Treatments:** All combinations of:-

1. **INSECTICIDE**            Insecticide:
  - NONE                        None
  - DELTA                      Deltamethrin at 7.5 g in 200 l on 19 May, 1989  
                                    and in 260 l on 5 June and in 200 l on 19 June and  
                                    24 July
  
2. **FUNGICIDE**            Fungicides:
  - NONE                        None
  - IPR+PR                    Iprodione at 0.50 kg in 200 l on 19 June, 1989.  
                                    Prochloraz at 0.50 kg in 200 l on 4 July.  
                                    Prochloraz (as seed dressing) at 0.40 g/kg seed

**Basal applications:** Manures: 'Nitram' at 250 kg. Weedkillers:  
Glyphosate at 1.4 kg in 200 l. Bentazone at 0.96 kg with clopyralid  
at 0.038 kg and bromoxynil at 0.18 kg in 260 l. MCPA at 0.48 kg in  
200 l. Desiccant: Glyphosate at 1.4 kg in 200 l.

**Seed:** Antares, sown at 90 kg.

**Cultivations, etc.:-** Ploughed: 7 Dec, 1988. Glyphosate weedkiller  
applied: 27 Mar, 1989. N applied: 30 Mar. Spring-tine cultivated:  
18 Apr. Rotary harrowed twice, seed sown: 21 Apr. Bentazone with  
clopyralid and bromoxynil applied: 1 June. MCPA applied: 9 June.  
Desiccant applied: 18 Aug. Combine harvested: 4 Sept. Previous  
crops: Linseed 1987 and 1988.

**NOTE:** Insects were sampled and insect damage assessed, fortnightly, from  
emergence to maturity. Fungal disease incidence was assessed at  
emergence, at intervals throughout the season, and on the seed  
after harvest.

89/R/LN/2

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

FUNGCIDE INSCTCDE	NONE	IPR+PR	Mean
NONE	1.31	1.43	1.37
DELTA	1.32	1.42	1.37
Mean	1.32	1.43	1.37

\*\*\* Standard errors of differences of means \*\*\*

INSCTCDE	FUNGCIDE	INSCTCDE FUNGCIDE
0.090	0.090	0.128

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	15	0.222	16.2
GRAIN MEAN DM%	93.2		
PLOT AREA HARVESTED	0.00207		