

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1990

[Full Table of Content](#)



---

### 90/R/LN/1 Pests and Diseases - Linseed

#### Rothamsted Research

Rothamsted Research (1991) *90/R/LN/1 Pests and Diseases - Linseed* ; Yields Of The Field Experiments 1990, pp 151 - 152 - DOI: <https://doi.org/10.23637/ERADOC-1-42>

90/R/LN/1

LINSEED

PESTS & DISEASES

**Object:** To study the effects of insecticidal and fungicidal treatments on the pests, pathogens and yields of linseed - Hoosfield.

**Sponsors:** A.W. Ferguson, B.D.L. Fitt.

**Design:** 6 randomised blocks of 4 plots.

**Whole plot dimensions:** 3.0 x 15.0.

**Treatments:** All combinations of:-

1. **INSECTICIDE** Insecticides:

NONE	None
HC DE TR	Gamma HCH at 0.28 kg in 300 l on 11 Apr, 1990 and 25 Apr Deltamethrin at 7.5 g in 300 l on 11 Apr, 25 Apr, 9 May, 22 May, 11 July and 26 July Triazophos at 0.42 kg in 300 l on 5 June

2. **FUNGICIDE** Fungicides:

NONE	None
IP+PR+CM	Iprodione at 0.50 kg in 300 l on 14 June, 1990 Prochloraz at 0.50 kg in 300 l on 26 June Carbendazim at 0.25 kg and maneb at 1.6 kg in 300 l on 3 July Prochloraz (as seed dressing) at 0.40 g/kg seed

**Basal applications:** Manure: 'Nitram' at 250 kg. Weedkillers:

Clopyralid at 0.10 kg with bentazone at 0.72 kg in 200 l.

Desiccant: Diquat at 0.60 kg ion with a wetting agent ('Enhance' at 0.20 l) in 320 l.

**Seed:** Antares, sown at 90 kg.

**Cultivations, etc.:-** Ploughed: 4 Dec, 1989. N applied, spring-tine cultivated, rotary harrowed twice, seed sown: 22 Mar, 1990.

Weedkillers applied: 14 May. Desiccant with wetting agent applied: 9 Aug. Combine harvested: 23 Aug. Previous crops: S. wheat 1988, linseed 1989.

**NOTE:** Insects and diseases were assessed regularly during the season.

90/R/LN/1

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

FUNGCIDE	NONE	IP+PR+CM	Mean
INSCTCDE			
NONE	1.86	1.98	1.92
HC DE TR	1.85	2.07	1.96
Mean	1.86	2.03	1.94

\*\*\* Standard errors of differences of means \*\*\*

INSCTCDE	FUNGCIDE	INSCTCDE FUNGCIDE
0.037	0.037	0.052

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK	5	0.107	5.5
BLOCK.WP	15	0.091	4.7

GRAIN MEAN DM% 93.0

PLOT AREA HARVESTED 0.00276