Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1991



Full Table of Content

91/R/BS/3 Varieties and Harvest Dates - S. Barley

Rothamsted Research

Rothamsted Research (1992) 91/R/BS/3 Varieties and Harvest Dates - S. Barley; Yields Of The Field Experiments 1991, pp 132 - 133 - DOI: https://doi.org/10.23637/ERADOC-1-46

91/R/BS/3

SPRING BARLEY

VARIETIES AND HARVEST DATES

Object: To study the effects of harvest dates on the yield and malting quality of three varieties differing in their quality and dormancy characteristics - Stackyard.

Sponsor: J.F. Jenkyn.

Design: 3 randomised blocks of 15 plots.

Whole plot dimensions: 3.0×10.0 .

Treatments: All combinations of:-

VARIETY Varieties:

BLENHEIM REGATTA TRIUMPH

2. HARVDATE Dates of harvest:

1 15 Aug, 1991 2 21 Aug 3 27 Aug 4 2 Sept 5 10 Sept

NOTE: An additional replicate was sown to provide material to flush the combine harvester of extraneous grain before each treatment combination.

Basal applications: Manures: Magnesian limestone at 5.0 t. 'Nitram' at 290 kg. Weedkillers: Paraquat at 0.60 kg ion in 200 l. Metsulfuronmethyl at 6.0 g in 200 l. Fungicides: Tridemorph at 0.52 kg in 200 l. Fenpropimorph at 0.75 kg with the insecticide in 200 l. Insecticide: Pirimicarb at 0.14 kg.

Seed: Varieties, dressed ethirimol, flutriafol and thiabendazole, sown at 350 seeds per square metre.

Cultivations, etc.:- Magnesian limestone applied: 31 July, 1990.

Ploughed, furrow pressed: 3 Sept. Paraquat applied: 12 Mar, 1991.

Heavy spring-tine cultivated: 15 Mar. Spring-tine cultivated:

22 Mar. N applied, rotary harrowed, seed sown: 25 Mar. Tridemorph applied: 4 June. Metsulfuron-methyl applied: 11 June. Fenpropimorph with pirimicarb applied: 10 July. Previous crops: W. wheat 1989, w. oats 1990.

91/R/BS/3

GRAIN TONNES/HECTARE

**** Tables of means ****

HARVDATE	1	2	3	4	5	Mean
BLENHEIM	6.69	6.76	6.61	6.69	6.51	6.65
REGATTA	6.88	6.73	6.77	6.73	6.65	6.75
TRIUMPH	6.56	6.52	6.10	6.19	6.32	6.34
IKIOHIII	0.50	0.52	0.10	0.15	0.02	
Mean	6.71	6.67	6.49	6.54	6.49	6.58

*** Standard errors of differences of means ***

VARIETY	HARVDATE	VARIETY	
		HARVDATE	
0.073	0.095	0.164	

***** Stratum standard errors and coefficients of variation *****

Stratum d.f. s.e. cv%

BLOCK.WP 28 0.201 3.1

GRAIN MEAN DM% 84.4

PLOT AREA HARVESTED 0.00150