


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1991

[Full Table of Content](#)



### 91/R/SU/1 Varieties and Sowing Dates - Sunflowers

#### Rothamsted Research

Rothamsted Research (1992) *91/R/SU/1 Varieties and Sowing Dates - Sunflowers* ; Yields Of The Field Experiments 1991, pp 159 - 160 - DOI: <https://doi.org/10.23637/ERADOC-1-46>

91/R/SU/1

SUNFLOWERS

VARIETIES AND BOTRYTIS

**Object:** To study the incidence of *Botrytis cinerea* on two varieties of sunflower and to compare their yields in the absence of fungicide treatment - Great Harpenden I.

**Sponsors:** V.J. Church, B.D.L. Fitt.

**Design:** 8 randomised blocks of 2 plots.

**Whole plot dimensions:** 3.5 x 10.0.

**Treatments:**

**VARIETY** Varieties:

S 47

ALLEGRO

**Basal applications:** Manures: (0:16:36) at 980 kg. (12:20:20) at 380 kg.  
Weedkillers: Trifluralin at 1.1 kg in 200 l. Linuron at 0.48 kg in 200 l.

**Seed:** Varieties, sown at 12 seeds per square metre.

**Cultivations, etc.:-** First PK applied: 3 Sept, 1990. Ploughed: 11 Dec.  
NPK applied: 11 Apr, 1991. Heavy spring-tine cultivated: 24 Apr.  
Rotary harrowed, trifluralin applied, rotary harrowed, seed sown, rolled: 29 Apr. Linuron applied: 9 May. Hand harvested: 9 Sept.  
Previous crops: W. barley 1989 and 1990.

**NOTE:** Selected plants were monitored daily for growth stage and for disease from flowering to harvest. Numbers of *Botrytis* spores were recorded daily using a Burkard spore trap. Seed moisture content was measured at intervals after flowering.

91/R/SU/1

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

VARIETY	
S 47	2.48
ALLEGRO	2.43
Mean	2.45

\*\*\* Standard errors of differences of means \*\*\*

VARIETY  
0.071

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	7	0.143	5.8
GRAIN MEAN DM%	71.2		
PLOT AREA HARVESTED	0.00150		