


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1991

[Full Table of Content](#)



### 91/R/LN/2 Fungicides and Disease Resistance - Linseed

#### Rothamsted Research

Rothamsted Research (1992) *91/R/LN/2 Fungicides and Disease Resistance - Linseed* ; Yields Of The Field Experiments 1991, pp 165 - 166 - DOI: <https://doi.org/10.23637/ERADOC-1-46>

91/R/LN/2

LINSEED

**FUNGICIDES AND DISEASE RESISTANCE**

**Object:** To study the effects of different fungicides on the pathogens and yield of linseed - Long Hoos IV 4.

**Sponsors:** I. Vloutoglou, B.D.L. Fitt.

**Design:** 5 randomised blocks of 4 plots.

**Whole plot dimensions:** 3.0 x 10.0.

**Treatments:**

FUNGCIDE	Fungicides:
NONE	None
BENOMYL	Benomyl at 0.14 kg
IPRODION	Iprodione at 0.25 kg
PROCHLOR	Prochloraz at 0.16 kg

**NOTE:** Fungicides were applied in 220 l on 20 June, 1991, 10 and 23 July, 7 and 27 Aug.

**Basal applications:** Manure: 'Nitram' at 220 kg. Weedkillers: Bentazone at 0.96 kg with bromoxynil at 0.24 kg and clopyralid at 0.05 kg in 200 l. Desiccant: Diquat at 0.60 kg ion with wetting a agent, 'Vassgro' at 0.4 l, in 400 l.

**Seed:** Antares undressed, sown at 600 seeds per square metre.

**Cultivations, etc.:-** Ploughed: 4 Sept, 1990. N applied: 9 Apr, 1991. Rotary harrowed, seed sown, rolled: 10 Apr. Weedkillers applied: 6 June. Desiccant with wetting agent applied: 2 Sept. Combine harvested: 11 Oct. Previous crops: S. barley 1989, w. wheat 1990.

**NOTE:** Foliar diseases were assessed throughout the growing season.

91/R/LN/2

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

FUNGICIDE	
NONE	2.24
BENOMYL	2.59
IPRODION	2.50
PROCHLOR	2.67
Mean	2.50

\*\*\* Standard errors of differences of means \*\*\*

FUNGICIDE  
0.082

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	12	0.129	5.2
GRAIN MEAN DM%	87.1		
PLOT AREA HARVESTED	0.00230		