Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1991



Full Table of Content

# 91/R/LN/4 Rates and Times of Fungicides - Linseed

# **Rothamsted Research**

Rothamsted Research (1992) 91/R/LN/4 Rates and Times of Fungicides - Linseed; Yields Of The Field Experiments 1991, pp 167 - 168 - DOI: https://doi.org/10.23637/ERADOC-1-46

### 91/R/LN/4

#### LINSEED

#### RATES AND TIMES OF FUNGICIDE

Object: To study the effects of fungicide rates and timing on the control of pathogens and on the yield of linseed - White Horse II.

Sponsor: B.D.L. Fitt.

Design: 3 randomised blocks of 8 plots.

Whole plot dimensions: 3.0 x 15.0.

#### Treatments:

| FUNG R T | Fungicides, | ra  | ates | and | d times o | of appl | lica | atio | on:             |
|----------|-------------|-----|------|-----|-----------|---------|------|------|-----------------|
| NONE     | None        |     |      |     |           |         |      |      |                 |
| PROC 4 E | Prochloraz  | at  | 400  | g,  | applied   | early   | on   | 20   | June, 1991      |
| PROC 5 E | "           | "   | 500  | g,  | "         | "       | **   | 20   | June            |
| PROC 4 L | "           | "   | 400  | q,  | "         | later   | **   | 17   | July            |
| PROC 5 L | "           |     | 500  |     |           | **      | **   | 17   | July            |
| P2E+P2L  | **          |     | 250  | -   | "         | early   | on   | 20   | June and later  |
|          |             |     |      | ٠.  |           | -       |      |      | July            |
| P3E+FN6E | "           | **  | 394  | q - | + fenpro  | oimorph | n at | 6    | 56 g applied    |
|          |             |     |      | -   |           |         |      |      | on 20 June      |
| P3L+FN6L | Prochloraz  | + : | fenp | rop | imorph at | above   |      | -    | s applied later |
|          |             |     | 1    | 1   |           |         |      |      | July            |

NOTE: Fungicides were applied in 200 1.

Basal applications: Manure: 'Nitram' at 220 kg. Weedkillers: Bromoxynil
at 0.24 kg and clopyralid at 0.05 kg with bentazone at 0.96 kg in
200 l. Desiccant: Diquat at 0.60 kg ion, with a wetting agent,
'Vassgro' at 0.40 l, in 400 l.

Seed: Antares, dressed prochloraz, sown at 600 seeds per square metre.

Cultivations, etc.:- Ploughed: 18 Oct, 1990. N applied: 9 Apr, 1991.
 Spring-tine cultivated, rotary harrowed, seed sown: 10 Apr.
 Weedkillers applied: 5 June. Desiccant with wetting agent applied:
 2 Sept. Combine harvested: 9 Oct. Previous crops: W. wheat 1989 and

NOTE: The incidence of diseases was assessed regularly during the season.

# 91/R/LN/4

# GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

FUNG R T

NONE 1.52

PROC 4 E 1.77

PROC 5 E 1.51

PROC 4 L 1.54

PROC 5 L 1.85

P2E+P2L 1.58

P3E+FN6E 1.61

P3L+FN6L 1.76

Mean 1.64

\*\*\* Standard errors of differences of means \*\*\*

FUNG R T 0.199

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

14 0.244 14.8

Stratum d.f. s.e. cv%

GRAIN MEAN DM% 84.7

PLOT AREA HARVESTED 0.00345