Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1991



Full Table of Content

91/W/P/1 Autumn and Spring Nematicides - Potatoes

Rothamsted Research

Rothamsted Research (1992) 91/W/P/1 Autumn and Spring Nematicides - Potatoes; Yields Of The Field Experiments 1991, pp 171 - 176 - DOI: https://doi.org/10.23637/ERADOC-1-46

91/W/P/1

POTATOES

AUTUMN AND SPRING NEMATICIDES

Object: To study the effects of combinations of fumigant and nonfumigant nematicides on the control of Globodera pallida and on the yield of potatoes - Woburn, Far Field II.

Sponsors: A.G. Whitehead, A.J.F. Nichols.

Design: 2 whole plots each containing 2 replicates of 2 sub plots each containing 7 sub sub plots.

Whole plot dimensions: 15.0 x 54.0.

Treatments: All combinations of:-

Whole plots

OXAMYL[90] Oxamyl (kg) applied in April 1990:

0.0

5.6

Sub plots

2. DICHLO[90] 1, 3-dichloropropene (kg) applied 2 Nov, 1990:

0 None (duplicated) 300 (duplicated)

Sub sub plots

OXAMYL[91] Oxamyl (kg) applied 3 April, 1991:

0.0 (duplicated for VARIETY DESIREE only)

5.6

4. VARIETY Varieties:

DESIREE RECORD ROMANO

Basal applications: Manures: (12:20:20) at 1.3 t. Weedkillers: Linuron at 1.5 kg with paraquat at 0.40 kg ion in 210 l. Fungicides: Maneb at 1.2 kg and zinc oxide at 28 g applied with a wetting agent, 'Bond' at 200 ml, in 200 l. Maneb at 0.96 kg and zinc oxide at 22 g with insecticide and wetting agent, 'Bond' at 200 ml, in 300 l. Maneb at 0.96 kg and zinc oxide at 22 g and wetting agent, 'Bond' at 200 ml, in 300 l. Mancozeb at 0.82 kg with insecticide and wetting agent, 'Bond' at 200 ml, in 300 l. Fentin hydroxide at 0.27 kg in 300 l. Insecticide: Pirimicarb at 0.14 kg applied on two occasions. Desiccant: Glufosinate-ammonium at 0.45 kg in 300 l.

91/W/P/1

Cultivations, etc.:- Deep tine cultivated, fumigant treatment applied, rolled: 2 Nov, 1990. Rolled: 8 Nov. Heavy spring-tine cultivated: 12 Mar, 1991. Manures applied, spring-tine cultivated, nematicide treatments applied, rotary cultivated, tubers planted: 3 Apr. Rotary ridged, weedkiller applied: 26 Apr. Maneb, zinc oxide and wetting agent applied: 4 July. Maneb, zinc oxide, insecticide and wetting agent applied: 20 July. Maneb, zinc oxide and wetting agent applied: 31 July. Mancozeb, insecticide and wetting agent applied: 12 Aug. Fentin hydroxide applied: 27 Aug. Desiccant applied: 12 Sept. Potatoes lifted: 23 Sept. Previous crops: Navy beans 1989, potatoes 1990.

NOTE: Soil samples were taken before planting, after fumigation and after harvest for nematode counts and assessment of egg viability.

TOTAL TUBERS TONNES/HECTARE

***** Tables of means *****

DICHLO[90]	0	300	Mean	
OXAMYL[90]				
0.0	22.1	41.3	31.7	
5.6	31.1	43.8	37.5	
Mean	26.6	42.6	34.6	
OXAMYL[91]	0.0	5.6	Mean	
OXAMYL[90]				
0.0	28.4	36.1	31.7	
5.6	32.4	44.2	37.5	
Mean	30.4	40.1	34.6	
OXAMYL[91]	0.0	5.6	Mean	
DICHLO[90]				
0	20.5	34.7	26.6	
300	40.3	45.6	42.6	
Mean	30.4	40.1	34.6	
VARIETY	DESIREE	RECORD	ROMANO	Mean
OXAMYL[90]				
0.0	30.9	32.2	32.3	31.7
5.6	35.9	36.8	40.6	37.5
Mean	33.4	34.5	36.4	34.6
VARIETY DICHLO[90]	DESIREE	RECORD	ROMANO	Mean
0	25.9	27.5	26.6	26.6
300	40.8	41.5	46.2	42.6
300	40.0	41.3	40.2	42.0
Mean	33.4	34.5	36.4	34.6

91/W/P/1

TOTAL TUBERS TONNES/HECTARE

***** Tables of means *****

VARIETY	DESIREE	RECORD	ROMAI	NO 1	Mean		
OXAMYL[91]							
0.0	30.7	31.1	29	.2	30.4		
5.6	38.8	38.0	43	. 6	40.1		
Mean	33.4	34.5	36	. 4	34.6		
	OXAMYL[91]	0 0		5 6			
OXAMYL[90]				5.0			
0.0	DICHLO[90]			20 2			
0.0	300			42.9			
5.6	0			40.1			
3.6	300			48.3			
	300	40.5		40.3			
	VARIETY	DESIREE	R	ECORD	ROMANO		
OXAMYL[90]	DICHLO[90]						
0.0	0	22.0		23.9	20.3		
	300	39.8		40.6	44.3		
5.6	0	29.9		31.2	33.0		
	300	41.9		42.5	48.1		
	UNDTERV	DESIREE	D	ECORD	DOMANO		
COOL TRACTO			R	ECORD	ROMANO		
0.0	OXAMYL[91]			30.1	27.6		
0.0	5.6			34.4	37.0		
5.6	0.0			32.1	30.9		
5.6	5.6			41.6	50.9		
	5.6	40.7		41.0	30.2		
	VARIETY	DESIREE	R	ECORD	ROMANO		
DICHLO[90]	OXAMYL[91]						
0	0.0			21.5	18.0		
	5.6			33.6	35.3		
300	0.0			40.6	40.5		
	5.6			42.4	51.9		
			nmv.	DECTREE	RECOR	D	DOMANO
COOL TANKENO	DICHLO[90]			DESIKEE	RECOR	D	ROMANO
0.0	DICHTO[30]		0.0	17.1	18.	1	14.3
0.0	U		5.6	31.9			26.3
	.300		0.0	38.7			40.9
	300		5.6	41.8			47.7
5.6	0		0.0	25.6			21.6
5.6	U		5.6	38.3			44.3
	200		0.0	41.2			44.3
	300		5.6	41.2			56.2
			5.0	43.2	43.	5	30.2

91/W/P/1

TOTAL TUBERS TONNES/HECTARE

*** Standard errors of differences of means ***

*** Standar	d errors of diff	erences of m	eans ***		
	DICHLO[90]	OXAMYL[91]	VARIETY	OXAMYL[90]*	127
				DICHLO[90]	
			1.41		min.rep
	2.35	1.08	1.29	3.33	
	OXAMYL[90]*	OXAMYL[90]*	DICHLO[90]	DICHLO[90]	
	OXAMYL[91]	VARIETY	OXAMYL[91]	VARIETY	
	•	2.00	2.65	2.89	min.rep
	1.53	1.82	2.59	2.78	
			2.53	2.65	max.rep
Except when	comparing means	with the sa	me level(s)	of	
DICHLO[90]				2.00	min.rep
			1.53	1.82	max-min
	OXAMYL[91]		OXAMYL[90]		
	VARIETY	DICHLO[90]	DICHLO[90]	OXAMYL[91]	
		OXAMYL[91]	VARIETY	VARIETY	
	2.00	3.75	4.09	3.52	min.rep
	1.73	3.66	3.93	3.22	
Event when		3.57	3.75	2.89	max.rep
DICHLO[90]	comparing means	with the sa	me level(s)	2.82	min.rep
DICHLO[90]					max-min
1001.TVMKY0	.DICHLO[90]	2.31	2.82	2.45	min.rep
OXAMID[30]	.DICHIO[30]	2.16	2.58		max-min
		2.00	2.31		max.rep
			97		
	OXAMYL[90]*	OXAMYL[90]*			
	OXAMYL[91]	DICHLO[90]			
	VARIETY	OXAMYL[91]			
		VARIETY			
	2.82	4.97	min.rep		
	2.45	4.55	max-min		
		4.09	max.rep		
	comparing means			of	
OXAMYL[90]	.DICHLO[90]	3.99	min.rep		
		3.46	max-min		
		2.82	max.rep		
* Within th	e same level of	OXAMYL[90] o	r DICHLO[90]		
OV		-			
	AMYL[91] 0.0 and				
	l treatments exc AMYL[91] 0.0 and				
max-min Ox	AMID[91] 0.0 and	VARIETI DES	IREE V all C	cher combina	clons
**** Strat	um standard erro	rs and coeff	cicients of v	variation ***	**
Stratum	d.f.	s.e.	cv%		
WP.SP	4	3.33	9.6		
WP.SP.SSP	28	3.99	11.6		

91/W/P/1
PERCENTAGE WARE 3.8CM (1.5 INCH) RIDDLE

**** Tables of	means ****	*		
DICHLO[90]	0	300	Mean	
OXAMYL[90]				
0.0	63.3	83.2	73.3	
5.6	75.9	84.1	80.0	
0.0	, , , ,	04.1	00.0	
Mean	69.6	83.7	76.6	
OXAMYL[91]	0.0	5.6	Mean	
OXAMYL[90]	•••	0.0	nean	
0.0	69.8	77.9	73.3	
5.6	77.6	83.2	80.0	
Mean	73.7	80.5	76.6	
OXAMYL[91] DICHLO[90]	0.0	5.6	Mean	
0	63.9	77.2	69.6	
300	83.5	83.9	83.7	
			NEXE VALUE	
Mean	73.7	80.5	76.6	
VARIETY OXAMYL[90]	DESIREE	RECORD	ROMANO	Mean
0.0	71.0	71.5	78.5	73.3
5.6	77.9	81.0	82.2	80.0
Mean	74.4	76.2	80.3	76.6
VARIETY	DESIREE	RECORD	ROMANO	Mean
DICHLO[90]				
0	65.9	71.6	73.1	69.6
300	82.9	80.8	87.6	83.7
300	02.9	00.0	07.0	03.1
Mean	74.4	76.2	80.3	76.6
VARIETY OXAMYL[91]	DESIREE	RECORD	ROMANO	Mean
0.0	72.8	74.1	75.1	73.7
5.6	77.7	78.4	85.6	80.5
Mean	74.4	76.2	80.3	76.6
	OXAMYL[91]	0.0	5.6	
OXAMYL[90]	DICHLO[90]			
0.0	0	56.3	72.7	
0.0	300			
E (83.3	83.2	
5.6	0	71.5	81.7	
	300	83.7	84.6	

91/W/P/1
PERCENTAGE WARE 3.8CM (1.5 INCH) RIDDLE

**** Tables of means ****

	VARIETY	DESIREE	RECORD	ROMANO	
OXAMYL[90]	DICHLO[90]				
0.0	(58.6	64.9	68.8	
	300	83.4	78.1	88.1	
5.6	(73.3	78.3	77.4	
	300	82.5	83.6	87.0	
	VARIETY	DESIREE	RECORD	ROMANO	
OXAMYL[90]	OXAMYL[91]	1			
0.0	0.0	68.8	69.2	72.4	
	5.6	5 75.4	73.9		
5.6	0.0	76.8	79.0	77.7	
	5.0	80.0	82.9	86.6	
	VARIETY	Y DESIREE	RECORD	ROMANO	
DICHLO[90]	OXAMYL[91]]			
0	0.0		67.7		
	5.	6 74.9	75.6		
300	0.0	0 84.2	80.5	85.1	
	5.	6 80.5	81.2	90.0	
		VARII	ETY DESI	REE RECORD	ROMANO
OXAMYL[90]	DICHLO[90]	OXAMYL[91]		
0.0		0 (0.0 5	3.3 60.8	
			5.6 6	9.0 69.1	
	30	0	0.0	4.2 77.5	
		E480	5.6 8	1.8 78.6	
5.6		0	0.0 6	9.5 74.6	
			5.6 8	0.8 82.1	
	30	0	0.0	4.2 83.5	82.9
			5.6 7	9.2 83.7	91.0

SUB PLOT AREA HARVESTED 0.00090