


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1991

[Full Table of Content](#)



### 91/R/GC/8 Garden Clover - Clover

#### Rothamsted Research

Rothamsted Research (1992) *91/R/GC/8 Garden Clover - Clover* ; Yields Of The Field Experiments 1991, pp 31 - 32 - DOI: <https://doi.org/10.23637/ERADOC-1-46>

91/R/GC/8

**GARDEN CLOVER**

**Object:** To study yields and pathogens of red clover grown continuously - Manor Garden.

The 138th year, red clover.

For previous years see 'Details' 1967 and 1973, and 74-90/R/GC/8.

**Design:** 2 blocks of 2 plots.

**Whole plot dimensions:** 1.00 x 1.40.

**Treatments:**

**FUNG RES** Residual effects of fungicide to control *Sclerotinia trifoliorum*:

NONE None

**BENOMYL** Benomyl sprays during previous winters, last applied November 1989.

**Basal applications:** Manures: Chalk at 1.25 t. (0:18:36) at 420 kg. Mg at 50 kg, as Epsom Salts.

**NOTE:** Additional K was applied to replace that removed by the crop in 1990. **FUNG RES NONE** required 157 and 129 kg K<sub>2</sub>O to the first and second blocks respectively, **FUNG RES BENOMYL** 136 and 124 kg K<sub>2</sub>O. This was applied as muriate of potash, one third in spring 1991 and one third after the first and second cuts.

**Seed:** Hungaropoly, sown at 30 kg in 1990.

**Cultivations, etc.:**- Chalk, P, K and Mg applied: 23 Oct, 1990. Hand weeded: 13 Mar, 1991. K applied: 11 Apr. Cut, weeded and K applied: 5 June, 25 July. Cut and weeded: 20 Sept.

91/R/GC/8

**1ST CUT (5/6/91) DRY MATTER TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

<b>FUNG RES</b>	<b>NONE</b>	<b>BENOMYL</b>	<b>Mean</b>
	8.31	7.86	8.09

1ST CUT MEAN DM% 14.5

**2ND CUT (25/7/91) DRY MATTER TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

<b>FUNG RES</b>	<b>NONE</b>	<b>BENOMYL</b>	<b>Mean</b>
	6.98	6.12	6.55

2ND CUT MEAN DM% 13.5

**3RD CUT (20/9/91) DRY MATTER TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

<b>FUNG RES</b>	<b>NONE</b>	<b>BENOMYL</b>	<b>Mean</b>
	5.06	4.11	4.58

3RD CUT MEAN DM% 18.7

**TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

<b>FUNG RES</b>	<b>NONE</b>	<b>BENOMYL</b>	<b>Mean</b>
	20.35	18.09	19.22

TOTAL OF 3 CUTS MEAN DM% 15.6

PLOT AREA HARVESTED 0.00010