


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1991

[Full Table of Content](#)



91/R/CS/311 Effects of Shallow Straw Incorporation - W. Wheat

Rothamsted Research

Rothamsted Research (1992) *91/R/CS/311 Effects of Shallow Straw Incorporation - W. Wheat* ; Yields Of The Field Experiments 1991, pp 63 - 66 - DOI: <https://doi.org/10.23637/ERADOC-1-46>

91/R/CS/311

EFFECTS OF SHALLOW STRAW INCORPORATION

Object: To study the effects of shallow straw incorporation on straw decomposition, toxin production, pests and diseases and on the establishment, growth and yield of winter wheat - West Barnfield I.

Sponsors: R.D. Prew, D.G. Christian, R.J. Gutteridge, E.T.G. Bacon, J.F. Jenkyn, B.R. Kerry, W. Powell, A.D. Todd.

The seventh year, w. wheat.

For previous years see 85-90/R/CS/311.

Design: Single replicate of 3 x 2 x 2 x 2 x 2.

Whole plot dimensions: 9.0 x 57.0.

Treatments: Combinations of:-

Whole plots

1. **STRAW** Treatments to straw of previous wheat:

BURNT	Burnt on 22 Aug, 1990
BALED	Baled and removed on 21 Aug
CHOPPED	Chopped on 22 Aug

2. **CULTTIME** Time of cultivation, to 10 cm depth:

EARLY	Cultivated by rotary grubber on 23 Aug, 1990
LATER	Cultivated by rotary grubber on 14 Sept

Sub plots

3. **FUNGCIDE** Fungicides:

O	None
FULL	Full programme:- Triadimefon at 0.12 kg and carbendazim at 0.25 kg in 200 l on 3 Dec, 1990 Prochloraz at 0.40 kg and carbendazim at 0.15 kg in 200 l on 12 Apr, 1991 Propiconazole at 0.12 kg with chlorothalonil at 0.50 kg in 200 l on 20 June

4. **INSCTCDE** Insecticides:

O	None
CYP+PIR	Cypermethrin at 25 g in 200 l on 6 Nov, 1990 Pirimicarb at 0.14 kg in 200 l on 2 July, 1991

5. **MOLLCIDE** Molluscicide:

O	None
METHCARB	Methiocarb at 0.22 kg on 11 Oct, 1990

NOTE: STRAW BURNT plots were disced the day after burning.

91/R/CS/311

Basal applications: Manures: 'Nitram' at 120 kg and later at 580 kg.
Weedkillers: Glyphosate at 0.18 kg and later at 1.4 kg, both in 200 l. Tri-allate at 2.2 kg. Bifenox at 0.95 kg and chlorotoluron at 3.5 kg in 200 l.

Seed: Haven, sown at 190 kg.

Cultivations, etc.:- First glyphosate applied: 8 Oct, 1990. Rotary harrowed, seed sown: 10 Oct. Tri-allate applied: 2 Nov. Bifenox and chlorotoluron applied: 13 Nov. First N applied: 4 Mar, 1991. Second N applied: 5 Apr. Second glyphosate applied: 13 Aug. Combine harvested: 20 Aug.

NOTE: Growth was measured and incidence of pests and diseases was assessed at intervals during the season. Ears of volunteers were counted prior to harvest and components of yield were measured.

GRAIN TONNES/HECTARE

***** Tables of means *****

CULTTIME	EARLY	LATER	Mean
STRAW			
BURNT	8.84	8.42	8.63
BALED	9.00	9.23	9.11
CHOPPED	8.78	8.23	8.51
Mean	8.87	8.63	8.75
FUNGCIDE	0	FULL	Mean
STRAW			
BURNT	7.71	9.55	8.63
BALED	8.39	9.84	9.11
CHOPPED	7.66	9.35	8.51
Mean	7.92	9.58	8.75
FUNGCIDE	0	FULL	Mean
CULTTIME			
EARLY	8.17	9.57	8.87
LATER	7.66	9.59	8.63
Mean	7.92	9.58	8.75
INSCTCDE	0	CYP+PIR	Mean
STRAW			
BURNT	8.44	8.82	8.63
BALED	9.05	9.18	9.11
CHOPPED	8.51	8.50	8.51
Mean	8.66	8.83	8.75

91/R/CS/311

GRAIN TONNES/HECTARE

***** Tables of means *****

INSC TCDE	O	CYP+PIR	Mean
CULTTIME			
EARLY	8.72	9.02	8.87
LATER	8.61	8.65	8.63
Mean	8.66	8.83	8.75

INSC TCDE	O	CYP+PIR	Mean
FUNG CIDE			
O	7.76	8.08	7.92
FULL	9.57	9.59	9.58
Mean	8.66	8.83	8.75

MOLL CIDE	O	METH CARB	Mean
STRAW			
BURNT	8.57	8.69	8.63
BALED	9.02	9.21	9.11
CHOPPED	8.53	8.48	8.51
Mean	8.71	8.79	8.75

MOLL CIDE	O	METH CARB	Mean
CULTTIME			
EARLY	8.84	8.91	8.87
LATER	8.58	8.68	8.63
Mean	8.71	8.79	8.75

MOLL CIDE	O	METH CARB	Mean
FUNG CIDE			
O	7.84	7.99	7.92
FULL	9.57	9.59	9.58
Mean	8.71	8.79	8.75

MOLL CIDE	O	METH CARB	Mean
INSC TCDE			
O	8.64	8.69	8.66
CYP+PIR	8.77	8.90	8.83
Mean	8.71	8.79	8.75

91/R/CS/311

GRAIN TONNES/HECTARE

*** Standard errors of differences of means ***

			STRAW*
FUNGCIDE	INSCDCDE	MOLLCIDE	FUNGCIDE
0.111	0.111	0.111	0.192
CULTTIME*	STRAW*	CULTTIME*	FUNGCIDE
FUNGCIDE	INSCDCDE	INSCDCDE	INSCDCDE
0.156	0.192	0.156	0.156
STRAW*	CULTTIME*	FUNGCIDE	INSCDCDE
MOLLCIDE	MOLLCIDE	MOLLCIDE	MOLLCIDE
0.192	0.156	0.156	0.156

* Within the same level of **STRAW**, **CULTTIME** or **STRAW.CULTTIME** only

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
WP.SP	27	0.383	4.4

GRAIN MEAN DM% 89.6

SUB PLOT AREA HARVESTED 0.00276