


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1992

[Full Table of Content](#)



92/R/CS/392 *Alternaria* and Fungicides - Linseed

Rothamsted Research

Rothamsted Research (1993) *92/R/CS/392 Alternaria and Fungicides - Linseed* ; Yields Of The Field Experiments 1992, pp 100 - 101 - DOI: <https://doi.org/10.23637/ERADOC-1-47>

92/R/CS/392

ALTERNARIA & FUNGICIDES

Object: To study the epidemiology and changes in the population of *Alternaria linicola* under different fungicide treatments - Long Hoos IV 4.

Sponsors: I. Vloutoglou, B.D.L. Fitt.

The first year, linseed.

Design: 5 randomised blocks of 4 plots.

Whole plot dimensions: 3.0 x 10.0.

Treatments:

FUNGICIDE	Fungicides:
NONE	None
IPRODION	Iprodione
CHLORLOR	Chlorothalonil
PROCHLOR	Prochloraz

Experimental diary:

14-Apr-92 : B : Heavy spring-tine cultivated.
21-Apr-92 : B : Rotary harrowed.
21-Apr-92 : B : Rotary harrowed. Antares, undressed, drilled at 50 kg.
23-Apr-92 : B : Rolled.
13-May-92 : B : 34.5% N at 220 kg.
02-Jun-92 : B : Basagran at 2.0 l and Vindex at 1.0 l in 200 l.
18-Jun-92 : B : Irrigation: 8 mm applied.
24-Jun-92 : T : **FUNGICIDE** IPRODION: Rovral Flo at 1.0 l in 220 l.
 : T : **FUNGICIDE** CHLORLOR: Chiltern Chlorothalonil 500 at 0.50 l
 in 220 l.
 : T : **FUNGICIDE** PROCHLOR: Sportak 45 at 0.35 l in 220 l.
26-Jun-92 : B : Irrigation: 12mm applied.
29-Jun-92 : B : Irrigation: 12mm applied.
08-Jul-92 : T : **FUNGICIDE**: All applications as 24-Jun-92.
22-Jul-92 : T : **FUNGICIDE**: All applications as 24-Jun-92.
28-Jul-92 : B : Irrigation: 12mm applied.
06-Aug-92 : T : **FUNGICIDE**: All applications as 24-Jun-92.
19-Aug-92 : T : **FUNGICIDE**: All applications as 24-Jun-92.
10-Sep-92 : T : **FUNGICIDE**: All applications as 24-Jun-92.
16-Sep-92 : B : Roundup at 3.0 l in 200 l.
17-Sep-92 : B : Combine harvested.

Previous crops: W. wheat 1990, linseed 1991.

NOTE: Plant samples were taken at fortnightly intervals from mid-June until mid-September for assessment of infection by *Alternaria linicola*.

92/R/CS/392

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

FUNGICIDE	
NONE	0.96
IPRODION	0.93
CHLORLOR	1.06
PROCHLOR	1.18
Mean	1.03

*** Standard errors of differences of means ***

FUNGICIDE
0.086

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	12	0.136	13.2

GRAIN MEAN DM% 86.0

PLOT AREA HARVESTED 0.00230