


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1992

[Full Table of Content](#)



---

### 92/R/BS/1 Insecticides and Aphids - S. Barley

#### Rothamsted Research

Rothamsted Research (1993) *92/R/BS/1 Insecticides and Aphids - S. Barley* ; Yields Of The Field Experiments 1992, pp 116 - 117 - DOI: <https://doi.org/10.23637/ERADOC-1-47>

92/R/BS/1

SPRING BARLEY

INSECTICIDES AND APHIDS

**Object:** To compare the effects of a range of insecticides on the control of aphids and barley yellow dwarf virus (BYDV) and on the yield of spring barley - Little Hoos.

**Sponsors:** N. Carter, R.T. Plumb.

**Design:** 4 blocks of 5 plots, with external dummy plots and arranged to allow estimation of the effects of neighbouring plots.

**Whole plot dimensions:** 3.0 x 10.0.

**Treatments:**

<b>INSECTCDE</b>	Insecticides:
NONE	None
IMIDA SD	Imidacloprid seed dressing
DELTA SP	Deltamethrin spray
DEMET SP	Demeton-S-methyl spray
PIRIM SP	Pirimicarb spray

**NOTE:** Imidacloprid seed dressing applied as a 35% w/v formulation at 300 ml per 100 kg seed.

**Experimental diary:**

30-Aug-91 : B : Straw chopped.  
29-Oct-91 : B : Ploughed.  
22-Apr-92 : B : 34.5% N at 440kg.  
22-Apr-92 : T : Spring-tine cultivated, rotary harrowed. Alexis, dressed Cerevax (except **INSECTCDE** IMADA SD), drilled at 160kg.  
22-Apr-92 : T : **INSECTCDE** IMIDA SD: Spring-tine cultivated, rotary harrowed. Alexis, dressed imidacloprid, drilled at 160 kg.  
22-Apr-92 : B : Rolled.  
19-May-92 : B : Duplosan New System CMPP at 2.0 l, Vindex at 1.0 l and Calixin at 0.70 l in 200 l.  
19-May-92 : T : **INSECTCDE** DELTA SP: Decis at 0.20 l in 220 l.  
: T : **INSECTCDE** DEMET SP: Metasystox 55 at 0.42 l in 220 l.  
: T : **INSECTCDE** PIRIM SP: Aphox at 0.28 kg in 220 l.  
04-Jun-92 : T : **INSECTCDE** DELTA SP: Decis at 0.20 l in 300 l.  
: T : **INSECTCDE** DEMET SP: Metasystox 55 at 0.42 l in 300 l.  
: T : **INSECTCDE** PIRIM SP: Aphox at 0.28 kg in 300 l.  
09-Jun-92 : B : Radar at 0.50 l in 200 l.  
15-Jun-92 : T : **INSECTCDE** DELTA SP: Decis at 0.20 l in 200 l.  
: T : **INSECTCDE** DEMET SP: Metasystox 55 at 0.42 l in 220 l.  
: T : **INSECTCDE** PIRIM SP: Aphox at 0.28 kg in 220 l.  
18-Aug-92 : B : Combine harvested.

Previous crops: W. oilseed rape 1990, w. wheat 1991

92/R/BS/1

NOTE: Symptoms of BYDV were visually assessed in spring and summer and thousand grain weights measured at harvest.

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

<b>INSCDCDE</b>	
NONE	5.72
IMIDA SD	5.77
DELTA SP	5.81
DEMET SP	5.71
PIRIM SP	5.71
Mean	5.74

\*\*\* Standard errors of differences of means \*\*\*

<b>INSCDCDE</b>
0.076

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	12	0.107	1.9
GRAIN MEAN DM%	83.8		
PLOT AREA HARVESTED	0.00230		