Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1992



Full Table of Content

92/W/LP/2 Row Spacing - S. Lupins

Rothamsted Research

Rothamsted Research (1993) 92/W/LP/2 Row Spacing - S. Lupins; Yields Of The Field Experiments 1992, pp 148 - 149 - DOI: https://doi.org/10.23637/ERADOC-1-47

92/W/LP/2

SPRING LUPINS

ROW SPACING

Object: To test the effects of plant density on the yield and maturity of two lines of spring-sown Lupinus albus - Woburn, Butt Furlong.

Sponsors: J.M. Day, G.F.J. Milford, J.E. Leach, H.L. Stevenson.

Design: 4 blocks of 2 x 3 plots.

Whole plot dimensions: 2.0 x 5.0.

Treatments: All combinations of:-

1. GENOTYPE Line:

CH 306 C 342

2. ROW SPAC Row width and seed spacing (cm):

12.5+7
12.5 cm between rows, 7 cm within rows
25+7
25 cm between rows, 7 cm within rows
12.5+14
12.5 cm between rows, 14 cm within rows

Experimental diary:

20-Sep-91 : B : Ploughed. 21-Sep-91 : B : Rolled.

19-Mar-92: B: Rotary cultivated with crumbler attached.

: T : GENOTYPE and ROW SPAC: Seed drilled.

01-Apr-92 : B : Opogard 500 FW at 1.6 1 in 200 1.

15-Jun-92 : B : Hand weeded.

20-Jul-92 : B : Aphox at 0.28 kg with Vassgro Spreader at 0.45 1 in

300 1.

08-Sep-92 : B : Combine harvested.

Previous crops: Potatoes 1990, s. barley 1991.

92/W/LP/2

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

ROW SPAC GENOTYPE	12.5+7	25+7	12.5+14	Mean
CH 306	0.11	0.09	0.05	0.08
C 342	0.07	0.06	0.06	0.07
Mean	0.09	0.07	0.06	0.07

*** Standard errors of differences of means ***

GENOTYPE	ROW SPAC	GENOTYPE	
		ROW SPAC	
0.017	0.021	0.030	

***** Stratum standard errors and coefficients of variation *****

 Stratum
 d.f.
 s.e.
 cv%

 BLOCK.WP
 15
 0.042
 57.7

GRAIN MEAN DM% 75.8

PLOT AREA HARVESTED 0.00100