

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1992

[Full Table of Content](#)



---

### 92/R/P/1 Control of Storage Diseases - Potatoes

#### Rothamsted Research

Rothamsted Research (1993) *92/R/P/1 Control of Storage Diseases - Potatoes* ; Yields Of The Field Experiments 1992, pp 163 - 165 - DOI: <https://doi.org/10.23637/ERADOC-1-47>

92/R/P/1

POTATOES

CONTROL OF STORAGE DISEASES

**Object:** To study the effects of applying fungicides to seed tubers, harvest dates and post-harvest physical treatments on tuber diseases - Great Knott I.

**Sponsors:** G.A. Hide, P.J. Read, S.M. Hall.

**Design:** 3 randomised blocks of 2 whole plots split into 21 sub plots.

**Whole plot dimensions:** 1.5 x 7.62.

**Treatments:**

Whole plots

1. **HARVDATE** Harvest dates:

H1	Early
H2	Later

Sub plots: All combinations of:-

2. **FUNGRATE** Concentration of a mixture of thiabendazole (30%) and imazalil (10%) as a pre-planting dip:

0	None
F1	0.07% active ingredient of mixture
F2	0.27% active ingredient of mixture

3. **POSTHARV** Post-harvest treatment:

NONE	No curing
DC1WK	One week dry curing
DC2WK	Two weeks dry curing
FC2H	Two hours field drying
F2H+D1WK	Two hours field drying plus one week dry curing
BLSTD60H	60 hours blast drying
F2H+D2H	Two hours field drying plus two hours dry curing

**Experimental diary:**

25-Aug-91 : B : Chopped straw.  
07-Nov-91 : B : Ploughed.  
21-Feb-92 : B : PK as (0:18:36) at 940 kg.  
14-Apr-92 : B : NPK as (12:20:20) at 1750 kg.  
21-Apr-92 : B : Rotary harrowed.  
22-Apr-92 : B : Ridged, King Edward hand planted, ridges split back.  
06-May-92 : B : Rota-ridged.  
13-May-92 : B : Rotalin at 5.5 l in 200 l.  
22-Jun-92 : B : Chiltern Manex at 2.0 l with Nu-Film P at 0.18 l in 200 l.

92/R/P/1

**Experimental diary:**

- 08-Jul-92 : B : Chiltern Manex at 2.0 l, Aphox at 0.28 kg with Nu-Film P at 0.18 l in 200 l.  
 16-Jul-92 : B : Chiltern Manex at 2.0 l with Nu-Film P at 0.18 l in 200 l.  
 28-Jul-92 : B : Chiltern Manex at 2.5 l with Nu-Film P at 0.18 l in 200 l.  
 17-Aug-92 : T : **HARVDATE** H1: Haulm mechanically destroyed.  
 18-Aug-92 : T : **HARVDATE** H2: Chiltern Super Tin 4L at 0.56 l with Nu-Film P at 0.18 l in 200 l.  
 03-Sep-92 : T : **HARVDATE** H1: Lifted by machine, hand picked.  
 11-Sep-92 : T : **HARVDATE** H2: Haulm mechanically destroyed.  
 29-Sep-92 : T : **HARVDATE** H2: Lifted by machine, hand picked.

Previous crops: W. barley 1990, w. wheat 1991

**NOTE:** Tuber diseases were assessed after harvest and in storage.

**TOTAL TUBERS TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

<b>HARVDATE</b>	H1	H2	Mean	
<b>POSTHARV</b>				
NONE	52.9	68.4	60.6	
DC1WK	49.4	67.3	58.3	
DC2WK	49.8	67.3	58.5	
FC2H	49.1	64.7	56.9	
F2H+D1WK	50.4	66.1	58.2	
BLSTD60H	49.6	68.5	59.1	
F2H+D2H	51.5	65.0	58.2	
Mean	50.4	66.8	58.6	
<b>FUNGRATE</b>	0	F1	F2	Mean
<b>HARVDATE</b>				
H1	51.7	50.3	49.2	50.4
H2	68.0	65.9	66.5	66.8
Mean	59.8	58.1	57.8	58.6
<b>FUNGRATE</b>	0	F1	F2	Mean
<b>POSTHARV</b>				
NONE	59.8	59.3	62.9	60.6
DC1WK	61.5	57.7	55.8	58.3
DC2WK	62.5	56.2	57.0	58.5
FC2H	57.5	56.8	56.5	56.9
F2H+D1WK	57.8	58.9	57.9	58.2
BLSTD60H	59.4	57.6	60.2	59.1
F2H+D2H	60.2	60.1	54.4	58.2
Mean	59.8	58.1	57.8	58.6

92/R/P/1

TOTAL TUBERS TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

HARVDATE	FUNGRATE POSTHARV	0	F1	F2
H1	NONE	53.5	51.2	53.9
	DC1WK	50.5	49.7	47.8
	DC2WK	47.5	51.3	50.6
	FC2H	52.6	48.2	46.5
	F2H+D1WK	50.7	51.2	49.2
	BLSTD60H	51.6	49.5	47.8
	F2H+D2H	55.2	50.9	48.4
H2	NONE	66.1	67.3	71.9
	DC1WK	72.4	65.7	63.8
	DC2WK	77.4	61.2	63.3
	FC2H	62.4	65.4	66.5
	F2H+D1WK	65.0	66.6	66.6
	BLSTD60H	67.2	65.6	72.7
	F2H+D2H	65.2	69.3	60.4

\*\*\* Standard errors of differences of means \*\*\*

FUNGRATE	POSTHARV	HARVDATE* FUNGRATE	HARVDATE* POSTHARV
0.97	1.49	1.38	2.10
FUNGRATE POSTHARV	HARVDATE* FUNGRATE POSTHARV		
2.58	3.64		

\* Within the same level of HARVDATE only

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP.SP	80	4.46	7.6
PLOT AREA HARVESTED	0.00114		