


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1992

[Full Table of Content](#)



## 92/R/CS/323 Cereal Sequences and Take-all - W. Wheat, W. Barley, S. Barley, W. Triticale, W. Oats

Rothamsted Research

Rothamsted Research (1993) *92/R/CS/323 Cereal Sequences and Take-all - W. Wheat, W. Barley, S. Barley, W. Triticale, W. Oats ; Yields Of The Field Experiments 1992*, pp 66 - 68 - DOI:  
<https://doi.org/10.23637/ERADOC-1-47>

92/R/CS/323

CEREAL SEQUENCES AND TAKE-ALL

**Object:** To study the effects on take-all (*Gaeumannomyces graminis*) and yield of including triticale in cereal sequences - West Barnfield II.

**Sponsors:** R.J. Gutteridge, D. Hornby, R.D. Prew.

The fifth year, w. barley, w. oats, w. triticale, w. wheat, s. barley.

For previous years see 88-91/R/CS/323

**Design:** 3 randomised blocks of 26 plots.

**Whole plot dimensions:** 3.0 x 10.0.

**CROPSEQ** Crop sequences (1988, 1989, 1990, 1991 and 1992 respectively):

W W S S S	W. wheat, w. wheat, s. barley, s. barley
B B B B B	W. barley, w. barley, w. barley, w. barley
O B B B O	W. oats, w. barley, w. barley, w. barley, w. oats
B O B B B	W. barley, w. oats, w. barley, w. barley, w. barley
B B O B B	W. barley, w. barley, w. oats, w. barley, w. barley
S B S B S	S. barley, w. barley, s. barley, w. barley, s. barley
T T B B B	W. triticale, w. triticale, w. barley, w. barley, w. barley
T B T B T	W. triticale, w. barley, w. triticale, w. barley, w. triticale
W B W B W	W. wheat, w. barley, w. wheat, w. barley, w. wheat
W W B B B	W. wheat, w. wheat, w. barley, w. barley, w. barley
B B B O B	W. barley, w. barley, w. barley, w. oats, w. barley
T T T O T	W. triticale, w. triticale, w. triticale, w. oats, w. triticale
W W W O W	W. wheat, w. wheat, w. wheat, w. oats, w. wheat
T T T T T	W. triticale, w. triticale, w. triticale, w. triticale, w. triticale
B B T T T	W. barley, w. barley, w. triticale, w. triticale, w. triticale
O T T T O	W. oats, w. triticale, w. triticale, w. triticale, w. oats
T O T T T	W. triticale, w. oats, w. triticale, w. triticale, w. triticale
T T O T T	W. triticale, w. triticale, w. oats, w. triticale, w. triticale
W W T T T	W. wheat, w. wheat, w. triticale, w. triticale, w. triticale
W T W T W	W. wheat, w. triticale, w. wheat, w. triticale, w. wheat
W W W W W	W. wheat, w. wheat, w. wheat, w. wheat, w. wheat
B B W W W	W. barley, w. barley, w. wheat, w. wheat, w. wheat
O W W W O	W. oats, w. wheat, w. wheat, w. wheat, w. oats
W O W W W	W. wheat, w. oats, w. wheat, w. wheat, w. wheat
W W O W W	W. wheat, w. wheat, w. oats, w. wheat, w. wheat
T T W W W	W. triticale, w. triticale, w. wheat, w. wheat, w. wheat

92/R/CS/323

**Experimental Diary:**

05-Sep-91 : B : Straw baled and removed.  
12-Sep-91 : B : Sting CT at 1.5 l in 200 l.  
16-Sep-91 : B : PK as (0:16:36) at 300 kg.  
18-Sep-91 : B : Ploughed and furrow pressed.  
19-Sep-91 : T : W. barley plots: Rotary harrowed, Magie drilled at  
140 kg.  
: T : W. oats plots: Rotary harrowed, Image drilled at 124 kg.  
: T : W. triticale plots: Rotary harrowed, Cumulus drilled at  
154 kg.  
: T : W. wheat plots: Rotary harrowed, Mercia drilled at  
161 kg.  
20-Sep-91 : B : Rolled.  
20-Sep-91 : T : W. barley, w. triticale and w. wheat plots: Stefes IPU  
at 2.5 l and Stomp 400 at 2.5 l in 200 l.  
: T : W. oats plots: Glytex at 2.25 kg in 200 l.  
25-Feb-92 : T : W. barley, w. triticale, w.wheat and w.oats plots: 34.5%  
N at 87 kg.  
05-Mar-92 : T : S. barley plots: 34.5% N at 348 kg.  
: T : S. barley plots: Rotary harrowed, Klaxon drilled at  
136 kg.  
14-Apr-92 : T : W. triticale and w.oats plots: 34.5% N at 348 kg.  
: T : W. barley plots: 34.5% N at 435 kg.  
: T : W. wheat plots: 34.5% N at 493 kg.  
03-May-92 : B : Starane 2 at 1.0 l and Radar at 0.50 l in 260 l.  
24-Jul-92 : T : W. barley plots: Combine harvested.  
30-Jul-92 : T : W. wheat, w. triticale and s. barley plots: Combine  
harvested.  
29-Aug-92 : T : W. oats plots: Combine harvested.

**NOTE:** Plants were sampled in April, June and July to assess take-all,  
eyespot and sharp eyespot. Soil cores were taken after harvest to  
assess take-all infectivity.

92/R/CS/323

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

CROPSEQ	
W W S S S	6.10
B B B B B	7.10
O B B B O	3.60
B O B B B	7.76
B B O B B	8.08
S B S B S	5.91
T T B B B	7.22
T B T B T	6.16
W B W B W	6.22
W W B B B	7.60
B B B O B	7.53
T T T O T	7.62
W W W O W	7.05
T T T T T	6.96
B B T T T	5.99
O T T T O	4.06
T O T T T	6.70
T T O T T	6.94
W W T T T	7.65
W T W T W	6.40
W W W W W	6.79
B B W W W	6.35
O W W W O	3.65
W O W W W	5.56
W W O W W	6.51
T T W W W	6.07

Mean      6.44

\*\*\* Standard errors of differences of means \*\*\*

CROPSEQ
0.367

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	50	0.450	7.0

GRAIN MEAN DM% 85.4

PLOT AREA HARVESTED 0.00230