

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1992

[Full Table of Content](#)



### **92/R/CS/380 Cover Crops and 15n - Forage Rape, Tumbledown, W. Rye, W. Barley, S. Barley, Fallow**

#### **Rothamsted Research**

Rothamsted Research (1993) *92/R/CS/380 Cover Crops and 15n - Forage Rape, Tumbledown, W. Rye, W. Barley, S. Barley, Fallow* ; Yields Of The Field Experiments 1992, pp 92 - 94 - **DOI:**  
<https://doi.org/10.23637/ERADOC-1-47>

92/R/CS/380

**COVER CROPS AND 15N**

**Object:** To assess how effectively cover crops take up nitrogen and to assess how much of that nitrogen is subsequently available to the following crop - Webbs.

**Sponsors:** P.R. Poulton, D.G. Christian, A.J. Macdonald.

The first year, forage rape, rye, tumbledown, w. and s. barley.

**Design:** 3 blocks of 5 plots split into 2.

**Whole plot dimensions:** 6.0 x 12.0.

**Treatments:** All combinations of:-

Whole plots

1. **LAND TRT**            Cover crops, sown in autumn, tumbledown and fallow.  
                                 All plots ploughed in spring and sown to s. barley:

FO RA SB	Forage rape
RYE SB	Rye
TUMDN SB	Tumbledown
FALLOWSB	Fallow

Sub plots

2. **N**                    Nitrogen fertilizer (kg N) to s. barley:

0  
75

plus one extra treatment

Whole plot

1. **EXTRA**

W BARLEY                    W. barley sown in autumn, taken to maturity

Sub plot

2. **N EXTRA**            Nitrogen fertilizer (kg N) to w. barley:

0  
150

**NOTE:** The tumbledown fallow was given 50 kg of seed from the previous s. barley crop to ensure volunteers.

92/R/CS/380

**Experimental diary:**

- 15-Aug-91 : B : Straw baled.  
21-Aug-91 : B : Dolomite at 5.0 t.  
: T : **LAND TRT** FO RA SB, RYE SB, TUMDN SB: Shallow cultivated twice with Bomford Dynadrive.  
: T : **LAND TRT** FO RA SB: Giant broadcast at 30 kg.  
: T : **LAND TRT** RYE SB: Halo broadcast at 180 kg.  
: T : **LAND TRT** TUMDN SB: S. barley (cv. Alexis) broadcast at 50 kg.  
: T : **LAND TRT** FO RA SB, RYE SB, TUMDN SB: Harrowed and rolled.  
12-Sep-91 : T : **LAND TRT** FO RA SB: Fusilade 5 at 1.0 l with Vassgro Spreader at 0.22 l in 220 l.  
13-Sep-91 : T : **EXTRA** W BARLEY: Ploughed.  
: T : **EXTRA** W BARLEY: Rotary harrowed twice.  
**EXTRA** W BARLEY: Rotary harrowed, Magie drilled at 144 kg, rolled.  
19-Sep-91 : T : **LAND TRT** FALLOWSB: Ploughed and heavy spring-tine cultivated.  
25-Sep-91 : T : **LAND TRT** FALLOWSB: Rolled.  
14-Nov-91 : T : **LAND TRT** FO RA SB: Pilot at 0.075 l with Actipron at 2.0 l in 220 l.  
03-Dec-91 : T : **LAND TRT** FALLOWSB: Gramoxone 100 at 3.0 l in 220 l.  
: T : **EXTRA** W BARLEY: Stefes IPU at 2.5 l and Stomp 400 at 3.3 l in 220 l.  
03-Mar-92 : T : **LAND TRT** FO RA SB, RYE SB, TUMDN SB, FALLOWSB: Ploughed.  
06-Mar-92 : T : **LAND TRT** FO RA SB, RYE SB, TUMDN SB, FALLOWSB: Rotary harrowed. Alexis, dressed Baytan, drilled at 146 kg.  
09-Mar-92 : B : Rolled  
24-Apr-92 : T : **N** 75: 27% N at 278 kg.  
: T : **N EXTRA** 150: as 27% N at 556 kg.  
22-May-92 : T : **LAND TRT** FO RA SB, RYE SB, TUMDN SB, FALLOWSB: Duplosan New System CMPP at 2.0 l, Vindex at 1.0 l and Calixin at 0.70 l in 220 l.  
30-Jul-92 : B : Hand harvested.

Previous crops: W. barley 1990, s. barley 1991.

**NOTE:** Main plots were labelled with 15N in autumn 1991. Recovery of 15N by each level of **LAND TRT**, **EXTRA** W BARLEY and the subsequent s. barley was measured.

92/R/CS/380

S. BARLEY

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

	N	0	75	Mean
LAND TRT				
FO RA SB		4.02	4.85	4.44
RYE SB		2.92	4.36	3.64
TUMDN SB		2.73	4.73	3.73
FALLOWSB		5.17	5.72	5.45
Mean		3.71	4.91	4.31

\*\*\* Standard errors of differences of means \*\*\*

LAND TRT	N	LAND TRT
		N
	0.239	0.288
		0.472
Except when comparing means with the same level(s) of		
LAND TRT		0.576

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	6	0.293	6.8
BLOCK.WP.SP	8	0.705	16.3

EXTRA W BARLEY

N EXTRA	0	150	Mean
	3.79	6.05	4.92

GRAIN MEAN DM% 37.2

PLOT AREA HARVESTED 0.00008