


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1994

[Full Table of Content](#)



### 94/R/RAW/6 Winter Oilseed Rape and Weed Species - W. Oilseed Rape

#### Rothamsted Research

Rothamsted Research (1995) *94/R/RAW/6 Winter Oilseed Rape and Weed Species - W. Oilseed Rape* ; Yields Of The Field Experiments 1994, pp 119 - 120 - DOI:

<https://doi.org/10.23637/ERADOC-1-49>

94/R/RAW/6

WINTER OILSEED RAPE

WINTER OILSEED RAPE AND WEED SPECIES

**Object:** To establish the relative competitive abilities of a range of common broad-leaved weeds in w. rape - Appletree.

**Sponsors:** P.J.W. Lutman.

**Design:** 3 blocks of (7 x 2) + 2 plots.

**Whole plot dimensions:** 3.0 x 14.0.

**Treatments:** All combinations of:-

1. **SPECIES** Weed species sown:

SM	<i>Stellaria media</i> (chickweed)
GA	<i>Galium aparine</i> (cleavers)
MP	<i>Matricaria perforata</i> (mayweed)
VA	<i>Viola arvensis</i> (pansy)
SA	<i>Sinapis arvensis</i> (charlock)
LP	<i>Lamium purpureum</i> (red dead-nettle)
PR	<i>Papaver rhoeas</i> (poppy)

2. **DENSITY**

D1	Moderate
D2	High

plus 2 extra plots

3. **EXTRA** No weeds sown, herbicide application:

OS	Applied
OU	Not applied

**Experimental diary:**

19-Jul-93 : B : Cultivated by rotary grubber.  
29-Jul-93 : B : Deep tine cultivated with vibrating tines, 60 cm apart, 45 cm deep.  
02-Aug-93 : B : Rolled.  
16-Aug-93 : B : PK as (0:18:36) at 1250 kg.  
18-Aug-93 : B : Ploughed and furrow pressed, rolled.  
07-Sep-93 : B : Rotary harrowed.  
          : T : **SPECIES** SM, GA, VA, SA, LP, PR: Weed seeds broadcast by hand.  
          : B : Rotary harrowed twice, Falcon, dressed Lindex-Plus FS, drilled at 120 seeds per m<sup>2</sup>.  
          : T : **SPECIES** MP: Weed seeds broadcast by hand.  
07-Oct-93 : B : Draza at 5.5 kg.  
17-Dec-93 : T : **SPECIES** GA, MP, VA, SA, LP, PR and **EXTRA** OS: Kerb Flo at 1.75 l in 220 l.  
08-Mar-94 : B : 34.5% N at 162 kg.

94/R/RAW/6

**Experimental diary:**

11-Apr-94 : B : 34.5% N at 346 kg.  
 21-Jul-94 : B : Landgold Diquat at 3.0 l with Vassgro Spreader at 300 ml  
 in 300 l.  
 29-Jul-94 : B : Combine harvested.

Previous crops: Potatoes 1992, set-aside 1993.

**NOTES:** (1) Crop and weed densities were assessed in autumn. Crop and weed dry weights were measured in December and April.  
 (2) Yields, cleaned of weed seeds, are presented.

**GRAIN (AT 90% DRY MATTER) TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

DENSITY SPECIES	D1	D2	Mean
SM	3.19	3.45	3.32
GA	3.72	2.42	3.07
MP	3.94	4.08	4.01
VA	4.02	3.89	3.96
SA	2.25	0.83	1.54
LP	3.99	3.42	3.71
PR	4.07	4.05	4.06
Mean	3.60	3.16	3.38
<b>EXTRA</b>			
OS	3.91		
OU	3.25		
Mean	3.58		

GRAND MEAN 3.41

\*\*\* Standard errors of differences of means \*\*\*

SPECIES	DENSITY	SPECIES DENSITY & EXTRA
0.169	0.090	0.239

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	30	0.293	8.6
GRAIN MEAN DM%	84.6		
PLOT AREA HARVESTED	0.00253		