Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1994



Full Table of Content

## 94/R/LN/1 Fungicide Timing - Linseed

### **Rothamsted Research**

Rothamsted Research (1995) 94/R/LN/1 Fungicide Timing - Linseed ; Yields Of The Field Experiments 1994, pp 156 - 157 - DOI: https://doi.org/10.23637/ERADOC-1-49

#### 94/R/LN/1

#### LINSEED

#### FUNGICIDE TIMING

**Object:** To study the effects of the timing and number of fungicide sprays on disease incidence and seed and oil yields of linseed - Delafield.

Sponsors: J.F.S. Harold, B.D.L. Fitt.

Design: 3 randomised blocks of 3 plots (duplicated).

Whole plot dimensions: 3.0 x 15.0.

Treatments:

FUNGCIDE

Timing and number of fungicide sprays:

-	None
E	Iprodione mid-flowering
F	Iprodione mid-flowering, repeated at late flowering, and
	benomyl at capsule formation

NOTE: In treatment F, iprodione at late flowering was omitted.

#### Experimental diary:

Previous crops: S. beans 1992, linseed 1993.

NOTE: Diseases were assessed at intervals throughout the season. Fungal spores were monitored continuously.

This work is licensed under a <u>Creative Commons Attribution 4.0 International License</u>.

94/R/LN/1

#### GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

#### FUNGCIDE

-	0.71
E	0.79
F	0.86

Mean 0.79

\*\*\* Standard errors of differences of means \*\*\*

#### FUNGCIDE

0.102

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	CV%
BLOCK.WP	13	0.177	22.4
GRAIN MEAN DM% 86.0			

PLOT AREA HARVESTED 0.00276