

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1994

[Full Table of Content](#)



### 94/R/CS/429 Winter Rye As an Energy Crop - W. Rye

#### Rothamsted Research

Rothamsted Research (1995) *94/R/CS/429 Winter Rye As an Energy Crop - W. Rye* ; Yields Of The Field Experiments 1994, pp 91 - 92 - DOI: <https://doi.org/10.23637/ERADOC-1-49>

94/R/CS/429

**WINTER RYE AS AN ENERGY CROP**

**Object:** To measure the effects of different levels of nitrogen fertilizer on the biomass yield of w. rye - Road Piece West.

**Sponsor:** D.G. Christian.

**Design:** 3 randomised blocks of 5 plots.

**Plot dimensions:** 3.0 x 15.0.

**Treatments:**

**NITROGEN** Nitrogen fertilizer (kg N), applied as 'Nitro-Chalk':

N0	None
N1	30
N2	60
N3	90
N4	120

**Experimental diary:**

- 13-Sep-93 : B : Ploughed.  
15-Oct-93 : B : Rotary harrowed, Amando, dressed Baytan, drilled at 350 seeds per m<sup>2</sup>.  
14-Dec-93 : B : Draza at 5.5 kg.  
22-Apr-94 : T : N 30: 27% N at 111 kg.  
          : T : N 60: 27% N at 222 kg.  
          : T : N 90: 27% N at 333 kg.  
          : T : N 120: 27% N at 444 kg.  
23-Aug-94 : B : Combine harvested.

**NOTE:** Ear numbers were counted, dry matter yield measured and nutrient concentration analysed on crop samples taken at anthesis and pre-harvest.

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

<b>NITROGEN</b>	
N0	5.53
N1	5.72
N2	6.44
N3	7.15
N4	6.77
Mean	6.32

\*\*\* Standard errors of differences of means \*\*\*

<b>NITROGEN</b>	
	0.616

94/R/CS/429

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	8	0.755	11.9
GRAIN MEAN DM%	84.0		
PLOT AREA HARVESTED	0.00230		