


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1995

[Full Table of Content](#)



### 95/W/BES/1 *bean* Flower Colour and Pheromones - S. Beans

#### Rothamsted Research

Rothamsted Research (1996) *95/W/BES/1 bean Flower Colour and Pheromones - S. Beans* ; Yields Of The Field Experiments 1995, pp 127 - 128 - DOI: <https://doi.org/10.23637/ERADOC-1-50>

95/W/BES/1

SPRING BEANS

BEAN FLOWER COLOUR AND PHEROMONES

**Object:** To compare the incidence of *Sitona lineatus* in purple and white flowered beans with and without insecticide and pheromone - Woburn, Horsepool Lane Close I.

**Sponsors:** L.E. Smart, M.M. Blight.

**Design:** 6 x 6 quasi-complete Latin square.

**Whole plot dimensions:** 6.0 x 6.0.

**Treatments:**

1. **VARIETY**

A	Alfred
C	Caspar

2. **INSPHER**                      Insecticide or pheromone:

-	None
I	Insecticide (deltamethrin)
P	Pheromone

**Experimental diary:**

23-Mar-95 : B : Heavy spring-tine cultivated.  
30-Mar-95 : B : Rotary harrowed.  
          : **T** : **VARIETY** A: Alfred drilled at 60 seeds per m<sup>2</sup>.  
          : **T** : **VARIETY** C: Caspar drilled at 60 seeds per m<sup>2</sup>.  
06-Apr-95 : B : Opogard 500 SC at 3.4 l in 200 l.  
02-May-95 : **T** : **INSPHER** I: Decis at 300 ml in 200 l.  
15-May-95 : **T** : **INSPHER** I: Decis at 300 ml in 200 l.  
16-Aug-95 : B : Combine harvested.

Previous crops: W. wheat 1993, w.rye 1994.

**NOTES:** (1) From late April, pheromone was released from a point source hung above the crop at the plot centre.  
(2) Assessments were made of weevil larval numbers in root nodules at the end of May and of damage to leaves by adult weevils in April and May.

95/W/BES/1

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

INSPHER VARIETY	-	I	P	Mean
A	2.62	2.36	2.49	2.49
C	2.24	2.11	2.40	2.25
Mean	2.43	2.23	2.45	2.37

\*\*\* Standard errors of differences of means \*\*\*

VARIETY	INSPHER	VARIETY INSPHER
0.057	0.070	0.099

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
ROW.COL	20	0.172	7.3

GRAIN MEAN DM% 86.9

PLOT AREA HARVESTED 0.00264