


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1995

[Full Table of Content](#)



---

### 95/R/LP/2 Lines and Sowing Dates - Lupins

#### Rothamsted Research

Rothamsted Research (1996) *95/R/LP/2 Lines and Sowing Dates - Lupins* ; Yields Of The Field Experiments 1995, pp 134 - 135 - DOI: <https://doi.org/10.23637/ERADOC-1-50>

95/R/LP/2

LUPINS

LINES AND SOWING DATES

**Object:** To test the effects of sowing date on the plant architecture and yield of two lines of lupins sown in autumn and spring - Highfield VI.

**Sponsors:** G.F.J. Milford, I. Shield.

**Design:** 4 randomised blocks of 3 x 2 plots.

**Plot dimensions:** 2.88 x 6.0.

**Treatments:** All combinations of:-

1. LINES

70	CH304/70
73	CH304/73

2. SOW DATE                      Date of sowing:

E	Early September, 1994
M	Late September
L	Middle of March, 1995

**Experimental diary:**

29-Jul-94 : B : Deep tine cultivated with vibrating tines 60 cm apart and 45 cm deep. Rolled.

04-Aug-94 : B : Ploughed and furrow pressed, rolled.

05-Sep-94 : T : **SOW DATE** E: Rotary harrowed, lines drilled at 40 seeds per m<sup>2</sup>.

06-Sep-94 : T : **SOW DATE** E: Opogard 500 SC at 2.8 l in 220 l.

12-Sep-94 : B : Draza at 5.5 kg.

22-Sep-94 : T : **SOW DATE** M: Rotary harrowed, lines drilled at 40 seeds per m<sup>2</sup>.

26-Sep-94 : T : **SOW DATE** M: Opogard 500 SC at 2.8 l in 200 l.

30-Nov-94 : B : Falcon at 1.0 l in 200 l.

16-Dec-94 : T : **SOW DATE** E, M: Farmon PDQ at 15.0 l in 900 l, inter-row sprayed using dribble bar.

03-Feb-95 : T : **SOW DATE** E, M: Hand weeded.

09-Mar-95 : T : **SOW DATE** L: Sting CT at 4.0 l in 220 l.

13-Mar-95 : T : **SOW DATE** E, M: Atlas Simazine at 2.0 l in 220 l.

14-Mar-95 : T : **SOW DATE** L: Heavy spring-tine cultivated, rotary harrowed, lines drilled at 40 seeds per m<sup>2</sup>.

14-Mar-95 : T : **SOW DATE** L: Opogard 500 SC at 2.8 l in 220 l.

11-Apr-95 : T : **SOW DATE** E, M: Cultar at 0.75 l in 220 l.

19-Apr-95 : B : Atlas Dimethoate 40 at 850 ml in 200 l.

23-May-95 : B : Atlas Dimethoate 40 at 850 ml in 200 l.

16-Jun-95 : T : **SOW DATE** L: Fusilade 5 at 2.0 l in 220 l.

20-Jun-95 : B : Corbel at 0.5 l with Tilt Turbo 475 EC at 1.0 l in 200 l.

30-Jun-95 : B : Atlas Dimethoate 40 at 850 ml in 200 l.

17-Aug-95 : T : **SOW DATE** E, M: Combine harvested.

95/R/LP/2

**NOTES:** (1) **SOW DATE** L did not produce harvestable grain.  
 (2) Plant numbers were assessed in autumn, winter, spring and at harvest. Plant components were assessed at flowering. Components of yield were measured after harvest.

Previous crops: W. wheat 1993, set-aside 1994.

**GRAIN TONNES/HECTARE**

\*\*\*\*\* Tables of means \*\*\*\*\*

<b>SOW DATE</b>	<b>E</b>	<b>M</b>	<b>Mean</b>
<b>LINES</b>			
70	1.73	2.21	1.97
73	2.74	2.99	2.87
Mean	2.23	2.60	2.42

\*\*\* Standard errors of differences of means \*\*\*

<b>LINES</b>	<b>SOW DATE</b>	<b>LINES</b>	<b>SOW DATE</b>
0.142	0.142	0.201	

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

<b>Stratum</b>	<b>d.f.</b>	<b>s.e.</b>	<b>cv%</b>
BLOCK.WP	9	0.284	11.7

GRAIN MEAN DM% 90.3

PLOT AREA HARVESTED 0.00072