

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1995

[Full Table of Content](#)



95/R/LP/5 Autumn Herbicides - Lupins

Rothamsted Research

Rothamsted Research (1996) *95/R/LP/5 Autumn Herbicides - Lupins* ; Yields Of The Field Experiments 1995, pp 142 - 143 - DOI: <https://doi.org/10.23637/ERADOC-1-50>

95/R/LP/5

LUPINS

AUTUMN HERBICIDES

Object: To test autumn-applied herbicides at various rates on the survival of weeds and autumn-sown lupins - Highfield VI.

Sponsor: I. Shield.

Design: 3 randomised blocks of 4 x 4 plots.

Plot dimensions: 3.0 x 9.0.

Treatments: All combinations of:-

1. **HERBICIDE** Herbicide and time of application:

ST	Pendimethalin pre-emergence
OK	Terbuthylazine with terbutryn pre-emergence, propyzamide post-emergence
SI	Simazine pre-emergence
O	Terbuthylazine with terbutryn pre-emergence

2. **RATE** Rate of herbicide application:

½N	Half normal
N	Normal
2N	Twice normal
4N	Four times normal

Experimental diary:

- 29-Jul-94 : B : Deep tine cultivated with vibrating tines 60 cm apart
45 cm deep, rolled.
04-Aug-94 : B : Ploughed and furrow pressed, rolled.
05-Sep-94 : B : Rotary harrowed, CH304/70 dressed Germipro UFB, drilled
at 40 seeds per m².
07-Sep-94 : **T** : **HERBICIDE** OK, O **RATE** ½N, N, 2N, 4N: Opogard 500 SC at
1.4, 2.8, 5.6, 11.2 l in 220 l respectively.
: **T** : **HERBICIDE** SI **RATE** ½N, N, 2N, 4N: Atlas Simazine at 0.5,
1.0, 2.0, 4.0 l in 220 l respectively.
: **T** : **HERBICIDE** ST **RATE** ½N, N, 2N, 4N: Stomp 400 at 2.5, 5.0,
10.0, 20.0 l in 220 l respectively.
12-Sep-94 : B : Draza at 5.5 kg.
21-Nov-94 : **T** : **HERBICIDE** OK **RATE** ½N, N, 2N, 4N: Kerb Flo at 2.1 l in
220 l.
30-Nov-94 : B : Falcon at 1.0 l in 200 l.
14-Mar-95 : B : Logran 20 WG at 37.5 g in 200 l.
12-Apr-95 : B : Cultar at 0.75 l in 200 l.
19-Apr-95 : B : Atlas Dimethoate 40 at 850 ml in 200 l.
23-May-95 : B : Atlas Dimethoate 40 at 850 ml in 200 l.
20-Jun-95 : B : Corbel at 0.5 l with Tilt Turbo 475 EC at 1.0 l in
200 l.
30-Jun-95 : B : Atlas Dimethoate 40 at 850 ml in 200 l.
17-Aug-95 : B : Combine harvested.

95/R/LP/5

Previous crops: W. wheat 1993, set-aside 1994.

NOTE: Plant density was assessed in autumn, winter and spring. Dry matter was measured in winter and spring, weed cover was assessed in January.

GRAIN TONNES/HECTARE

***** Tables of means *****

RATE HERBCIDE	$\frac{1}{2}$ N	N	2N	4N	Mean
ST	1.90	1.81	1.93	1.39	1.76
OK	2.04	1.84	1.83	1.63	1.83
SI	1.54	1.89	1.90	1.91	1.81
O	1.50	1.58	1.75	1.91	1.69
Mean	1.74	1.78	1.85	1.71	1.77

*** Standard errors of differences of means ***

HERBCIDE	RATE	HERBCIDE RATE
0.097	0.097	0.194

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	30	0.238	13.4

GRAIN MEAN DM% 91.1

PLOT AREA HARVESTED 0.00205