

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1995

[Full Table of Content](#)



95/R/HB/2 Hoos Barley - S. Barley

Rothamsted Research

Rothamsted Research (1996) *95/R/HB/2 Hoos Barley - S. Barley* ; Yields Of The Field Experiments 1995, pp 18 - 21 - DOI: <https://doi.org/10.23637/ERADOC-1-50>

95/R/HB/2

HOOS BARLEY

Object: To study the effects of organic and inorganic manures on continuous s. barley. From 1968 to 1978 a rotation of potatoes, beans and s. barley was practised. The rotation was discontinued in 1979 and the experiment reverted to continuous s. barley.

The 144th year, s. barley.

For previous years see 'Details' 1967 and 1973, Station Report for 1966 and 74-94/R/HB/2.

Treatments: All combinations of:-

Whole plots

1. **MANURE** Plot Fertilizers and organic manures:

| | | Form of N 1852-1966 | Additional treatments 1852-1979 | Changes since 1980 |
|-------|-----|------------------------|---------------------------------------|--------------------------|
| --- | 11 | None | - | - |
| -P- | 21 | None | P | - |
| --K | 31 | None | K (Na) Mg | - |
| -PK | 41 | None | PK (Na) Mg | - |
| A-- | 12 | A | - | - |
| AP- | 22 | A | P | - |
| A-K | 32 | A | K (Na) Mg | - |
| APK | 42 | A | PK (Na) Mg | - |
| N---- | 131 | N | - | - |
| NP--- | 231 | N | P | - |
| N-K-- | 331 | N | K (Na) Mg | - |
| NPK-- | 431 | N | PK (Na) Mg | - |
| N--S- | 134 | N | Si | Si omitted |
| NP-S- | 234 | N | P Si | " |
| N-KS- | 334 | N | K (Na) MgSi | " |
| NPKS- | 434 | N | PK (Na) MgSi | " |
| N---S | 132 | N | - | Si added |
| NP--S | 232 | N | P | " |
| N-K-S | 332 | N | K (Na) Mg | " |
| NPK-S | 432 | N | PK (Na) Mg | " |
| N--SS | 133 | N | Si | - |
| NP-SS | 233 | N | P Si | - |
| N-KSS | 333 | N | K (Na) MgSi | - |
| NPKSS | 433 | N | PK (Na) MgSi | - |
| C(--) | 14 | C | - | PKMg omitted |
| C(P-) | 24 | C | P | " |
| C(-K) | 34 | C | K (Na) Mg | " |
| C(PK) | 44 | C | PK (Na) Mg | " |
| D | 72 | None | D | - |
| (D) | 71 | (D) | - | - |
| (A) | 62 | (Ashes) | - | - |
| - | 61 | None | - | - |

95/R/HB/2

Form of N: A, sulphate of ammonia: N, nitrate of soda - each to supply 48 kg N: C, castor meal to supply 96 kg N
P: 35 kg P as triple superphosphate in 1974 and since 1988, single superphosphate in other years
K: 90 kg K as sulphate of potash
(Na): 16 kg Na as sulphate of soda until 1973
Mg: 35 kg Mg, as kieserite every third year since 1974 (sulphate of magnesia annually until 1973)
Si: Silicate of soda at 450 kg
D: Farmyard manure at 35 t. (D): until 1871 only
(Ashes): Weed ash 1852-1916, furnace ash 1917-1932, none since

Sub-plots

2. **N** Nitrogen fertilizer (kg N), as 'Nitro-Chalk', since 1968 (cumulative N applications until 1973, on a cyclic system since 1974):

0
48
96
144

Plus extra plots testing all combinations of:-

Whole plots

1 **MANURE** Fertilizers other than magnesium:

| | | |
|---------|---------|-------|
| 55AN2PK | Plot 55 | AN2PK |
| 56--PK | Plot 56 | --PK |
| 57NN2-- | Plot 57 | NN2 |
| 58NN2-- | Plot 58 | NN2 |

N2: 96 kg N as 'Nitro-Chalk' since 1968. Other symbols as above.

Sub-plots

2. **MAGNESIUM** Magnesium fertilizer (kg Mg) as kieserite every third year since 1974:

0
35

NOTE: For a fuller record see 'Details' etc.

Experimental diary:

08-Aug-94 : B : Straw baled.
03-Nov-94 : T : P applied.
07-Nov-94 : T : K applied.
08-Nov-94 : T : Mg applied.
10-Nov-94 : T : Si applied.
15-Nov-94 : B : Stubble topped.
15-Dec-94 : T : Farmyard manure applied.

95/R/HB/2

Experimental diary:

22-Dec-94 : B : Ploughed.
 16-Mar-95 : B : Spring-tine cultivated, rotary harrowed, Alexis, dressed
 Baytan, drilled at 350 seeds per m².
 04-May-95 : T : N applied.
 23-May-95 : B : Duplosan New System CMPP at 1.5 l with Vindex at 1.4 l
 in 260 l.
 08-Aug-95 : B : Combine harvested.

NOTE: Samples of grain and straw were taken from selected plots for chemical analysis.

MAIN PLOTS GRAIN TONNES/HECTARE

**** Tables of means ****

| N | 0 | 48 | 96 | 144 | Mean |
|---------------|------|------|------|------|------|
| MANURE | | | | | |
| --- | 0.44 | 0.84 | 1.26 | 0.88 | 0.85 |
| -P- | 1.87 | 2.79 | 2.79 | 3.43 | 2.72 |
| --K | 1.15 | 1.95 | 2.82 | 2.47 | 2.10 |
| -PK | 2.00 | 3.65 | 4.29 | 4.71 | 3.66 |
| A-- | 0.66 | 1.10 | 1.29 | 1.43 | 1.12 |
| AP- | 1.90 | 3.11 | 2.56 | 2.35 | 2.48 |
| A-K | 1.10 | 1.48 | 1.63 | 2.08 | 1.57 |
| APK | 1.96 | 3.43 | 4.37 | 4.34 | 3.52 |
| N---- | 0.60 | 1.41 | 1.55 | 1.21 | 1.19 |
| NP--- | 2.13 | 3.50 | 3.86 | 2.98 | 3.12 |
| N-K-- | 1.27 | 1.60 | 1.69 | 1.74 | 1.58 |
| NPK-- | 2.17 | 3.74 | 4.61 | 4.97 | 3.87 |
| N--S- | 1.41 | 2.57 | 2.23 | 1.76 | 1.99 |
| NP-S- | 2.20 | 3.11 | 2.77 | 3.59 | 2.92 |
| N-KS- | 1.89 | 1.90 | 2.51 | 2.73 | 2.26 |
| NPKS- | 2.52 | 3.75 | 4.51 | 4.51 | 3.82 |
| N---S | 1.20 | 1.89 | 2.02 | 1.95 | 1.76 |
| NP--S | 2.42 | 3.70 | 3.88 | 3.62 | 3.40 |
| N-K-S | 1.49 | 2.18 | 2.51 | 2.65 | 2.21 |
| NPK-S | 2.03 | 4.29 | 4.97 | 4.82 | 4.03 |
| N--SS | 1.68 | 1.61 | 2.15 | 2.36 | 1.95 |
| NP-SS | 1.93 | 3.32 | 3.33 | 3.89 | 3.12 |
| N-KSS | 1.62 | 2.30 | 2.86 | 2.99 | 2.44 |
| NPKSS | 2.44 | 3.95 | 4.57 | 4.76 | 3.93 |
| C(--) | 1.61 | 2.68 | 2.90 | 3.34 | 2.63 |
| C(P-) | 2.20 | 3.09 | 3.28 | 3.97 | 3.14 |
| C(-K) | 1.61 | 2.65 | 3.68 | 3.46 | 2.85 |
| C(PK) | 2.23 | 3.61 | 4.13 | 4.82 | 3.70 |
| D | 5.99 | 6.20 | 6.20 | 6.44 | 6.21 |
| (D) | 2.37 | 3.43 | 3.33 | 3.26 | 3.10 |
| (A) | 2.08 | 2.03 | 2.29 | 2.38 | 2.20 |
| - | 1.13 | 1.77 | 1.93 | 2.56 | 1.85 |
| Mean | 1.85 | 2.77 | 3.09 | 3.20 | 2.73 |

GRAIN MEAN DM% 88.6

95/R/HB/2 MAIN PLOTS

STRAW TONNES/HECTARE

***** Tables of means *****

| N | 0 | 48 | 96 | 144 | Mean |
|---------------|------|------|------|------|------|
| MANURE | | | | | |
| --- | 0.17 | 0.52 | 0.60 | 0.32 | 0.40 |
| -P- | 0.67 | 1.08 | 1.66 | 2.08 | 1.37 |
| --K | 0.26 | 0.78 | 1.11 | 1.01 | 0.79 |
| -PK | 0.60 | 1.57 | 2.15 | 2.59 | 1.73 |
| A-- | 0.22 | 0.45 | 0.43 | 0.60 | 0.42 |
| AP- | 0.56 | 1.40 | 1.40 | 1.60 | 1.24 |
| A-K | 0.22 | 0.54 | 0.59 | 0.80 | 0.54 |
| APK | 0.67 | 1.49 | 2.06 | 2.16 | 1.59 |
| D | 3.06 | 3.55 | 3.67 | 3.82 | 3.52 |
| (D) | 0.94 | 1.61 | 1.40 | 1.69 | 1.41 |
| (A) | 0.66 | 0.70 | 0.75 | 0.85 | 0.74 |
| - | 0.30 | 0.69 | 0.91 | 1.14 | 0.76 |
| Mean | 0.69 | 1.20 | 1.39 | 1.56 | 1.21 |

STRAW MEAN DM% 88.8

EXTRA PLOTS

GRAIN TONNES/HECTARE

***** Tables of means *****

| MANURE | 551AN2PK | 561--PK | 571NN2-- | 581NN2-- | Mean |
|------------------|----------|---------|----------|----------|------|
| MAGNESIUM | | | | | |
| 0 | 4.30 | 0.69 | 3.47 | 1.75 | 2.55 |
| 35 | 4.12 | 0.91 | 3.01 | 1.81 | 2.46 |
| Mean | 4.21 | 0.80 | 3.24 | 1.78 | 2.51 |

GRAIN MEAN DM% 88.9